

CON1 Have you watched coverage of any of the conventions in previous years - Democratic and/or Republican? Select all that apply

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Yes, Democratic National Convention(s)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	938 48%
Yes, Republican National Convention(s)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	721 37%
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	597 30%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2256 115%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON2 Did you watch any of the 2020 Democratic National Convention (Mon, Aug 17, 2020 - Thu, Aug 20, 2020)?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/25)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Yes - watched day-of coverage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	732 37%
Yes - watched clips on the next day	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	498 25%
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	733 37%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON3 Would you prefer future conventions to continue the new virtual format or return to a convention hall?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Continue the new virtual format	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	865 44%
Return to a convention hall	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	630 32%
Hybrid of virtual and convention hall	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	467 24%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON4 As you may know, the Republican National Convention will begin on August 24th with primarily virtual/remote speeches. Do you intend to watch any of the programming?

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Yes, day-of coverage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748 38%
Yes, clips of key speakers or highlights	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	590 30%
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	624 32%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Summary Of High

Base: Watched Any DNC Coverage

	Waves																										
	Wave 2 (3/14- 3/15)	Wave 3 (3/17- 3/18)	Wave 4 (3/21- 3/23)	Wave 5 (3/28- 3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11- 4/13)	Wave 8 (4/18- 4/20)	Wave 9 (4/25- 4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/24)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)		
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229	
Barack Obama's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767 62%	
Michelle Obama's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	742 60%	
Joe Biden's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	704 57%	
Kamala Harris' speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	624 51%	
Jill Biden's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	585 48%	
Bernie Sanders' speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	516 42%	
John Legend's performance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	483 39%	
Segment on climate change	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	482 39%	
Kristin Irquiza's speech about father's death from COVID-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	472 38%	
Segment on immigration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	444 36%	
Segment on Joe Biden using Amtrak	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	438 36%	
Elizabeth Warren's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	430 35%	
Gabrielle Giffords' speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	409 33%	
Michael Bloomberg's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	381 31%	
Billie Eilish's performance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	379 31%	
John Kasich's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	373 30%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Summary Of High

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
Roll Call	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360 29%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Summary Of Low

Base: Watched Any DNC Coverage

	Waves																										
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)		
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229	
Elizabeth Warren's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	296 24%	
Kamala Harris' speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	290 24%	
John Kasich's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	280 23%	
Michael Bloomberg's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	269 22%	
Joe Biden's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265 22%	
Bernie Sanders' speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	260 21%	
Jill Biden's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	249 20%	
Gabrielle Giffords' speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	247 20%	
Segment on Joe Biden using Amtrak	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	241 20%	
Segment on climate change	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	237 19%	
Barack Obama's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	237 19%	
Michelle Obama's speech	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	237 19%	
Billie Eilish's performance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	235 19%	
Roll Call	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	225 18%	
Segment on immigration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	223 18%	
Kristin Urquiza's speech about father's death from COVID-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	215 17%	

Proportions: Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Summary Of Low

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
John Legend's performance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	206 17%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CONS_1 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Gabrielle Giffords' speech

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	409 33%
Low point	247 20%
Neither	268 22%
Didn't see	306 25%
Sigma	1229 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CONS_2 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Michelle Obama's speech

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/24)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	742 60%
Low point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	237 19%
Neither	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	149 12%
Didn't see	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	101 8%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CONS_3 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Roll Call

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/27 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	360 29%
Low point	225 18%
Neither	299 24%
Didn't see	344 28%
Sigma	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CONS_4 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Elizabeth Warren's speech

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14- 3/15)	Wave 3 (3/17- 3/18)	Wave 4 (3/21- 3/23)	Wave 5 (3/28- 3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11- 4/13)	Wave 8 (4/18- 4/20)	Wave 9 (4/25- 4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/27- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	430 35%
Low point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	296 24%
Neither	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	253 21%
Didn't see	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	250 20%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1229 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5_5 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Barack Obama's speech

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/24)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	767 62%
Low point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	237 19%
Neither	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	133 11%
Didn't see	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	92 8%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CONS_6 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Billie Eilish's performance

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	379 31%
Low point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	235 19%
Neither	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	283 23%
Didn't see	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	332 27%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CONS_7 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 John Legend's performance

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/24)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	483 39%
Low point	206 17%
Neither	267 22%
Didn't see	274 22%
Sigma	1229 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CONS_8 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Kamala Harris' speech

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/24)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	624 51%
Low point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	290 24%
Neither	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	189 15%
Didn't see	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	126 10%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CONS_9 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Segment on immigration

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/27- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	444 36%
Low point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	223 18%
Neither	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	270 22%
Didn't see	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	293 24%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5_10 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Segment on climate change

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	482 39%
Low point	237 19%
Neither	261 21%
Didn't see	249 20%
Sigma	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5_11 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Kristin Urquiza's speech about father's death from COVID-19

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	472 38%
Low point	215 17%
Neither	262 21%
Didn't see	281 23%
Sigma	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5_12 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Bernie Sanders' speech

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14- 3/15)	Wave 3 (3/17- 3/18)	Wave 4 (3/21- 3/23)	Wave 5 (3/28- 3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11- 4/13)	Wave 8 (4/18- 4/20)	Wave 9 (4/25- 4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/24)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	516 42%
Low point	260 21%
Neither	255 21%
Didn't see	198 16%
Sigma	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5_13 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Jill Biden's speech

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	585 48%
Low point	249 20%
Neither	232 19%
Didn't see	164 13%
Sigma	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5_14 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Segment on Joe Biden using Amtrak

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/27 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	438 36%
Low point	241 20%
Neither	258 21%
Didn't see	293 24%
Sigma	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5_15 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Michael Bloomberg's speech

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	381 31%
Low point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	269 22%
Neither	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	311 25%
Didn't see	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	268 22%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5_16 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 John Kasich's speech

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/24)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	373 30%
Low point	280 23%
Neither	276 22%
Didn't see	301 24%
Sigma	1229 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CON5_17 Which of the following moments of the Democratic National Convention would you consider high points or low points?
 Joe Biden's speech

Base: Watched Any DNC Coverage

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1230
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1229
High point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	704 57%
Low point	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	265 22%
Neither	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	165 13%
Didn't see	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	96 8%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1229 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

HOL04 Compared to 2019, do you anticipate that you will spend more or less over the winter holidays (e.g., Christmas, Hanukkah, etc.)?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/25)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/15)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
More	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	426 22%
Less	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	638 32%
The same amount	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	712 36%
Not at all sure	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	186 9%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

AIR03 Recently it was reported that airlines and airports asked a United Nations-led task force to recommend countries accept a negative COVID-19 test within 48 hours of travel as an alternative to quarantines for passengers traveling from countries with high COVID-19 infection rates. If such a measure were adopted by the 193 United Nations member countries, would you be more or less likely to travel?

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Much/Somewhat More Likely (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	813 41%
Much more likely	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	263 13%
Somewhat more likely	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	550 28%
Much/Somewhat Less Likely (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1149 59%
Somewhat less likely	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	562 29%
Much less likely	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	587 30%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

TEST1 Which of the following scenarios would you prefer if you were to take a COVID-19 test?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/25)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/15)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
I would prefer to take a COVID-19 test that is more accurate but may take longer to get results back (5 days or more).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1292 66%
I would prefer to take a COVID-19 test that delivers results faster (5 days or less) but may have lower rates of accuracy.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	670 34%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

TEST2 How important are the following factors to you when it comes to COVID-19 testing?
 Summary Of Very/Somewhat Important

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/24)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Accuracy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1793 91%
Simple process	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1735 88%
Fast results	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1625 83%
Saliva testing	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1611 82%
Walk-up clinic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1498 76%
Drive through	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1454 74%
Nasal swab method	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1341 68%
Testing site with services in various languages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1156 59%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

TEST2 How important are the following factors to you when it comes to COVID-19 testing?
 Summary Of Not At All/Not Very Important

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Testing site with services in various languages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	806 41%
Nasal swab method	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	621 32%
Drive through	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	508 26%
Walk-up clinic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	464 24%
Saliva testing	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	351 18%
Fast results	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	337 17%
Simple process	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227 12%
Accuracy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	169 9%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

TEST2_1 How important are the following factors to you when it comes to COVID-19 testing?
 Fast results

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Very/Somewhat Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1625 83%
Very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	975 50%
Somewhat important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650 33%
Not At All/Not Very Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	337 17%
Not very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	234 12%
Not at all important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	104 5%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

TEST2_2 How important are the following factors to you when it comes to COVID-19 testing?
 Simple process

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Very/Somewhat Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1735 88%
Very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1107 56%
Somewhat important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	628 32%
Not At All/Not Very Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227 12%
Not very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	159 8%
Not at all important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77 4%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

TEST2_3 How important are the following factors to you when it comes to COVID-19 testing?
 Accuracy

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Very/Somewhat Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1793 91%
Very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1509 77%
Somewhat important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	284 14%
Not At All/Not Very Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	169 9%
Not very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103 5%
Not at all important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66 3%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

TEST2_4 How important are the following factors to you when it comes to COVID-19 testing?
 Nasal swab method

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Very/Somewhat Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1341 68%
Very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	702 36%
Somewhat important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	640 33%
Not At All/Not Very Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	621 32%
Not very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	373 19%
Not at all important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	247 13%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

TEST2_5 How important are the following factors to you when it comes to COVID-19 testing?
 Saliva testing

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Very/Somewhat Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1611 82%
Very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	916 47%
Somewhat important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	695 35%
Not At All/Not Very Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	351 18%
Not very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227 12%
Not at all important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	124 6%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

TEST2_6 How important are the following factors to you when it comes to COVID-19 testing?
 Testing site with services in various languages

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Very/Somewhat Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1156 59%
Very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	659 34%
Somewhat important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	497 25%
Not At All/Not Very Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	806 41%
Not very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	322 16%
Not at all important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	484 25%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

TEST2_7 How important are the following factors to you when it comes to COVID-19 testing?
 Drive through

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Very/Somewhat Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1454 74%
Very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745 38%
Somewhat important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	709 36%
Not At All/Not Very Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	508 26%
Not very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	305 16%
Not at all important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	203 10%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

TEST2_8 How important are the following factors to you when it comes to COVID-19 testing?
 Walk-up clinic

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Very/Somewhat Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1498 76%
Very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	781 40%
Somewhat important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	716 37%
Not At All/Not Very Important (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	464 24%
Not very important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	298 15%
Not at all important	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	167 9%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

TEST3 In your opinion, what length of time do you consider 'fast' to get COVID-19 test results back? Enter either the hours or days.

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	
0 hours	
1-5 hours	
6-11 hours	
12+ Hours (Net)	
12-23 hours	
1 day	
2-3 days	
4+ days	
Mean (In Hours)	
Std. Dev. (In Hours)	
Std. Err. (In Hours)	
Median (In Hours)	
Sigma	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC12 How strictly do you follow these safety recommendations for COVID-19 in your daily life?
 Summary Of Strictly

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Staying home if I feel sick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1831 93%
Wearing a mask in public settings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1808 92%
Washing my hands for 20-seconds after being in public spaces	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1786 91%
Staying 6-feet apart from others who don't live in my household	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1764 90%
Avoiding touching my eyes, nose and mouth with unwashed hands	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1684 86%
Cleaning and disinfecting frequently touched surfaces daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1642 84%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC12 How strictly do you follow these safety recommendations for COVID-19 in your daily life?
 Summary Of Very Strictly

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Staying home if I feel sick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1610 82%
Wearing a mask in public settings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1520 77%
Washing my hands for 20-seconds after being in public spaces	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1397 71%
Staying 6-feet apart from others who don't live in my household	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1354 69%
Avoiding touching my eyes, nose and mouth with unwashed hands	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1229 63%
Cleaning and disinfecting frequently touched surfaces daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1181 60%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC12 How strictly do you follow these safety recommendations for COVID-19 in your daily life?
 Summary Of Personally Strictly

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Washing my hands for 20-seconds after being in public spaces	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1184 60%
Staying 6-feet apart from others who don't live in my household	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1142 58%
Avoiding touching my eyes, nose and mouth with unwashed hands	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1121 57%
Cleaning and disinfecting frequently touched surfaces daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1089 56%
Wearing a mask in public settings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1072 55%
Staying home if I feel sick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1040 53%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC12 How strictly do you follow these safety recommendations for COVID-19 in your daily life?
 Summary Of Not Strictly

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Cleaning and disinfecting frequently touched surfaces daily	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	320 16%
Avoiding touching my eyes, nose and mouth with unwashed hands	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	278 14%
Staying 6-feet apart from others who don't live in my household	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198 10%
Washing my hands for 20-seconds after being in public spaces	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	176 9%
Wearing a mask in public settings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	154 8%
Staying home if I feel sick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	131 7%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC12_1 How strictly do you follow these safety recommendations for COVID-19 in your daily life?
 Wearing a mask in public settings

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strictly (Net)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1808 92%
Very Strictly (Sub-Net)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1520 77%
Very strictly and actively try to get others to do so too	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	735 37%
Very strictly	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	785 40%
Somewhat strictly	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	287 15%
Not Strictly (Net)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	154 8%
Not very strictly	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	87 4%
Don't follow at all	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	67 3%
Personally Strictly (Net)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1072 55%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC12_2 How strictly do you follow these safety recommendations for COVID-19 in your daily life?
 Staying 6-feet apart from others who don't live in my household

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1764 90%
Very Strictly (Sub-Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1354 69%
Very strictly and actively try to get others to do so too	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	623 32%
Very strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	732 37%
Somewhat strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	410 21%
Not Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198 10%
Not very strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	152 8%
Don't follow at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45 2%
Personally Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1142 58%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC12_3 How strictly do you follow these safety recommendations for COVID-19 in your daily life?
 Washing my hands for 20-seconds after being in public spaces

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1786 91%
Very Strictly (Sub-Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1397 71%
Very strictly and actively try to get others to do so too	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	602 31%
Very strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	794 40%
Somewhat strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	399 20%
Not Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	176 9%
Not very strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	124 6%
Don't follow at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52 3%
Personally Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1184 60%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC12_4 How strictly do you follow these safety recommendations for COVID-19 in your daily life?
 Avoiding touching my eyes, nose and mouth with unwashed hands

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strictly (Net)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1684 86%
Very Strictly (Sub-Net)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1229 63%
Very strictly and actively try to get others to do so too	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	563 29%
Very strictly	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	667 34%
Somewhat strictly	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	455 23%
Not Strictly (Net)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	278 14%
Not very strictly	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	202 10%
Don't follow at all	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	75 4%
Personally Strictly (Net)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1121 57%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC12_5 How strictly do you follow these safety recommendations for COVID-19 in your daily life?
 Cleaning and disinfecting frequently touched surfaces daily

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/28)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1642 84%
Very Strictly (Sub-Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1181 60%
Very strictly and actively try to get others to do so too	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	553 28%
Very strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	628 32%
Somewhat strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	461 24%
Not Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	320 16%
Not very strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227 12%
Don't follow at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92 5%
Personally Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1089 56%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC12_6 How strictly do you follow these safety recommendations for COVID-19 in your daily life?
 Staying home if I feel sick

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1831 93%
Very Strictly (Sub-Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1610 82%
Very strictly and actively try to get others to do so too	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	791 40%
Very strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	818 42%
Somewhat strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	222 11%
Not Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	131 7%
Not very strictly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76 4%
Don't follow at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54 3%
Personally Strictly (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1040 53%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC13 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 Summary Of Very Much/Somewhat

Base: Does Not Follow/Not Very Strictly Follow A Safety Recommendation (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/11)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
I don't need to physically distance because I know my friends don't have COVID-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102
I forget to follow them	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	242
I don't need to physically distance because I don't go out	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
Not needed because I am healthy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236
I don't believe these safety recommendations will keep me safe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	230
I don't live with any people who are at high risk for severe illness	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	229
My family would pressure me not to physically distance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
The virus is not as serious a problem as everyone says it is	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	224
I don't need to physically distance because COVID-19 isn't common in my area	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
I don't wear masks because of religious reasons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
My friends and family don't follow them	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	184
My community doesn't follow them	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	182
My friends would pressure me not to physically distance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
The safety recommendations go against my beliefs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	150
I don't wear masks because I'm afraid I will be discriminated against	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC13 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 Summary Of Not At All/Not Too Much

Base: Does Not Follow/Not Very Strictly Follow A Safety Recommendation (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/23)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/4 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
I don't wear masks because I'm afraid I will be discriminated against	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114 74%
The safety recommendations go against my beliefs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	398 73%
My friends would pressure me not to physically distance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	134 68%
My community doesn't follow them	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	366 67%
My friends and family don't follow them	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	364 66%
I don't wear masks because of religious reasons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94 61%
I don't need to physically distance because COVID-19 isn't common in my area	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119 60%
The virus is not as serious a problem as everyone says it is	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	324 59%
My family would pressure me not to physically distance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115 58%
I don't live with any people who are at high risk for severe illness	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	319 58%
I don't believe these safety recommendations will keep me safe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	319 58%
Not needed because I am healthy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	313 57%
I don't need to physically distance because I don't go out	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	111 56%
I forget to follow them	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	306 56%
I don't need to physically distance because I know my friends don't have COVID-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96 48%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC13_1 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 The virus is not as serious a problem as everyone says it is

Base: Does Not Follow/Not Very Strictly Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	602
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	548
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	224 41%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97 18%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	127 23%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	324 59%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	110 20%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	214 39%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_2 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 My friends and family don't follow them

Base: Does Not Follow/Not Very Strictly Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	602
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	548
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	184 34%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48 9%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	136 25%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	364 66%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	157 29%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	207 38%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_3 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 I don't live with any people who are at high risk for severe illness

Base: Does Not Follow/Not Very Strictly Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	602
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	548
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	229 42%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89 16%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	140 25%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	319 58%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	138 25%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	181 33%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_4 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 Not needed because I am healthy

Base: Does Not Follow/Not Very Strictly Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	602
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	548
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236 43%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82 15%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	154 28%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	313 57%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	123 22%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190 35%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_5 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 I forget to follow them

Base: Does Not Follow/Not Very Strictly Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	602
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	548
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	242 44%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72 13%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170 31%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	306 56%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	141 26%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	166 30%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_6 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 My community doesn't follow them

Base: Does Not Follow/Not Very Strictly Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	602
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	548
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	182 33%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46 8%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	136 25%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	366 67%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	168 31%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	199 36%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_7 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 The safety recommendations go against my beliefs

Base: Does Not Follow/Not Very Strictly Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	602
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	548
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	150 27%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61 11%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89 16%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	398 73%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119 22%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	279 51%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_8 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 I don't believe these safety recommendations will keep me safe

Base: Does Not Follow/Not Very Strictly Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	602
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	548
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	230 42%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92 17%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	137 25%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	319 58%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	111 20%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	207 38%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_9 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 My friends would pressure me not to physically distance

Base: Does Not Follow/Not Very Strictly Follow Staying 6-Feet Apart From Others Who Don't Live In My Household Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/24)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	198
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64 32%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21 11%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43 22%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	134 68%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57 29%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77 39%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_10 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 My family would pressure me not to physically distance

Base: Does Not Follow/Not Very Strictly Follow Staying 6-Feet Apart From Others Who Don't Live In My Household Safety Recommendation

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	198
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82 42%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20 10%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63 32%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115 58%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38 19%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77 39%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_11 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 I don't need to physically distance because I don't go out

Base: Does Not Follow/Not Very Strictly Follow Staying 6-Feet Apart From Others Who Don't Live In My Household Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/24)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	198
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87 44%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30 15%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57 29%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	111 56%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50 25%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61 31%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_12 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 I don't need to physically distance because I know my friends don't have COVID-19

Base: Does Not Follow/Not Very Strictly Follow Staying 6-Feet Apart From Others Who Don't Live In My Household Safety Recommendation

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	198
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102 52%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33 17%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69 35%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96 48%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46 23%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49 25%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_13 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 I don't need to physically distance because COVID-19 isn't common in my area

Base: Does Not Follow/Not Very Strictly Follow Staying 6-Feet Apart From Others Who Don't Live In My Household Safety Recommendation

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	198
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79 40%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32 16%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47 24%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119 60%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65 33%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54 27%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_14 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 I don't wear masks because of religious reasons

Base: Does Not Follow/Not Very Strictly Follow Wearing A Mask In Public Settings Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	179
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	154
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60 39%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26 17%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34 22%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94 61%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30 20%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64 41%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	154 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC13_15 How much do each of the following drive your decision to not follow COVID-19 safety recommendations?
 I don't wear masks because I'm afraid I will be discriminated against

Base: Does Not Follow/Not Very Strictly Follow Wearing A Mask In Public Settings Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	179
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	154
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40 26%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19 12%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21 14%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114 74%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37 24%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77 50%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	154 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC14 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 Summary Of Very Much/Somewhat

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation (Variable Bases)

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/1-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/28-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (6/9-6/10)	Wave 15 (6/13-6/15)	Wave 16 (6/18-6/20)	Wave 17 (6/26-6/29)	Wave 18 (7/2-7/4)	Wave 19 (7/10-7/12)	Wave 20 (7/17-7/19)	Wave 21 (7/24-7/26)	Wave 22 (7/31-8/2)	Wave 23 (8/7-8/9)	Wave 24 (8/14-8/16)	Wave 25 (8/21-8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
I just want things to be normal again	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1762 91%
I want to protect others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1781 91%
It's the least I can do right now to help fight the pandemic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1731 90%
I believe it will help save our future	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1677 87%
I am concerned about my own health	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1663 86%
My generation has the power to help stop the spread, it's up to us	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1657 86%
I am concerned about the health of people I live with	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1653 86%
All my friends follow them	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1446 75%
Masks are part of my fashion now	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	709 86%
Pressure from friends and family	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1070 55%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC14 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 Summary Of Not At All/Not Too Much

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Pressure from friends and family	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	858 45%
Masks are part of my fashion now	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	363 34%
All my friends follow them	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	482 25%
I am concerned about the health of people I live with	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	275 14%
My generation has the power to help stop the spread; it's up to us	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	272 14%
I am concerned about my own health	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265 14%
I believe it will help save our future	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	251 13%
It's the least I can do right now to help fight the pandemic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198 10%
I want to protect others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	167 9%
I just want things to be normal again	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	166 9%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC14_1 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 I want to protect others

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1926
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1929
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1761 91%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1382 72%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	380 20%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	167 9%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112 6%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55 3%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1929 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC14_2 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 I believe it will help save our future

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1926
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1929
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1677 87%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1193 62%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	484 25%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	251 13%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	173 9%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79 4%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1929 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC14_3 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 My generation has the power to help stop the spread, it's up to us

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1926
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1929
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1657 86%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1113 58%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	544 28%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	272 14%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	180 9%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92 5%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1929 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC14_4 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 It's the least I can do right now to help fight the pandemic

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/24)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1926
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1929
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1731 90%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1260 65%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	471 24%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198 10%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	127 7%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70 4%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1929 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC14_5 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 All my friends follow them

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1926
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1929
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1446 75%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	739 38%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	708 37%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	482 25%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	329 17%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	154 8%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1929 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC14_6 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 Pressure from friends and family

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/22 -5/24)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1926
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1929
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1070 55%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	567 29%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	504 26%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	858 45%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	413 21%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	445 23%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1929 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC14_7 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 I am concerned about my own health

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1926
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1929
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1663 86%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1166 60%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	497 26%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265 14%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	169 9%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96 5%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1929 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC14_8 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 I am concerned about the health of people I live with

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1926
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1929
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1653 86%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1224 63%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	429 22%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	275 14%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	154 8%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	121 6%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1929 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC14_9 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 Masks are part of my fashion now

Base: Somewhat/Very/Encourages Friends To Follow Wearing A Mask In Public Settings Safety Recommendation

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1057
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1072
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	709 66%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	391 36%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	318 30%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	363 34%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	183 17%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	180 17%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1072 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC14_10 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions?
 I just want things to be normal again

Base: Somewhat/Very/Encourages Friends To Follow A Safety Recommendation

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1926
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1929
Very Much/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1762 91%
Very much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1427 74%
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	336 17%
Not At All/Not Too Much (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	166 9%
Not too much	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	126 7%
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41 2%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1929 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC15 Would you wear a mask to avoid any of the following from happening? Please select all situations that apply.
 "I would wear a mask to avoid..."

Base: All Respondents

	Waves																										
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)		
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962	
Putting the health of my family members at risk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1579 81%	
Putting the health of my friends at risk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1389 71%	
Many more deaths from COVID-19 in the U.S.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1260 64%	
A new wave of state-wide stay-at-home orders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1106 56%	
Schools closing for a longer time	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1047 53%	
Large social gatherings being prohibited again	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1045 53%	
Bars and restaurants having to close again	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	940 48%	
Domestic travel restrictions being put in place	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	916 47%	
Parks closing again	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	906 46%	
International travel restrictions being in place for a longer time	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	787 40%	
None of these situations would make me willing to wear a mask	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109 6%	
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11083 565%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC16 How much do you agree or disagree with the following statements?
 Summary Of Strongly/Somewhat Agree

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
I wish more people my age followed COVID-19 safety recommendations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1703 87%
People who don't follow safety recommendations are jeopardizing our health	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1694 86%
Staying home is the best way to protect myself and others from getting sick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1671 85%
People who don't follow safety recommendations are prolonging the amount of time I have to stay home and away from friends	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1645 84%
Not traveling is the safest option right now	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1602 82%
I think people my age are being too cautious given the health risk from COVID-19 and it is jeopardizing the economy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	932 48%
I think people my age are overreacting to COVID-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755 38%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC16 How much do you agree or disagree with the following statements?
 Summary Of Strongly/Somewhat Disagree

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
I think people my age are overreacting to COVID-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1207 62%
I think people my age are being too cautious (given the health risk from COVID-19) and it is jeopardizing the economy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1030 52%
Not traveling is the safest option right now	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360 18%
People who don't follow safety recommendations are prolonging the amount of time I have to stay home and away from friends	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	317 16%
Staying home is the best way to protect myself and others from getting sick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	291 15%
People who don't follow safety recommendations are jeopardizing our health	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	268 14%
I wish more people my age followed COVID-19 safety recommendations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	259 13%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CDC16_1 How much do you agree or disagree with the following statements?
 I wish more people my age followed COVID-19 safety recommendations

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strongly/Somewhat Agree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1703 87%
Strongly agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1243 63%
Somewhat agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	461 23%
Strongly/Somewhat Disagree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	259 13%
Somewhat disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	152 8%
Strongly disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	107 5%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC16_2 How much do you agree or disagree with the following statements?
 People who don't follow safety recommendations are prolonging the amount of time I have to stay home and away from friends

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strongly/Somewhat Agree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1645 84%
Strongly agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1129 58%
Somewhat agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	516 26%
Strongly/Somewhat Disagree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	317 16%
Somewhat disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	207 11%
Strongly disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	110 6%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC16_3 How much do you agree or disagree with the following statements?
 People who don't follow safety recommendations are jeopardizing our health

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strongly/Somewhat Agree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1694 86%
Strongly agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1255 64%
Somewhat agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	438 22%
Strongly/Somewhat Disagree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	268 14%
Somewhat disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	158 8%
Strongly disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	110 6%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC16_4 How much do you agree or disagree with the following statements?
 Not traveling is the safest option right now

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strongly/Somewhat Agree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1602 82%
Strongly agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1046 53%
Somewhat agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	556 28%
Strongly/Somewhat Disagree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360 18%
Somewhat disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236 12%
Strongly disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	123 6%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC16_5 How much do you agree or disagree with the following statements?
 Staying home is the best way to protect myself and others from getting sick

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/18 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/2 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strongly/Somewhat Agree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1671 85%
Strongly agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1129 58%
Somewhat agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	542 28%
Strongly/Somewhat Disagree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	291 15%
Somewhat disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	176 9%
Strongly disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115 6%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC16_6 How much do you agree or disagree with the following statements?
 I think people my age are being too cautious (given the health risk from COVID-19) and it is jeopardizing the economy

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strongly/Somewhat Agree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	932 48%
Strongly agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	500 25%
Somewhat agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	432 22%
Strongly/Somewhat Disagree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1030 52%
Somewhat disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	364 19%
Strongly disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	666 34%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

CDC16_7 How much do you agree or disagree with the following statements?
 I think people my age are overreacting to COVID-19

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Strongly/Somewhat Agree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755 38%
Strongly agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	403 21%
Somewhat agree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	352 18%
Strongly/Somewhat Disagree (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1207 62%
Somewhat disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	372 19%
Strongly disagree	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	835 43%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

BHV38 During COVID-19, have you used curbside pickup for any of the following products?

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	1962
Weighted Base	1962
Groceries	788 40%
Home goods	446 23%
Personal care	436 22%
Medical products	430 22%
Apparel	295 15%
Consumer electronics	278 14%
None of these	827 42%
Sigma	3500 176%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV39 As stores re-open, how are you thinking about shopping in-person?

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/25)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/15)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/27 -5/28)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Will Shop In Store (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1788 91%
I will shop in store only if I know the store has taken steps to protect their employees and customers from the spread of infection	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1089 56%
I will shop in store regardless of whether they are taking precautions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300 15%
I am going to wait more than 2 months to go in person	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	148 8%
I am going to wait 2-4 weeks to go in person	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	147 7%
I am going to wait 1-2 months to go in person	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103 5%
I will not go into a store, I will only shop online	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	174 9%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

ONL01 How satisfied generally are you with online shopping now for things you used to do in store?

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	1962
Weighted Base	1962
Very/Somewhat Satisfied (Net)	1517 77%
Very satisfied	809 41%
Somewhat satisfied	708 36%
Very/Somewhat Dissatisfied (Net)	212 11%
Somewhat dissatisfied	141 7%
Very dissatisfied	71 4%
I don't shop online	233 12%
Sigma	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

ONL02 What do you miss about shopping in person?

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/25)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/15)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/27 -5/28)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Miss Anything (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1661 85%
The experience in general	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	924 47%
Seeing and testing products in-person	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	804 41%
Browsing for unrelated items	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	742 38%
Talk to salespeople	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	395 20%
I don't miss shopping in person	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	301 15%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3167 161%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

ONL03 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying?
 Summary Of More

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Online reviews on company website	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	681 35%
Online reviews on forums or social media	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	607 31%
Articles written about the product	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	583 30%
Video reviews	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	531 27%
Customer service chatbot	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	444 23%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

ONL03 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying?
 Summary Of Less

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Customer service chatbot	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	205 10%
Video reviews	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	182 9%
Articles written about the product	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	174 9%
Online reviews on forums or social media	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	161 8%
Online reviews on company website	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	160 8%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

ONL03 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying?
 Summary Of No Change

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Articles written about the product	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772 39%
Online reviews on company website	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771 39%
Online reviews on forums or social media	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	724 37%
Video reviews	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	708 36%
Customer service chatbot	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	571 29%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

ONL03_1 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying?
 Customer service chatbot

Base: All Respondents

	Waves																									
	Wave 2 (3/14- 3/15)	Wave 3 (3/17- 3/18)	Wave 4 (3/21- 3/23)	Wave 5 (3/28- 3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11- 4/13)	Wave 8 (4/18- 4/20)	Wave 9 (4/25- 4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
More	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	444 23%
The same	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	571 29%
Less	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	205 10%
I don't use this	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	742 38%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

ONL03_2 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying?
 Video reviews

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
More	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	531 27%
The same	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	708 36%
Less	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	182 9%
I don't use this	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	541 28%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

ONL03_3 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying?
 Online reviews on company website

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
More	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	681 35%
The same	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	771 39%
Less	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	160 8%
I don't use this	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	351 18%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

ONL03_4 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying?
 Online reviews on forums or social media

Base: All Respondents

	Waves																									
	Wave 2 (3/14- 3/15)	Wave 3 (3/17- 3/18)	Wave 4 (3/21- 3/23)	Wave 5 (3/28- 3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11- 4/13)	Wave 8 (4/18- 4/20)	Wave 9 (4/25- 4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
More	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	607 31%
The same	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	724 37%
Less	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	161 8%
I don't use this	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	470 24%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

ONL03_5 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying?
 Articles written about the product

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
More	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	583 30%
The same	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	772 39%
Less	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	174 9%
I don't use this	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	433 22%
Sigma	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

CV07 Do you think there will be another lockdown in each of the following? Please select all that apply.

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1970	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1970	1988	**	**	**	1962
My State	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1104 56% UY	1020 51%	-	-	-	989 50%
Nationally	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	842 43%	848 43%	-	-	-	831 42%
My community	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	625 32%	638 32%	-	-	-	656 33%
None of these	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	396 20%	429 22%	-	-	-	492 25% TU
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2967 151%	2934 148%	-	-	-	2968 151%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 100

COV06 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?

Summary Of Short Term

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/10)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962	
Order food for delivery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	314 16%	-	-	-	-	-	307 15%	-	-	-	339 17%	
Make sure my house is stocked with non-perishable foods and cleaning products	-	-	-	-	-	-	-	-	-	-	-	-	-	-	296 15%	-	-	-	-	-	287 14%	-	-	-	339 17% u	
Leaving my residence as little as possible	-	-	-	-	-	-	-	-	-	-	-	-	-	-	364 19% u	-	-	-	-	-	316 16%	-	-	-	333 17%	
Not have people over to my home	-	-	-	-	-	-	-	-	-	-	-	-	-	-	311 16%	-	-	-	-	-	279 14%	-	-	-	319 16%	
Cook the majority of meals at home	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300 15%	-	-	-	-	-	261 13%	-	-	-	305 16%	
Wear PPE when I go out in public (e.g., face masks, gloves, etc)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	278 14%	-	-	-	-	-	242 12%	-	-	-	282 14%	
Buy products that boost my/my family's health and immunity (e.g., orange juice, vitamins, etc.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	270 14%	-	-	-	-	-	253 13%	-	-	-	276 14%	
Order groceries online for home-delivery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	237 12%	-	-	-	-	-	260 13%	-	-	-	273 14%	
Save more spend less	-	-	-	-	-	-	-	-	-	-	-	-	-	-	270 14%	-	-	-	-	-	238 12%	-	-	-	263 13%	
Substitute short distance flights with car travel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	181 9%	-	-	-	-	-	175 9%	-	-	-	253 13% OU	
Cut non-essential leisure travel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	241 12%	-	-	-	-	-	229 12%	-	-	-	246 13%	
Virtual happy hours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	182 9%	-	-	-	-	-	200 10%	-	-	-	227 12% o	
Host meetings virtually	-	-	-	-	-	-	-	-	-	-	-	-	-	-	218 11%	-	-	-	-	-	241 12%	-	-	-	208 11%	
Cut non-essential business travel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	221 11% u	-	-	-	-	-	179 9%	-	-	-	190 10%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 101

COV06 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Summary Of Medium Term

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/1-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/28-4/29)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (6/1-6/8)	Wave 15 (6/11-6/15)	Wave 16 (6/18-6/20)	Wave 17 (6/26-6/29)	Wave 18 (7/2-7/4)	Wave 19 (7/10-7/12)	Wave 20 (7/17-7/19)	Wave 21 (7/24-7/26)	Wave 22 (7/31-8/2)	Wave 23 (8/7-8/9)	Wave 24 (8/14-8/16)	Wave 25 (8/21-8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962	
Leaving my residence as little as possible	-	-	-	-	-	-	-	-	-	-	-	-	-	-	537 27%	-	-	-	-	-	554 28%	-	-	-	497 25%	
Make sure my house is stocked with non-perishable foods and cleaning products	-	-	-	-	-	-	-	-	-	-	-	-	-	-	470 24%	-	-	-	-	-	451 23%	-	-	-	483 25%	
Wear PPE when I go out in public (e.g., face masks, gloves, etc)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	496 25% U	-	-	-	-	-	419 21%	-	-	-	455 23%	
Not have people over to my home	-	-	-	-	-	-	-	-	-	-	-	-	-	-	519 26% Y	-	-	-	-	-	560 28% Y	-	-	-	452 23%	
Save more spend less	-	-	-	-	-	-	-	-	-	-	-	-	-	-	384 20%	-	-	-	-	-	400 20%	-	-	-	444 23% o	
Order food for delivery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	416 21%	-	-	-	-	-	400 20%	-	-	-	412 21%	
Cook the majority of meals at home	-	-	-	-	-	-	-	-	-	-	-	-	-	-	424 22%	-	-	-	-	-	409 21%	-	-	-	396 20%	
Cut non-essential leisure travel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	483 25% UY	-	-	-	-	-	394 20%	-	-	-	387 20%	
Host meetings virtually	-	-	-	-	-	-	-	-	-	-	-	-	-	-	393 20%	-	-	-	-	-	367 18%	-	-	-	361 18%	
Buy products that boost my/my family's health and immunity (e.g., orange juice, vitamins, etc.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	343 17%	-	-	-	-	-	351 18%	-	-	-	352 18%	
Substitute short distance flights with car travel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	368 19%	-	-	-	-	-	339 17%	-	-	-	337 17%	
Order groceries online for home-delivery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	322 16%	-	-	-	-	-	331 17%	-	-	-	322 16%	
Cut non-essential business travel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	303 15%	-	-	-	-	-	300 15%	-	-	-	296 15%	
Virtual happy hours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	298 15%	-	-	-	-	-	320 16%	-	-	-	275 14%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?

Summary Of Long Term

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/23)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Cook the majority of meals at home	-	-	-	-	-	-	-	-	-	-	-	-	-	-	996	-	-	-	-	-	1151	-	-	-	1005
Wear PPE when I go out in public (e.g., face masks, gloves, etc.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	837	-	-	-	-	-	1112	-	-	-	990
Buy products that boost my/my family's health and immunity (e.g., orange juice, vitamins, etc.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	922	-	-	-	-	-	1005	-	-	-	920
Save more spend less	-	-	-	-	-	-	-	-	-	-	-	-	-	-	923	-	-	-	-	-	1073	-	-	-	901
Make sure my house is stocked with non-perishable foods and cleaning products	-	-	-	-	-	-	-	-	-	-	-	-	-	-	870	-	-	-	-	-	984	-	-	-	841
Leaving my residence as little as possible	-	-	-	-	-	-	-	-	-	-	-	-	-	-	672	-	-	-	-	-	852	-	-	-	807
Cut non-essential leisure travel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	708	-	-	-	-	-	934	-	-	-	806
Not have people over to my home	-	-	-	-	-	-	-	-	-	-	-	-	-	-	633	-	-	-	-	-	758	-	-	-	714
Substitute short distance flights with car travel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	629	-	-	-	-	-	766	-	-	-	665
Cut non-essential business travel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	558	-	-	-	-	-	669	-	-	-	648
Host meetings virtually	-	-	-	-	-	-	-	-	-	-	-	-	-	-	495	-	-	-	-	-	575	-	-	-	564
Order food for delivery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	516	-	-	-	-	-	568	-	-	-	545
Order groceries online for home-delivery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	458	-	-	-	-	-	467	-	-	-	540
Virtual happy hours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	369	-	-	-	-	-	403	-	-	-	402

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_1 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Cook the majority of meals at home

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/11)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300 15%	-	-	-	-	-	261 13%	-	-	-	305 16%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	424 22%	-	-	-	-	-	409 21%	-	-	-	396 20%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	996 51%	-	-	-	-	-	1151 58% OY	-	-	-	1005 51%
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	122 6% U	-	-	-	-	-	80 4%	-	-	-	148 8% U
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	121 6% U	-	-	-	-	-	87 4%	-	-	-	108 5%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_2 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Order groceries online for home-delivery

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/10)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/1 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	237 12%	-	-	-	-	-	260 13%	-	-	-	273 14%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	322 16%	-	-	-	-	-	331 17%	-	-	-	322 16%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	458 23%	-	-	-	-	-	467 23%	-	-	-	540 28% OU
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	155 8%	-	-	-	-	-	133 7%	-	-	-	169 9% U
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	792 40% Y	-	-	-	-	-	798 40% Y	-	-	-	659 34%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_3 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?

Order food for delivery

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	314 16%	-	-	-	-	-	307 15%	-	-	-	339 17%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	416 21%	-	-	-	-	-	400 20%	-	-	-	412 21%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	516 26%	-	-	-	-	-	568 29%	-	-	-	545 28%
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	147 8%	-	-	-	-	-	153 8%	-	-	-	173 9%
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	570 29%	-	-	-	-	-	560 28%	-	-	-	493 25%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 106

COV06_4 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Host meetings virtually

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/1 - 6/3)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/1 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	218 11%	-	-	-	-	-	241 12%	-	-	-	208 11%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	393 20%	-	-	-	-	-	367 18%	-	-	-	361 18%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	495 25%	-	-	-	-	-	575 29%	-	-	-	564 29%
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	135 7%	-	-	-	-	-	109 5%	-	-	-	121 6%
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	723 37%	-	-	-	-	-	696 35%	-	-	-	708 36%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_5 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Cut non-essential leisure travel

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	241 12%	-	-	-	-	-	229 12%	-	-	-	246 13%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	483 25% UY	-	-	-	-	-	394 20%	-	-	-	387 20%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	708 36%	-	-	-	-	-	934 47% OY	-	-	-	806 41% O
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	188 10%	-	-	-	-	-	165 8%	-	-	-	176 9%
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	343 17% U	-	-	-	-	-	267 13%	-	-	-	347 18% U
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_6 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Cut non-essential business travel

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/10)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	221 11%	-	-	-	-	-	179 9%	-	-	-	190 10%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	303 15%	-	-	-	-	-	300 15%	-	-	-	296 15%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	558 28%	-	-	-	-	-	669 34%	-	-	-	648 33%
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	164 8%	-	-	-	-	-	136 7%	-	-	-	141 7%
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	716 36%	-	-	-	-	-	704 35%	-	-	-	687 35%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_7 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Substitute short distance flights with car travel

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/10)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/1 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	181 9%	-	-	-	-	-	175 9%	-	-	-	253 13% OU
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	368 19%	-	-	-	-	-	339 17%	-	-	-	337 17%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	629 32%	-	-	-	-	-	766 39% OY	-	-	-	665 34%
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	155 8%	-	-	-	-	-	131 7%	-	-	-	144 7%
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	630 32% UY	-	-	-	-	-	576 29%	-	-	-	563 29%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_8 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Save more spend less

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/11)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	270 14%	-	-	-	-	-	238 12%	-	-	-	263 13%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	384 20%	-	-	-	-	-	400 20%	-	-	-	444 23%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	929 47%	-	-	-	-	-	1073 54%	-	-	-	901 46%
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	138 7%	-	-	-	-	-	100 5%	-	-	-	129 7%
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	242 12%	-	-	-	-	-	177 9%	-	-	-	224 11%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_9 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?

Base: All Respondents

Virtual happy hours

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	182 3%	-	-	-	-	-	200 10%	-	-	-	227 12%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	298 15%	-	-	-	-	-	320 16%	-	-	-	275 14%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	369 19%	-	-	-	-	-	403 20%	-	-	-	402 20%
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	159 8%	-	-	-	-	-	128 6%	-	-	-	153 8%
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	955 49%	-	-	-	-	-	937 47%	-	-	-	906 46%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_10 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Leaving my residence as little as possible

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/11)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	364 19%	-	-	-	-	-	316 16%	-	-	-	333 17%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	537 27%	-	-	-	-	-	554 28%	-	-	-	497 25%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	672 34%	-	-	-	-	-	852 43%	-	-	-	807 41%
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195 10%	-	-	-	-	-	128 6%	-	-	-	169 9%
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195 10%	-	-	-	-	-	138 7%	-	-	-	157 8%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_11 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Not have people over to my home

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/10)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	311 16%	-	-	-	-	-	279 14%	-	-	-	319 16%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	519 26% Y	-	-	-	-	-	560 28% Y	-	-	-	452 23%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	633 32%	-	-	-	-	-	756 38% O	-	-	-	714 36% O
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	239 12% U	-	-	-	-	-	172 9%	-	-	-	224 11% U
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	260 13%	-	-	-	-	-	221 11%	-	-	-	252 13%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_12 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Wear PPE when I go out in public (e.g., face masks, gloves, etc)

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/11)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	278 14%	-	-	-	-	-	242 12%	-	-	-	282 14%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	496 25% U	-	-	-	-	-	419 21%	-	-	-	455 23%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	837 43%	-	-	-	-	-	1112 56% OY	-	-	-	990 50% O
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	150 8% U	-	-	-	-	-	93 5%	-	-	-	134 7% U
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	201 10% UY	-	-	-	-	-	121 6%	-	-	-	101 5%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_13 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Make sure my house is stocked with non-perishable foods and cleaning products

Base: All Respondents

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/23)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	296 15%	-	-	-	-	-	287 14%	-	-	-	339 17% u
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	470 24%	-	-	-	-	-	451 23%	-	-	-	483 25%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	870 44%	-	-	-	-	-	984 49% OY	-	-	-	841 43%
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	128 7% u	-	-	-	-	-	94 5%	-	-	-	132 7% U
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198 10%	-	-	-	-	-	172 9%	-	-	-	167 8%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

COV06_14 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term?
 Buy products that boost my/my family's health and immunity (e.g., orange juice, vitamins, etc.)

Base: All Respondents

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(3/14 - 3/15)	(3/17 - 3/18)	(3/21 - 3/23)	(3/28 - 3/30)	(4/1 - 4/5)	(4/11 - 4/13)	(4/18 - 4/20)	(4/28 - 4/27)	(5/1 - 5/3)	(5/8 - 5/10)	(5/15 - 5/17)	(5/22 - 5/24)	(5/29 - 5/31)	(6/6 - 6/8)	(6/13 - 6/15)	(6/18 - 6/20)	(6/26 - 6/29)	(7/2 - 7/4)	(7/10 - 7/12)	(7/17 - 7/19)	(7/24 - 7/26)	(7/31 - 8/2)	(8/7 - 8/9)	(8/14 - 8/16)	(8/21 - 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	**	**	**	**	1988	**	**	**	1962
Short term (1-30 days)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	270	-	-	-	-	-	253	-	-	-	276
															14%						13%				14%
Medium term (2-5 months)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	343	-	-	-	-	-	351	-	-	-	352
															17%						18%				18%
Long term (6 months or longer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	922	-	-	-	-	-	1005	-	-	-	920
															47%						51%				47%
N/A - I will not continue to do this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	107	-	-	-	-	-	86	-	-	-	114
															5%						4%				6%
N/A - I have never done this	-	-	-	-	-	-	-	-	-	-	-	-	-	-	321	-	-	-	-	-	294	-	-	-	301
															16%						15%				15%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	-	-	-	-	1988	-	-	-	1962
															100%						100%				100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV07 Based on what you know and have heard, when do you think Americans should start returning to work and life as normal?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	-	-	-	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	-	**	**	**	**	**	**	**	**	**	**	**	1988	**	**	**	1962
1-2 weeks from now	-	-	-	-	-	180 9%	260 13%	284 14%	298 15%	-	-	-	-	-	-	-	-	-	-	-	-	275 14%	-	-	-	322 16%
3-4 weeks from now	-	-	-	-	-	459 25%	532 26%	481 23%	534 26%	-	-	-	-	-	-	-	-	-	-	-	-	365 18%	-	-	-	317 16%
More than a month from now	-	-	-	-	-	1018 51%	874 43%	899 44%	781 38%	-	-	-	-	-	-	-	-	-	-	-	-	649 33%	-	-	-	589 30%
More than six months from now	-	-	-	-	-	357 18%	363 18%	386 19%	426 21%	-	-	-	-	-	-	-	-	-	-	-	-	699 35%	-	-	-	734 37%
Sigma	-	-	-	-	-	2013 100%	2029 100%	2050 100%	2039 100%	-	-	-	-	-	-	-	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15 Since the coronavirus outbreak are you consuming more or less of the following?
 Summary Of More

Base: All Respondents (Variable Bases)

	Waves																								
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/23)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/4 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Home cooked meals	-	-	-	-	-	1365 58%	1331 66%	1360 66%	1360 67%	-	-	-	-	1180 80%	1129 57%	-	-	-	-	-	1204 61%	-	-	-	1140 58%
Fresh food (vegetables, fruit)	-	-	-	-	-	849 42%	777 38%	853 42%	843 41%	-	-	-	-	824 42%	786 40%	-	-	-	-	-	945 48%	-	-	-	889 45%
Snack foods (chips, nuts, granola bars)	-	-	-	-	-	807 40%	800 39%	862 42%	854 42%	-	-	-	-	719 37%	652 33%	-	-	-	-	-	740 37%	-	-	-	759 39%
Coffee and tea	-	-	-	-	-	702 35%	628 31%	716 35%	694 34%	-	-	-	-	627 32%	567 29%	-	-	-	-	-	688 35%	-	-	-	643 33%
Orange juice	-	-	-	-	-	-	-	-	235 12%	-	-	-	-	460 23%	487 25%	-	-	-	-	-	607 31%	-	-	-	594 30%
Ready to eat meals (e.g., frozen pizzas)	-	-	-	-	-	703 35%	633 31%	641 31%	615 30%	-	-	-	-	531 27%	508 26%	-	-	-	-	-	577 29%	-	-	-	588 30%
Candy and chocolate	-	-	-	-	-	527 26%	577 28%	593 29%	598 29%	-	-	-	-	402 20%	409 21%	-	-	-	-	-	481 24%	-	-	-	534 27%
Fast food	-	-	-	-	-	339 17%	354 17%	383 19%	374 18%	-	-	-	-	375 19%	374 19%	-	-	-	-	-	456 23%	-	-	-	533 27%
Soft drinks	-	-	-	-	-	490 24%	485 24%	517 25%	494 24%	-	-	-	-	452 23%	448 23%	-	-	-	-	-	528 28%	-	-	-	520 27%
Alcohol (beer, wine, spirits)	-	-	-	-	-	374 20%	362 19%	430 23%	473 25%	-	-	-	-	338 18%	339 18%	-	-	-	-	-	379 20%	-	-	-	373 20%
Meat alternatives (e.g., tofu, seitan, tempeh)	-	-	-	-	-	-	-	-	-	-	-	-	-	255 13%	246 13%	-	-	-	-	-	296 15%	-	-	-	327 17%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV15 Since the coronavirus outbreak are you consuming more or less of the following?
 Summary Of Less

Base: All Respondents (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/4 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Fast food	-	-	-	-	-	100%	94%	100%	96%	-	-	-	-	82%	79%	-	-	-	-	-	84%	-	-	-	67%	
						50%	46%	49%	47%					42%	40%						42%				34%	
						gNOUY	NOUY	NOUY	NOUY					Y	Y						Y					
Candy and chocolate	-	-	-	-	-	45%	36%	41%	32%	-	-	-	-	45%	45%	-	-	-	-	-	51%	-	-	-	41%	
						23%	18%	20%	16%					23%	23%						26%				21%	
						GI		I						GHI	GHI						IGHIY				GI	
Soft drinks	-	-	-	-	-	38%	36%	37%	35%	-	-	-	-	40%	38%	-	-	-	-	-	44%	-	-	-	38%	
						19%	18%	18%	17%					21%	20%						22%				20%	
																					IGHI					
Ready to eat meals (e.g., frozen pizzas)	-	-	-	-	-	34%	32%	35%	37%	-	-	-	-	34%	33%	-	-	-	-	-	41%	-	-	-	38%	
						17%	16%	17%	18%					17%	17%						21%				19%	
														I	I						FGHNO				G	
Alcohol (beer, wine, spirits)	-	-	-	-	-	30%	29%	27%	24%	-	-	-	-	28%	30%	-	-	-	-	-	40%	-	-	-	30%	
						16%	16%	14%	13%					16%	17%						22%				16%	
														I	I						FGHNOY				I	
Snack foods (chips, nuts, granola bars)	-	-	-	-	-	30%	27%	30%	24%	-	-	-	-	28%	31%	-	-	-	-	-	37%	-	-	-	29%	
						15%	14%	15%	12%					15%	16%						19%				15%	
														gl	gl						FGHNOY					
Coffee and tea	-	-	-	-	-	21%	22%	18%	18%	-	-	-	-	20%	21%	-	-	-	-	-	26%	-	-	-	25%	
						11%	11%	9%	9%					11%	11%						13%				13%	
														hi	hi						IGHINO				hIn	
Orange juice	-	-	-	-	-	-	-	-	23%	-	-	-	-	21%	26%	-	-	-	-	-	27%	-	-	-	24%	
									12%					11%	13%						14%				12%	
														n	n						iN				iN	
Meat alternatives (e.g., tofu, seitan, tempeh)	-	-	-	-	-	-	-	-	-	-	-	-	-	25%	25%	-	-	-	-	-	32%	-	-	-	24%	
														13%	13%						16%				12%	
																					NOY					
Fresh food (vegetables, fruit)	-	-	-	-	-	34%	30%	30%	29%	-	-	-	-	23%	24%	-	-	-	-	-	25%	-	-	-	23%	
						17%	15%	15%	14%					12%	12%						13%				12%	
						iNOUY	NoY	NOY																		
Home cooked meals	-	-	-	-	-	13%	13%	14%	14%	-	-	-	-	16%	17%	-	-	-	-	-	18%	-	-	-	18%	
						7%	7%	7%	7%					8%	9%						9%				9%	
														FGHI	FGHI						FGHI				FGHI	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 120

BHV15 Since the coronavirus outbreak are you consuming more or less of the following?
 Summary Of No Change

Base: All Respondents (Variable Bases)

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/1-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/28-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (6/9-6/9)	Wave 15 (6/13-6/13)	Wave 16 (6/13-6/20)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/4-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Coffee and tea	-	-	-	-	-	97	98	99	99	-	-	-	-	97	95	-	-	-	-	-	-	89	-	-	-	90
						48%	49%	49%	49%					50%	51%							45%				46%
Candy and chocolate	-	-	-	-	-	91	94	94	100	-	-	-	-	93	89	-	-	-	-	-	-	82	-	-	-	88
						45%	46%	46%	49%					46%	46%							42%				45%
Snack foods (chips, nuts, granola bars)	-	-	-	-	-	84	89	84	89	-	-	-	-	90	92	-	-	-	-	-	-	81	-	-	-	84
						42%	44%	41%	44%					46%	47%							41%				43%
Orange juice	-	-	-	-	-	-	-	-	65	-	-	-	-	95	92	-	-	-	-	-	-	79	-	-	-	84
									32%					49%	47%							40%				43%
Fresh food (vegetables, fruit)	-	-	-	-	-	80	91	86	88	-	-	-	-	85	86	-	-	-	-	-	-	74	-	-	-	80
						40%	45%	42%	44%					44%	45%							38%				41%
Soft drinks	-	-	-	-	-	84	90	87	88	-	-	-	-	81	82	-	-	-	-	-	-	73	-	-	-	79
						42%	44%	43%	43%					42%	42%							37%				40%
Ready to eat meals (e.g., frozen pizzas)	-	-	-	-	-	80	87	83	84	-	-	-	-	80	84	-	-	-	-	-	-	76	-	-	-	77
						40%	44%	41%	42%					45%	45%							38%				39%
Alcohol (beer, wine, spirits)	-	-	-	-	-	63	64	67	65	-	-	-	-	62	66	-	-	-	-	-	-	57	-	-	-	64
						34%	34%	35%	34%					34%	36%							31%				35%
Home cooked meals	-	-	-	-	-	49	54	52	51	-	-	-	-	52	61	-	-	-	-	-	-	55	-	-	-	60
						25%	27%	28%	25%					30%	31%							28%				31%
Meat alternatives (e.g., tofu, seitan, tempeh)	-	-	-	-	-	-	-	-	-	-	-	-	-	63	59	-	-	-	-	-	-	51	-	-	-	60
														32%	31%							28%				31%
Fast food	-	-	-	-	-	47	54	49	54	-	-	-	-	60	55	-	-	-	-	-	-	49	-	-	-	59
						23%	27%	24%	27%					31%	30%							25%				30%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 121

BHV15_1 Since the coronavirus outbreak are you consuming more or less of the following?
 Fresh food (vegetables, fruit)

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	**	**	**	**	1969	1963	**	**	**	**	**	**	1988	**	**	**	1962
More	-	-	-	-	-	849	777	853	843	-	-	-	-	824	786	-	-	-	-	-	-	945	-	-	-	889
						42%	38%	42%	41%					42%	40%							48%				45%
						G	G	G	G					G	G							FGHINO				GHNO
Less	-	-	-	-	-	342	303	309	290	-	-	-	-	239	244	-	-	-	-	-	-	256	-	-	-	235
						17%	15%	15%	14%					12%	12%							13%				12%
						INOJY	NOY	NOY	NOY					INOJY	INOJY							INOJY				INOJY
No change	-	-	-	-	-	800	913	863	889	-	-	-	-	865	886	-	-	-	-	-	-	749	-	-	-	801
						40%	45%	42%	44%					44%	45%							38%				41%
						FUY	U	FU	FU					FU	FUY							FUY				FUY
I do not consume this product	-	-	-	-	-	22	36	25	17	-	-	-	-	41	47	-	-	-	-	-	-	37	-	-	-	37
						1%	2%	1%	1%					2%	2%							2%				2%
						1	1	1	1					FH	FHI							1				1
Sigma	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	-	1988	-	-	-	1962
						100%	100%	100%	100%					100%	100%							100%				100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15_2 Since the coronavirus outbreak are you consuming more or less of the following?

Fast food

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	**	**	**	**	1969	1963	**	**	**	**	**	**	1988	**	**	**	1962
More	-	-	-	-	-	339 17%	354 17%	383 19%	374 18%	-	-	-	-	375 19%	374 19%	-	-	-	-	-	-	456 23%	-	-	-	533 27%
Less	-	-	-	-	-	1005 50%	942 46%	1004 49%	968 47%	-	-	-	-	822 42%	793 40%	-	-	-	-	-	-	840 42%	-	-	-	672 34%
No change	-	-	-	-	-	467 23%	545 27%	492 24%	541 27%	-	-	-	-	606 31%	585 30%	-	-	-	-	-	-	496 25%	-	-	-	598 30%
I do not consume this product	-	-	-	-	-	203 10%	187 9%	171 8%	157 8%	-	-	-	-	166 8%	211 11%	-	-	-	-	-	-	196 10%	-	-	-	159 8%
Sigma	-	-	-	-	-	2013 100%	2029 100%	2050 100%	2039 100%	-	-	-	-	1969 100%	1963 100%	-	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15_3 Since the coronavirus outbreak are you consuming more or less of the following?
 Alcohol (beer, wine, spirits)

Base: All 21+ Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	1896	1885	1926	1924	-	-	-	-	1825	1846	-	-	-	-	-	-	1843	-	-	-	1825
Weighted Base	**	**	**	**	**	1880	1892	1908	1906	**	**	**	**	1829	1838	**	**	**	**	**	**	1867	**	**	**	1834
More	-	-	-	-	-	374	362	430	473	-	-	-	-	338	339	-	-	-	-	-	-	379	-	-	-	373
						20%	19%	23%	25%					18%	18%							20%				20%
Less	-	-	-	-	-	309	294	272	241	-	-	-	-	289	306	-	-	-	-	-	-	409	-	-	-	301
						16%	16%	14%	13%					16%	17%							22%				16%
No change	-	-	-	-	-	634	642	671	656	-	-	-	-	626	668	-	-	-	-	-	-	578	-	-	-	643
						34%	34%	35%	34%					34%	36%							31%				35%
I do not consume this product	-	-	-	-	-	563	594	534	536	-	-	-	-	576	525	-	-	-	-	-	-	501	-	-	-	517
						30%	31%	28%	28%					31%	29%							27%				28%
Sigma	-	-	-	-	-	1880	1892	1908	1906	-	-	-	-	1829	1838	-	-	-	-	-	-	1867	-	-	-	1834
						100%	100%	100%	100%					100%	100%							100%				100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15_4 Since the coronavirus outbreak are you consuming more or less of the following?
 Snack foods (chips, nuts, granola bars)

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	**	**	**	**	1969	1963	**	**	**	**	**	**	1988	**	**	**	1962
More	-	-	-	-	-	807	800	862	854	-	-	-	-	719	652	-	-	-	-	-	-	740	-	-	-	759
						40%	39%	42%	42%					37%	33%							37%				39%
						NO	O	NOUy	NOU					o								O				O
Less	-	-	-	-	-	300	274	300	240	-	-	-	-	286	312	-	-	-	-	-	-	371	-	-	-	297
						15%	14%	15%	12%					15%	16%							19%				15%
						1	1	1	1					1	9l							FGHNeV				1
No change	-	-	-	-	-	843	898	848	898	-	-	-	-	902	925	-	-	-	-	-	-	810	-	-	-	849
						42%	44%	41%	44%					46%	47%							41%				43%
						u	u	u	u					FHu	FHuY											
I do not consume this product	-	-	-	-	-	63	57	40	47	-	-	-	-	62	73	-	-	-	-	-	-	68	-	-	-	58
						3%	3%	2%	2%					3%	4%							3%				3%
						h	h	h	h					H	Hi							Hi				H
Sigma	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	-	1988	-	-	-	1962
						100%	100%	100%	100%					100%	100%							100%				100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15_5 Since the coronavirus outbreak are you consuming more or less of the following?
 Ready to eat meals (e.g., frozen pizzas)

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	1988	-	-	-	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	**	**	**	**	1969	1963	**	**	**	**	**	1988	**	**	**	1962	
More	-	-	-	-	-	703	633	641	615	-	-	-	-	531	508	-	-	-	-	-	577	-	-	-	588	
						35%	31%	31%	30%					27%	26%						29%				30%	
						GHNO	NO	NO	NO																O	
Less	-	-	-	-	-	343	323	358	373	-	-	-	-	344	333	-	-	-	-	-	414	-	-	-	380	
						17%	16%	17%	18%					17%	17%						21%				19%	
																					FGHNO				G	
No change	-	-	-	-	-	802	887	832	848	-	-	-	-	880	884	-	-	-	-	-	763	-	-	-	771	
						40%	44%	41%	42%					45%	45%						38%				39%	
						FUY								FHUY	FHUY											
I do not consume this product	-	-	-	-	-	165	187	220	203	-	-	-	-	214	237	-	-	-	-	-	234	-	-	-	222	
						8%	9%	11%	10%					11%	12%						12%				11%	
						F	F	F	F					F	FG						FG				Fg	
Sigma	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	1988	-	-	-	1962	
						100%	100%	100%	100%					100%	100%						100%				100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15_6 Since the coronavirus outbreak are you consuming more or less of the following?
 Home cooked meals

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	1988	-	-	-	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	**	**	**	**	1969	1963	**	**	**	**	**	1988	**	**	**	1962	
More	-	-	-	-	-	1365 68%	1331 56%	1360 66%	1360 67%	-	-	-	-	1180 60%	1128 57%	-	-	-	-	-	1204 61%	-	-	-	1140 58%	
Less	-	-	-	-	-	134 7%	133 7%	143 7%	142 7%	-	-	-	-	162 8%	177 9%	-	-	-	-	-	184 9%	-	-	-	186 9%	
No change	-	-	-	-	-	494 25%	542 27%	528 26%	518 25%	-	-	-	-	592 30%	612 31%	-	-	-	-	-	558 28%	-	-	-	605 31%	
I do not consume this product	-	-	-	-	-	20 1%	23 1%	19 1%	18 1%	-	-	-	-	35 2%	45 2%	-	-	-	-	-	42 2%	-	-	-	32 2%	
Sigma	-	-	-	-	-	2013 100%	2029 100%	2050 100%	2039 100%	-	-	-	-	1969 100%	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15_7 Since the coronavirus outbreak are you consuming more or less of the following?
 Coffee and tea

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	1988	-	-	-	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	**	**	**	**	1969	1963	**	**	**	**	**	1988	**	**	**	1962	
More	-	-	-	-	-	702 35%	628 31%	716 35%	694 34%	-	-	-	-	627 32%	567 29%	-	-	-	-	-	688 35%	-	-	-	643 33%	
Less	-	-	-	-	-	215 11%	221 11%	180 9%	184 9%	-	-	-	-	207 11%	216 11%	-	-	-	-	-	263 13%	-	-	-	254 13%	
No change	-	-	-	-	-	957 48%	998 49%	999 49%	991 49%	-	-	-	-	975 50%	995 51%	-	-	-	-	-	890 45%	-	-	-	902 46%	
I do not consume this product	-	-	-	-	-	139 7%	182 9%	156 8%	169 8%	-	-	-	-	160 8%	185 9%	-	-	-	-	-	147 7%	-	-	-	163 8%	
Sigma	-	-	-	-	-	2013 100%	2029 100%	2050 100%	2039 100%	-	-	-	-	1969 100%	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15_8 Since the coronavirus outbreak are you consuming more or less of the following?
 Soft drinks

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/24)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/2-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	1988	-	-	-	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	**	**	**	**	1969	1963	**	**	**	**	**	1988	**	**	**	1962	
More	-	-	-	-	-	490	485	517	494	-	-	-	-	452	448	-	-	-	-	-	526	-	-	-	520	
						24%	24%	25%	24%					23%	23%						26%				27%	
Less	-	-	-	-	-	389	365	377	356	-	-	-	-	404	384	-	-	-	-	-	444	-	-	-	384	
						19%	18%	18%	17%					21%	20%						22%				20%	
No change	-	-	-	-	-	840	901	875	881	-	-	-	-	818	829	-	-	-	-	-	733	-	-	-	792	
						42%	44%	43%	43%					41%	42%						37%				40%	
I do not consume this product	-	-	-	-	-	294	278	281	309	-	-	-	-	295	302	-	-	-	-	-	285	-	-	-	266	
						15%	14%	14%	15%					15%	15%						14%				14%	
Sigma	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	1988	-	-	-	1962	
						100%	100%	100%	100%					100%	100%						100%				100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15_9 Since the coronavirus outbreak are you consuming more or less of the following?
 Candy and chocolate

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	-	-	-	-	1969	1963	-	-	-	-	-	1988	-	-	-	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	**	**	**	**	1969	1963	**	**	**	**	**	1988	**	**	**	1962	
More	-	-	-	-	-	527 26%	577 28%	593 29%	598 29%	-	-	-	-	402 20%	409 21%	-	-	-	-	-	481 24%	-	-	-	534 27%	
Less	-	-	-	-	-	456 23%	364 18%	411 20%	326 16%	-	-	-	-	451 23%	456 23%	-	-	-	-	-	-	511 26%	-	-	-	418 21%
No change	-	-	-	-	-	911 45%	964 48%	944 46%	1000 49%	-	-	-	-	938 48%	896 46%	-	-	-	-	-	-	826 42%	-	-	-	884 45%
I do not consume this product	-	-	-	-	-	119 6%	124 6%	103 5%	115 6%	-	-	-	-	178 9%	202 10%	-	-	-	-	-	-	170 9%	-	-	-	126 6%
Sigma	-	-	-	-	-	2013 100%	2029 100%	2050 100%	2039 100%	-	-	-	-	1969 100%	1963 100%	-	-	-	-	-	-	1988 100%	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15_10 Since the coronavirus outbreak are you consuming more or less of the following?
 Orange juice

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	2039	-	-	-	-	1969	1963	-	-	-	-	-	-	1988	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	2039	**	**	**	**	1969	1963	**	**	**	**	**	**	1988	**	**	**	1962
More	-	-	-	-	-	-	-	-	235 12%	-	-	-	-	460 23%	487 25%	-	-	-	-	-	607 31%	-	-	-	594 30%	
Less	-	-	-	-	-	-	-	-	235 12%	-	-	-	-	217 11%	262 13%	-	-	-	-	-	274 14%	-	-	-	244 12%	
No change	-	-	-	-	-	-	-	-	654 32%	-	-	-	-	957 47%	926 47%	-	-	-	-	-	798 40%	-	-	-	847 43%	
I do not consume this product	-	-	-	-	-	-	-	-	915 45%	-	-	-	-	335 17%	288 15%	-	-	-	-	-	309 16%	-	-	-	277 14%	
Sigma	-	-	-	-	-	-	-	-	2039 100%	-	-	-	-	1969 100%	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV15_11 Since the coronavirus outbreak are you consuming more or less of the following?
 Meat alternatives (e.g., tofu, seitan, tempeh)

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	1969	1963	-	-	-	-	-	1988	-	-	-	1962	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	1969	1963	**	**	**	**	**	1988	**	**	**	1962	
More	-	-	-	-	-	-	-	-	-	-	-	-	-	255 13%	246 13%	-	-	-	-	-	296 15%	-	-	-	327 17%	
Less	-	-	-	-	-	-	-	-	-	-	-	-	-	254 13%	254 13%	-	-	-	-	-	322 16%	-	-	-	242 12%	
No change	-	-	-	-	-	-	-	-	-	-	-	-	-	633 32%	599 31%	-	-	-	-	-	551 28%	-	-	-	601 31%	
I do not consume this product	-	-	-	-	-	-	-	-	-	-	-	-	-	827 42%	865 44%	-	-	-	-	-	818 41%	-	-	-	792 40%	
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	1969 100%	1963 100%	-	-	-	-	-	1988 100%	-	-	-	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 132

BHV15a As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Summary Of Stay The Same

Base: Consuming More (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/8)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Coffee and tea	-	-	-	-	-	-	-	349 43%	327 47%	-	-	-	-	-	-	-	-	-	-	-	290 42%	-	-	-	279 43%	
Home cooked meals	-	-	-	-	-	-	-	548 40%	552 41%	-	-	-	-	-	-	-	-	-	-	-	458 38%	-	-	-	478 42%	
Snack foods (chips, nuts, granola bars)	-	-	-	-	-	-	-	330 38%	319 37%	-	-	-	-	-	-	-	-	-	-	-	276 37%	-	-	-	308 41%	
Ready to eat meals (e.g., frozen pizzas)	-	-	-	-	-	-	-	267 42%	245 40%	-	-	-	-	-	-	-	-	-	-	-	219 38%	-	-	-	226 38%	
Fresh food (vegetables, fruit)	-	-	-	-	-	-	-	294 34%	272 32%	-	-	-	-	-	-	-	-	-	-	-	315 33%	-	-	-	334 38%	
Soft drinks	-	-	-	-	-	-	-	163 32%	181 37%	-	-	-	-	-	-	-	-	-	-	-	203 39%	-	-	-	189 36%	
Orange juice	-	-	-	-	-	-	-	197 39%	207 37%	-	-	-	-	-	-	-	-	-	-	-	147 35%	-	-	-	213 36%	
Candy and chocolate	-	-	-	-	-	-	-	190 32%	195 33%	-	-	-	-	-	-	-	-	-	-	-	193 40%	-	-	-	185 35%	
Meat alternatives (e.g., tofu, seitan, tempeh)	-	-	-	-	-	-	-	-	75 32%	-	-	-	-	-	-	-	-	-	-	-	94 39%	-	-	-	109 35%	
Fast food	-	-	-	-	-	-	-	103 27%	98 26%	-	-	-	-	-	-	-	-	-	-	-	150 33%	-	-	-	176 33%	
Alcohol (beer, wine, spirits)	-	-	-	-	-	-	-	151 35%	150 32%	-	-	-	-	-	-	-	-	-	-	-	127 33%	-	-	-	116 31%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 133

BHV15a As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Summary Of Less

Base: Consuming More (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Fast food	-	-	-	-	-	-	-	133 35%	113 30%	-	-	-	-	-	-	-	-	-	-	-	116 25%	-	-	-	137 26%	
Candy and chocolate	-	-	-	-	-	-	-	242 41%	202 34%	-	-	-	-	-	-	-	-	-	-	-	124 26%	-	-	-	137 26%	
Soft drinks	-	-	-	-	-	-	-	173 33%	123 25%	-	-	-	-	-	-	-	-	-	-	-	131 25%	-	-	-	113 22%	
Snack foods (chips, nuts, granola bars)	-	-	-	-	-	-	-	294 34%	268 31%	-	-	-	-	-	-	-	-	-	-	-	162 22%	-	-	-	150 20%	
Alcohol (beer, wine, spirits)	-	-	-	-	-	-	-	121 28%	142 30%	-	-	-	-	-	-	-	-	-	-	-	85 23%	-	-	-	69 19%	
Ready to eat meals (e.g., frozen pizzas)	-	-	-	-	-	-	-	167 26%	134 22%	-	-	-	-	-	-	-	-	-	-	-	110 19%	-	-	-	93 16%	
Meat alternatives (e.g., tofu, seitan, tempeh)	-	-	-	-	-	-	-	-	23 10%	-	-	-	-	-	-	-	-	-	-	-	29 12%	-	-	-	36 11%	
Coffee and tea	-	-	-	-	-	-	-	95 13%	82 12%	-	-	-	-	-	-	-	-	-	-	-	77 11%	-	-	-	52 8%	
Orange juice	-	-	-	-	-	-	-	46 9%	52 9%	-	-	-	-	-	-	-	-	-	-	-	42 10%	-	-	-	29 5%	
Fresh food (vegetables, fruit)	-	-	-	-	-	-	-	25 3%	32 4%	-	-	-	-	-	-	-	-	-	-	-	43 5%	-	-	-	38 4%	
Home cooked meals	-	-	-	-	-	-	-	121 19%	100 7%	-	-	-	-	-	-	-	-	-	-	-	65 5%	-	-	-	47 4%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 134

BHV15a As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Summary Of More

Base: Consuming More (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/11)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Orange juice	-	-	-	-	-	-	-	257 51%	297 53%	-	-	-	-	-	-	-	-	-	-	-	236 56%	-	-	-	352 59% H	
Fresh food (vegetables, fruit)	-	-	-	-	-	-	-	534 63%	539 64%	-	-	-	-	-	-	-	-	-	-	-	-	588 62%	-	-	-	517 58% H
Meat alternatives (e.g., tofu, seitan, tempeh)	-	-	-	-	-	-	-	137 58%	137 58%	-	-	-	-	-	-	-	-	-	-	-	-	116 49%	-	-	-	183 56% H
Home cooked meals	-	-	-	-	-	-	-	691 51%	708 52%	-	-	-	-	-	-	-	-	-	-	-	-	680 56% H	-	-	-	615 54% H
Alcohol (beer, wine, spirits)	-	-	-	-	-	-	-	158 37%	180 38%	-	-	-	-	-	-	-	-	-	-	-	-	167 44% H	-	-	-	188 50% H
Coffee and tea	-	-	-	-	-	-	-	271 38%	285 41%	-	-	-	-	-	-	-	-	-	-	-	-	321 47% H	-	-	-	311 48% H
Ready to eat meals (e.g., frozen pizzas)	-	-	-	-	-	-	-	207 32%	236 38% h	-	-	-	-	-	-	-	-	-	-	-	-	248 43% H	-	-	-	269 46% H
Soft drinks	-	-	-	-	-	-	-	191 35%	199 38%	-	-	-	-	-	-	-	-	-	-	-	-	192 37% H	-	-	-	218 42% h
Fast food	-	-	-	-	-	-	-	147 38%	163 44%	-	-	-	-	-	-	-	-	-	-	-	-	190 42% H	-	-	-	220 41% H
Candy and chocolate	-	-	-	-	-	-	-	162 27% h	202 34% h	-	-	-	-	-	-	-	-	-	-	-	-	165 34% H	-	-	-	212 40% H
Snack foods (chips, nuts, granola bars)	-	-	-	-	-	-	-	239 28%	267 31%	-	-	-	-	-	-	-	-	-	-	-	-	301 41% H	-	-	-	301 40% H

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

BHV15a As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Summary Of More + No Change

24 Aug 2020
 Table 135

Base: Consuming More (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/11)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Home cooked meals	-	-	-	-	-	-	-	1240 91%	1260 93%	-	-	-	-	-	-	-	-	-	-	-	1138 85% H	-	-	-	1093 86% H	
Fresh food (vegetables, fruit)	-	-	-	-	-	-	-	828 97%	811 96%	-	-	-	-	-	-	-	-	-	-	-	903 95% H	-	-	-	852 96% H	
Orange juice	-	-	-	-	-	-	-	453 91%	504 91%	-	-	-	-	-	-	-	-	-	-	-	383 90% H	-	-	-	565 85% H	
Coffee and tea	-	-	-	-	-	-	-	620 87%	613 88%	-	-	-	-	-	-	-	-	-	-	-	611 89% H	-	-	-	591 92% H	
Meat alternatives (e.g., tofu, seitan, tempeh)	-	-	-	-	-	-	-	212 90%	211 89%	-	-	-	-	-	-	-	-	-	-	-	211 88% H	-	-	-	292 89% H	
Ready to eat meals (e.g., frozen pizzas)	-	-	-	-	-	-	-	474 74%	481 78%	-	-	-	-	-	-	-	-	-	-	-	467 81% H	-	-	-	495 84% H	
Alcohol (beer, wine, spirits)	-	-	-	-	-	-	-	309 72%	331 70%	-	-	-	-	-	-	-	-	-	-	-	293 77% H	-	-	-	303 81% H	
Snack foods (chips, nuts, granola bars)	-	-	-	-	-	-	-	568 66% H	596 69% H	-	-	-	-	-	-	-	-	-	-	-	570 78% H	-	-	-	609 80% H	
Soft drinks	-	-	-	-	-	-	-	344 67% H	370 73% H	-	-	-	-	-	-	-	-	-	-	-	395 75% H	-	-	-	407 75% H	
Candy and chocolate	-	-	-	-	-	-	-	351 59% H	396 66% H	-	-	-	-	-	-	-	-	-	-	-	358 74% H	-	-	-	397 74% H	
Fast food	-	-	-	-	-	-	-	250 65% H	261 70% H	-	-	-	-	-	-	-	-	-	-	-	340 75% H	-	-	-	396 74% H	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV15a_1 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Fresh food (vegetables, fruit)

Base: Consuming More

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	834	800	-	-	-	-	-	-	-	-	-	-	-	987	-	-	-	888	
Weighted Base	**	**	**	**	**	**	**	853	843	**	**	**	**	**	**	**	**	**	**	**	945	**	**	**	889	
More	-	-	-	-	-	-	-	534 63%	539 64%	-	-	-	-	-	-	-	-	-	-	-	588 62%	-	-	-	517 58%	
Less	-	-	-	-	-	-	-	25 3%	32 4%	-	-	-	-	-	-	-	-	-	-	-	43 5%	-	-	-	38 4%	
Stay the same	-	-	-	-	-	-	-	294 34%	272 32%	-	-	-	-	-	-	-	-	-	-	-	315 33%	-	-	-	334 38%	
Sigma	-	-	-	-	-	-	-	853 100%	843 100%	-	-	-	-	-	-	-	-	-	-	-	945 100%	-	-	-	889 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV15a_2 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Fast food

Base: Consuming More

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	370	375	-	-	-	-	-	-	-	-	-	-	-	-	515	-	-	-	549
Weighted Base	**	**	**	**	**	**	**	383	374	**	**	**	**	**	**	**	**	**	**	**	**	456	**	**	**	533
More	-	-	-	-	-	-	-	147 38%	163 44%	-	-	-	-	-	-	-	-	-	-	-	-	190 42%	-	-	-	220 41%
Less	-	-	-	-	-	-	-	133 35%	113 30%	-	-	-	-	-	-	-	-	-	-	-	-	116 25%	-	-	-	137 26%
Stay the same	-	-	-	-	-	-	-	103 27%	98 26%	-	-	-	-	-	-	-	-	-	-	-	-	150 33%	-	-	-	176 33%
Sigma	-	-	-	-	-	-	-	383 100%	374 100%	-	-	-	-	-	-	-	-	-	-	-	-	456 100%	-	-	-	533 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV15a_3 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Alcohol (beer, wine, spirits)

Base: 21+ Respondents Consuming More

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	433	468	-	-	-	-	-	-	-	-	-	-	-	-	401	-	-	-	399
Weighted Base	430	473	379	373
More	-	-	-	-	-	-	-	158	180	-	-	-	-	-	-	-	-	-	-	-	-	167	-	-	-	188
								37%	38%													44%				50%
Less	-	-	-	-	-	-	-	121	142	-	-	-	-	-	-	-	-	-	-	-	-	85	-	-	-	69
								28%	30%													23%				19%
Stay the same	-	-	-	-	-	-	-	151	150	-	-	-	-	-	-	-	-	-	-	-	-	127	-	-	-	116
								35%	32%													33%				31%
Sigma	-	-	-	-	-	-	-	430	473	-	-	-	-	-	-	-	-	-	-	-	-	379	-	-	-	373
								100%	100%													100%				100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. .. very small base (under 30) ineligible for sig testing

BHV15a_4 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Snack foods (chips, nuts, granola bars)

Base: Consuming More

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	877	875	-	-	-	-	-	-	-	-	-	-	-	799	-	-	-	789	
Weighted Base	**	**	**	**	**	**	**	862	854	**	**	**	**	**	**	**	**	**	**	**	**	740	**	**	**	759
More	-	-	-	-	-	-	-	239	267	-	-	-	-	-	-	-	-	-	-	-	-	301	-	-	-	301
								28%	31%													41%				40%
Less	-	-	-	-	-	-	-	294	268	-	-	-	-	-	-	-	-	-	-	-	-	162	-	-	-	150
								34%	31%													22%				20%
Stay the same	-	-	-	-	-	-	-	330	319	-	-	-	-	-	-	-	-	-	-	-	-	276	-	-	-	308
								38%	37%													37%				41%
Sigma	-	-	-	-	-	-	-	862	854	-	-	-	-	-	-	-	-	-	-	-	-	740	-	-	-	759
								100%	100%													100%				100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV15a_5 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Ready to eat meals (e.g., frozen pizzas)

Base: Consuming More

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	656	605	-	-	-	-	-	-	-	-	-	-	-	618	-	-	-	624	
Weighted Base	**	**	**	**	**	**	**	641	615	**	**	**	**	**	**	**	**	**	**	**	**	577	**	**	**	588
More	-	-	-	-	-	-	-	207	236 38%	-	-	-	-	-	-	-	-	-	-	-	248 43%	-	-	-	269 46%	
Less	-	-	-	-	-	-	-	167 26%	134 22%	-	-	-	-	-	-	-	-	-	-	-	-	110 19%	-	-	-	93 16%
Stay the same	-	-	-	-	-	-	-	267 42%	245 40%	-	-	-	-	-	-	-	-	-	-	-	-	219 38%	-	-	-	226 38%
Sigma	-	-	-	-	-	-	-	641 100%	615 100%	-	-	-	-	-	-	-	-	-	-	-	-	577 100%	-	-	-	588 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV15a_6 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Home cooked meals

Base: Consuming More

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	1361	1355	-	-	-	-	-	-	-	-	-	-	-	1221	-	-	-	1100	
Weighted Base	**	**	**	**	**	**	**	1360	1360	**	**	**	**	**	**	**	**	**	**	**	**	1204	**	**	**	1140
More	-	-	-	-	-	-	-	691	708	-	-	-	-	-	-	-	-	-	-	-	-	680	-	-	-	615
								51%	52%													56%				54%
Less	-	-	-	-	-	-	-	121	100	-	-	-	-	-	-	-	-	-	-	-	-	65	-	-	-	47
								9%	7%													5%				4%
Stay the same	-	-	-	-	-	-	-	548	552	-	-	-	-	-	-	-	-	-	-	-	-	458	-	-	-	478
								40%	41%													38%				42%
Sigma	-	-	-	-	-	-	-	1360	1360	-	-	-	-	-	-	-	-	-	-	-	-	1204	-	-	-	1140
								100%	100%													100%				100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV15a_7 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Coffee and tea

Base: Consuming More

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	726	700	-	-	-	-	-	-	-	-	-	-	-	-	734	-	-	-	684
Weighted Base	716	694	688	643
More	-	-	-	-	-	-	-	271 38%	285 41%	-	-	-	-	-	-	-	-	-	-	-	-	321 47%	-	-	-	311 48%
Less	-	-	-	-	-	-	-	95 13%	82 12%	-	-	-	-	-	-	-	-	-	-	-	-	77 11%	-	-	-	52 8%
Stay the same	-	-	-	-	-	-	-	349 49%	327 47%	-	-	-	-	-	-	-	-	-	-	-	-	290 42%	-	-	-	279 43%
Sigma	-	-	-	-	-	-	-	716 100%	694 100%	-	-	-	-	-	-	-	-	-	-	-	-	688 100%	-	-	-	643 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. .. very small base (under 30) ineligible for sig testing

BHV15a_8 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Soft drinks

Base: Consuming More

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	522	495	-	-	-	-	-	-	-	-	-	-	-	587	-	-	-	563	
Weighted Base	517	494	526	520	
More	-	-	-	-	-	-	-	181 35%	189 38%	-	-	-	-	-	-	-	-	-	-	-	192 37%	-	-	-	218 42%	
Less	-	-	-	-	-	-	-	173 33%	123 25%	-	-	-	-	-	-	-	-	-	-	-	-	131 25%	-	-	-	113 22%
Stay the same	-	-	-	-	-	-	-	163 32%	181 37%	-	-	-	-	-	-	-	-	-	-	-	-	203 39%	-	-	-	189 36%
Sigma	-	-	-	-	-	-	-	517 100%	494 100%	-	-	-	-	-	-	-	-	-	-	-	-	526 100%	-	-	-	520 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. .. very small base (under 30) ineligible for sig testing

BHV15a_9 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Candy and chocolate

Base: Consuming More

	Waves																													
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)					
Unweighted Base	-	-	-	-	-	-	-	621	618	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	526	-	-	-	563
Weighted Base	**	**	**	**	**	**	**	593	598	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	481	**	**	**	534
More	-	-	-	-	-	-	-	162	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	165	-	-	-	212
								27%	34%																	34%				40%
									1																	11				14
Less	-	-	-	-	-	-	-	242	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	124	-	-	-	137
								41%	34%																	26%				26%
								IUY	UY																					
Stay the same	-	-	-	-	-	-	-	190	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	193	-	-	-	185
								32%	33%																	40%				35%
																										41%				
Sigma	-	-	-	-	-	-	-	593	598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	481	-	-	-	534
								100%	100%																	100%				100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV15a_10 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Orange juice

Base: Consuming More

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	488	509	-	-	-	-	-	-	-	-	-	-	-	-	451	-	-	-	604
Weighted Base	499	556	425	594
More	-	-	-	-	-	-	-	257 51%	297 53%	-	-	-	-	-	-	-	-	-	-	-	-	236 56%	-	-	-	352 59%
Less	-	-	-	-	-	-	-	46 9%	52 9%	-	-	-	-	-	-	-	-	-	-	-	-	42 10%	-	-	-	29 5%
Stay the same	-	-	-	-	-	-	-	197 39%	207 37%	-	-	-	-	-	-	-	-	-	-	-	-	147 35%	-	-	-	213 36%
Sigma	-	-	-	-	-	-	-	499 100%	556 100%	-	-	-	-	-	-	-	-	-	-	-	-	425 100%	-	-	-	594 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. .. very small base (under 30) ineligible for sig testing

BHV15a_11 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following?
 Meat alternatives (e.g., tofu, seitan, tempeh)

Base: Consuming More

	Waves																									
	Wave 2 (3/14- 3/15)	Wave 3 (3/17- 3/18)	Wave 4 (3/21- 3/23)	Wave 5 (3/28- 3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11- 4/13)	Wave 8 (4/18- 4/20)	Wave 9 (4/25- 4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/24)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	231	-	-	-	-	-	-	-	-	-	-	-	270	-	-	-	344	
Weighted Base	**	**	**	**	**	**	**	**	235	**	**	**	**	**	**	**	**	**	**	**	239	**	**	**	327	
More	-	-	-	-	-	-	-	-	137 58%	-	-	-	-	-	-	-	-	-	-	-	116 49%	-	-	-	183 56%	
Less	-	-	-	-	-	-	-	-	23 10%	-	-	-	-	-	-	-	-	-	-	-	29 12%	-	-	-	36 11%	
Stay the same	-	-	-	-	-	-	-	-	75 32%	-	-	-	-	-	-	-	-	-	-	-	94 39%	-	-	-	109 33%	
Sigma	-	-	-	-	-	-	-	-	235 100%	-	-	-	-	-	-	-	-	-	-	-	239 100%	-	-	-	327 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV09 Which are you more likely to do post covid19 (e.g., when the economy opens or the curve flattened)?

Base: All Respondents

	Waves																										
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)		
Unweighted Base	-	-	-	-	-	2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1988		
Weighted Base	**	**	**	**	**	2013	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1988	
Virtual happy hour with friends	-	-	-	-	-	1353 67% UY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1223 62% Y	1121 57%	
Happy hour at bars/restaurants	-	-	-	-	-	660 33%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765 38% F	841 43% FI
Sigma	-	-	-	-	-	2013 100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1988 100%	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BH11 Which are you more likely to do post covid19 (e.g., when the economy opens or the curve flattened)?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1988	
Weighted Base	**	**	**	**	**	2013	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1988
Get take-out from a restaurant	-	-	-	-	-	1308 85% UY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1162 58% Y	1056 54%
Dining in a restaurant	-	-	-	-	-	705 35%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	826 42% F	906 46% FL
Sigma	-	-	-	-	-	2013 100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1988 100%	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

APP03 As social distancing restrictions related to the COVID-19 pandemic end, clothing retail stores will begin to open back up in your area. If you were to shop for new clothes over the next few months, how do you think your shopping preferences will change compared to before the pandemic for both online and in-person shopping?
 Summary Of More Than Before The Pandemic

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/2 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/27 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/20 6/20)	Wave 18 (6/26 6/29)	Wave 19 (7/4 7/4)	Wave 20 (7/10 7/12)	Wave 21 (7/17 7/19)	Wave 22 (7/24 7/26)	Wave 23 (7/31 8/2)	Wave 24 (8/7 8/9)	Wave 25 (8/14 8/16)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	2039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	2039	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Online shopping	-	-	-	-	-	-	-	-	1007	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	992
	-	-	-	-	-	-	-	-	49%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51%
In-store shopping	-	-	-	-	-	-	-	-	315	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
	-	-	-	-	-	-	-	-	15%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

APP03 As social distancing restrictions related to the COVID-19 pandemic end, clothing retail stores will begin to open back up in your area. If you were to shop for new clothes over the next few months, how do you think your shopping preferences will change compared to before the pandemic for both online and in-person shopping?
 Summary Of Less Than Before The Pandemic

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/2 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/20 - 6/29)	Wave 18 (6/26 - 7/4)	Wave 19 (7/7 - 7/12)	Wave 20 (7/10 - 7/19)	Wave 21 (7/17 - 7/26)	Wave 22 (7/24 - 8/2)	Wave 23 (7/31 - 8/9)	Wave 24 (8/7 - 8/16)	Wave 25 (8/14 - 8/23)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	2039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	2039	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
In-store shopping	-	-	-	-	-	-	-	-	1062	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	957
									52%																	49%
Online shopping	-	-	-	-	-	-	-	-	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	318
									11%																	16%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

APP03 As social distancing restrictions related to the COVID-19 pandemic end, clothing retail stores will begin to open back up in your area. If you were to shop for new clothes over the next few months, how do you think your shopping preferences will change compared to before the pandemic for both online and in-person shopping?
 Summary Of No Change

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/2 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 5/3)	Wave 11 (5/8 5/10)	Wave 12 (5/15 5/17)	Wave 13 (5/22 5/28)	Wave 14 (5/29 5/31)	Wave 15 (6/6 6/8)	Wave 16 (6/13 6/15)	Wave 17 (6/20 6/29)	Wave 18 (6/26 7/4)	Wave 19 (7/11 7/12)	Wave 20 (7/18 7/19)	Wave 21 (7/24 7/26)	Wave 22 (7/31 8/2)	Wave 23 (8/7 8/9)	Wave 24 (8/14 8/16)	Wave 25 (8/21 8/23)	Wave 26 (8/21 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	2039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	2039	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Online shopping	-	-	-	-	-	-	-	-	807	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	652
	-	-	-	-	-	-	-	-	40%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33%
In-store shopping	-	-	-	-	-	-	-	-	661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	601
	-	-	-	-	-	-	-	-	32%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

APP03_1 As social distancing restrictions related to the COVID-19 pandemic end, clothing retail stores will begin to open back up in your area. If you were to shop for new clothes over the next few months, how do you think your shopping preferences will change compared to before the pandemic for both online and in-person shopping?

Online shopping

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/2 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	2039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	2039	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
More than before the pandemic	-	-	-	-	-	-	-	-	1007	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	992
	-	-	-	-	-	-	-	-	49%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51%
Less than before the pandemic	-	-	-	-	-	-	-	-	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	318
	-	-	-	-	-	-	-	-	11%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16%
No change	-	-	-	-	-	-	-	-	807	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	652
	-	-	-	-	-	-	-	-	40%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33%
Sigma	-	-	-	-	-	-	-	-	2039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

APP03_2 As social distancing restrictions related to the COVID-19 pandemic end, clothing retail stores will begin to open back up in your area. If you were to shop for new clothes over the next few months, how do you think your shopping preferences will change compared to before the pandemic for both online and in-person shopping?

In-store shopping

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/2 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	2039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	2039	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
More than before the pandemic	-	-	-	-	-	-	-	-	315	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
	-	-	-	-	-	-	-	-	15%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21%
Less than before the pandemic	-	-	-	-	-	-	-	-	1062	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	957
	-	-	-	-	-	-	-	-	52%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49%
No change	-	-	-	-	-	-	-	-	661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	601
	-	-	-	-	-	-	-	-	32%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31%
Sigma	-	-	-	-	-	-	-	-	2039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV25 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories?
 Summary Of Spend More

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/19-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	2029	2050	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Groceries	-	-	-	-	-	-	606 30%	536 26%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764 39% GH
Personal care	-	-	-	-	-	-	581 29%	545 27%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	615 31% H
Medical products	-	-	-	-	-	-	506 25%	445 22%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	538 27% H
Movies/shows	-	-	-	-	-	-	406 20%	448 22%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	434 22%
Leisure travel	-	-	-	-	-	-	408 20%	460 22%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	421 21%
Apparel	-	-	-	-	-	-	358 18%	418 20%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	419 21% G
Consumer electronics	-	-	-	-	-	-	329 16%	309 15%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	387 19% H

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV25 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories?
 Summary Of Spend Less

Base: All Respondents

	Waves																										
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)		
Unweighted Base	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962	
Weighted Base	**	**	**	**	**	**	2029	2050	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962	
Leisure travel	-	-	-	-	-	-	734 36% h	677 33%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	857 44% GH	
Movies/shows	-	-	-	-	-	-	678 33% H	577 28%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	791 40% GH
Apparel	-	-	-	-	-	-	624 31% H	515 25%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	684 35% GH
Consumer electronics	-	-	-	-	-	-	593 29% H	502 24%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	626 32% H
Personal care	-	-	-	-	-	-	341 17%	301 15%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	383 20% GH
Medical products	-	-	-	-	-	-	295 15%	287 14%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	366 19% GH
Groceries	-	-	-	-	-	-	381 19% y	515 25% GY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	314 16%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV25 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories?
 Summary Of No Change

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	2029	2050	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Medical products	-	-	-	-	-	-	1228 61% Y	1317 64% GY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1058 54%
Consumer electronics	-	-	-	-	-	-	1107 55% Y	1238 60% GY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	979 50%
Personal care	-	-	-	-	-	-	1108 55% Y	1204 59% GY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	964 49%
Groceries	-	-	-	-	-	-	1042 51% Y	999 49% Y	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	885 45%
Apparel	-	-	-	-	-	-	1047 52% Y	1117 54% Y	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	859 44%
Movies/shows	-	-	-	-	-	-	945 47% Y	1025 50% GY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	737 38%
Leisure travel	-	-	-	-	-	-	887 44% Y	914 45% Y	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	684 35%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV25_1 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories?

Groceries

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962	
Weighted Base	**	**	**	**	**	**	2029	2050	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962	
Spend more	-	-	-	-	-	-	606 H	536 26%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764 39%	
Spend less	-	-	-	-	-	-	381 y	515 25%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	314 16%	
No change	-	-	-	-	-	-	1042 y	999 49%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	885 45%	
Sigma	-	-	-	-	-	-	2029 y	2050 100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

BHV25_2 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories?
 Personal care

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	2029	2050	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Spend more	-	-	-	-	-	-	581	545	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	615
							29%	27%																		31%
Spend less	-	-	-	-	-	-	341	301	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	383
							17%	15%																		20%
No change	-	-	-	-	-	-	1108	1204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	964
							55%	59%																		49%
Sigma	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
							100%	100%																		100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV25_3 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories?
 Medical products

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	2029	2050	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Spend more	-	-	-	-	-	-	506 25%	445 22%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	538 27%
Spend less	-	-	-	-	-	-	295 15%	287 14%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	366 19%
No change	-	-	-	-	-	-	1228 61%	1317 64%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1058 54%
Sigma	-	-	-	-	-	-	2029 100%	2050 100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV25_4 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories?
 Apparel

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	2029	2050	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Spend more	-	-	-	-	-	-	358	418	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	419
							18%	20%																		21%
							9																			G
Spend less	-	-	-	-	-	-	624	515	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	684
							31%	25%																		35%
							H																			GH
No change	-	-	-	-	-	-	1047	1117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	859
							52%	54%																		44%
							I																			IY
Sigma	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
							100%	100%																		100%
							J																			JZ

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV25_5 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories?
 Consumer electronics

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962	
Weighted Base	**	**	**	**	**	**	2029	2050	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962	
Spend more	-	-	-	-	-	-	329 16%	309 15%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	357 18% 14	
Spend less	-	-	-	-	-	-	593 29%	502 24%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	626 32% 14	
No change	-	-	-	-	-	-	1107 55%	1238 60%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	979 50%	
Sigma	-	-	-	-	-	-	2029 100%	2050 100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV25_6 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories?
 Leisure travel

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Weighted Base	**	**	**	**	**	**	2029	2050	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	
Spend more	-	-	-	-	-	-	408 20%	460 22%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spend less	-	-	-	-	-	-	734 36%	677 33%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
No change	-	-	-	-	-	-	887 44%	914 45%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sigma	-	-	-	-	-	-	2029 100%	2050 100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

BHV25_7 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories?
 Movies/shows

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	2029	2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	2029	2050	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Spend more	-	-	-	-	-	-	406 20%	448 22%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	434 22%
Spend less	-	-	-	-	-	-	678 33%	577 28%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	791 40%
No change	-	-	-	-	-	-	945 47%	1025 50%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	737 38%
Sigma	-	-	-	-	-	-	2029 100%	2050 100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. * very small base (under 30) ineligible for sig testing

SM01 In general, do you think people on your social media feeds are mostly posting facts or misleading information?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	1965	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	1965	**	**	**	**	**	**	**	**	**	**	**	**	1962
Mostly posting misleading information	-	-	-	-	-	-	-	-	-	-	-	-	1042	-	-	-	-	-	-	-	-	-	-	-	-	1121
													53%													57%
Mostly posting facts	-	-	-	-	-	-	-	-	-	-	-	-	923	-	-	-	-	-	-	-	-	-	-	-	-	841
													47%													43%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	1965	-	-	-	-	-	-	-	-	-	-	-	-	1962
													100%													100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

SM03 Do social media platforms have a responsibility to monitor whether things said on their platform are true or false?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	1965	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	1965	**	**	**	**	**	**	**	**	**	**	**	**	1962
Yes	-	-	-	-	-	-	-	-	-	-	-	-	1475	-	-	-	-	-	-	-	-	-	-	-	-	1505
													75%													77%
No	-	-	-	-	-	-	-	-	-	-	-	-	490	-	-	-	-	-	-	-	-	-	-	-	-	457
													25%													23%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	1965	-	-	-	-	-	-	-	-	-	-	-	-	1962
													100%													100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

SM04 Do you think social media platforms should or should not censor information they believe to be false/ misleading?

Base: All Respondents

	Waves																									
	Wave 2 (3/14- 3/15)	Wave 3 (3/17- 3/18)	Wave 4 (3/21- 3/23)	Wave 5 (3/28- 3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11- 4/13)	Wave 8 (4/18- 4/20)	Wave 9 (4/25- 4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/27- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	1965	-	-	-	-	-	-	-	-	-	-	-	-	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	1965	**	**	**	**	**	**	**	**	**	**	**	**	1962
Social media companies should censor information they believe to be false/ misleading	-	-	-	-	-	-	-	-	-	-	-	-	1254 64%	-	-	-	-	-	-	-	-	-	-	-	-	1256 64%
Social media companies should NOT censor information they believe to be false/ misleading	-	-	-	-	-	-	-	-	-	-	-	-	711 36%	-	-	-	-	-	-	-	-	-	-	-	-	706 36%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	1965 100%	-	-	-	-	-	-	-	-	-	-	-	-	1962 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

SM05 Do you think that social media platforms are generally more favorable to Republicans or Democrats?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/25)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/15)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	1965	-	-	-	-	-	-	-	-	-	-	-	1962	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	1965	**	**	**	**	**	**	**	**	**	**	**	1962	
Democrats	-	-	-	-	-	-	-	-	-	-	-	-	689	-	-	-	-	-	-	-	-	-	-	-	700	
													35%												36%	
Republicans	-	-	-	-	-	-	-	-	-	-	-	-	375	-	-	-	-	-	-	-	-	-	-	-	454	
													19%												23%	
													Y												M	
Neither	-	-	-	-	-	-	-	-	-	-	-	-	901	-	-	-	-	-	-	-	-	-	-	-	808	
													46%												41%	
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	1965	-	-	-	-	-	-	-	-	-	-	-	1962	
													100%												100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q3A Which of the following best describes your response to coronavirus?

Base: All Respondents

	Waves																										
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/3-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)		
Unweighted Base	-	2019	2023	2016	1993	2013	-	-	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962		
Weighted Base	**	2019	2023	2016	1993	2013	**	**	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962		
I have taken steps to make sure I leave my residence as little as possible	-	1541	1684	1809	1890	1830	-	-	1817	1758	1654	1691	1623	1614	1457	1592	2596	1614	1526	1510	1651	1630	1571	1515	1571		
	-	76%	83%	90%	95%	91%	-	-	89%	85%	84%	85%	83%	82%	74%	81%	82%	82%	77%	77%	83%	82%	79%	77%	80%		
		BOSTWV																									
I have been leaving my residence as I normally would	-	478	339	207	103	183	-	-	222	308	307	305	342	355	506	370	565	343	448	460	337	362	424	452	391		
	-	24%	17%	10%	5%	9%	-	-	11%	15%	15%	17%	18%	18%	20%	19%	18%	18%	23%	23%	17%	18%	21%	23%	20%		
		DEFI																									
Sigma	-	2019	2023	2016	1993	2013	-	-	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962		
	-	100%	100%	100%	100%	100%	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

EMP02 How concerned are you that you may lose your job due to the coronavirus outbreak?

Base: Employed

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	1198	1161	1147	1149	1207	1190	1173	1130	1103	1068	1141	1082	1147	1807	1269	1106	1156	1220	1238	1229	1156	1138	
Weighted Base	**	**	**	1242	1173	1152	1138	1235	1184	1221	1096	1069	1076	1089	1115	1145	1827	1128	1068	1122	1194	1209	1166	1114	1091	
Very/Somewhat Concerned (Net)	-	-	-	692	701	638	594	630	645	659	567	541	515	590	556	583	961	654	598	593	664	652	651	589	613	
Very concerned	-	-	-	347	383	333	292	284	300	283	234	207	226	275	205	272	455	354	280	282	298	296	304	279	323	
Somewhat concerned	-	-	-	344	318	305	302	346	345	376	333	334	289	315	351	311	506	300	318	311	366	356	348	310	291	
Not At All/Not Very Concerned (Net)	-	-	-	551	471	514	544	604	539	563	529	528	560	499	559	562	866	474	470	529	530	556	514	526	478	
Not very concerned	-	-	-	258	221	263	256	275	271	302	247	245	263	224	274	249	425	228	209	278	249	259	221	277	221	
Not at all concerned	-	-	-	293	251	251	288	329	267	261	282	283	287	275	285	313	441	246	261	250	281	297	294	248	257	
Sigma	-	-	-	1242	1173	1152	1138	1235	1184	1221	1096	1069	1076	1089	1115	1145	1827	1128	1068	1122	1194	1209	1166	1114	1091	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q9 Do you think your income in 2020 will be lower, higher or about the same as it was in 2019?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/25)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	2016	1993	2013	2029	-	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	2016	1993	2013	2029	**	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
About the same	-	-	-	864	816	895	921	-	-	-	-	-	909	895	946	976	1561	870	921	919	853	801	946	971	872	
	-	-	-	43%	41%	44%	45%	-	-	-	-	-	46%	45%	48%	50%	49%	44%	47%	47%	43%	40%	47%	49%	44%	
	-	-	-	eV	eV	eV	eV	-	-	-	-	-	eV	eV	DEHUVV	DEFQWVWV	DEFQWVWV	eV	eUV	eUV	eUV	DEUV	DEFQWVWV	eV	eV	
Lower	-	-	-	791	862	826	726	-	-	-	-	-	625	676	572	571	1094	697	653	670	684	738	672	578	579	
	-	-	-	39%	43%	41%	36%	-	-	-	-	-	32%	34%	29%	29%	35%	36%	33%	34%	34%	37%	34%	29%	30%	
	-	-	-	MOPXY	MOPXY	MOPXY	MOPXY	-	-	-	-	-	OPXY	OPXY	mOPXY	OPXY	mOPXY	OPXY	OPXY	OPXY	OPXY	MOPXY	OPXY	OPXY	OPXY	
Higher	-	-	-	362	315	291	382	-	-	-	-	-	431	398	444	416	506	390	400	381	452	453	377	418	511	
	-	-	-	18%	16%	14%	19%	-	-	-	-	-	22%	20%	23%	21%	16%	20%	20%	18%	23%	23%	19%	21%	26%	
	-	-	-	F	F	F	EFQ	-	-	-	-	-	DEFQW	EFQ	DEFQW	DEFQ	EFQ	EFQ	EFQ	EFQ	DEFQW	DEFQW	EFQ	DEFQ	DEFQ	
Sigma	-	-	-	2016	1993	2013	2029	-	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	100%	100%	100%	100%	-	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Summary Of Yes

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/20-6/22)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
I have been impacted financially in some other way	-	-	-	-	946	935	767	813	-	-	-	-	790	698	519	692	1095	717	692	772	727	752	688	670	712	
Sought out new or additional sources of income	-	-	-	-	752	774	665	688	-	-	-	-	633	654	523	605	1006	628	601	706	702	714	587	600	651	
Lost income partially	-	-	-	-	831	626	621	651	-	-	-	-	602	595	524	570	989	581	561	639	602	626	585	563	591	
Provided financial support for a family member	-	-	-	-	560	581	599	580	-	-	-	-	613	537	470	523	947	569	528	598	611	586	495	537	579	
Stopped or cut back on other savings (e.g., college tuition, a major purchase, such as a house or car)	-	-	-	-	762	771	627	632	-	-	-	-	651	668	498	570	1002	623	654	619	660	591	606	567		
Stopped or cut back on retirement savings	-	-	-	-	649	586	526	530	-	-	-	-	573	564	413	511	868	522	528	575	539	563	507	489	488	
Accumulated more debt than normal	-	-	-	-	537	537	499	515	-	-	-	-	474	485	376	441	822	484	447	520	534	496	461	465	484	
Missed (or will soon miss) a bill payment	-	-	-	-	543	488	466	503	-	-	-	-	429	434	355	399	665	409	400	452	475	481	388	425	480	
Provided financial support for a friend	-	-	-	-	383	360	372	407	-	-	-	-	451	391	343	380	650	379	407	416	417	442	361	408	438	
Missed (or will soon miss) a rent/mortgage payment	-	-	-	-	387	372	343	385	-	-	-	-	313	317	284	303	498	321	291	315	332	347	282	308	366	
Paid for services that I haven't used (e.g., a dog walker, childcare, a house cleaning service)	-	-	-	-	325	328	322	355	-	-	-	-	349	290	279	298	512	272	294	361	320	327	321	326	340	
I have not been impacted financially	-	-	-	-	755	805	796	787	-	-	-	-	782	349	364	313	529	281	304	332	287	303	321	340	285	
Lost access to my health insurance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	220	231	210	281	277	225	230	277	
Lost income entirely	-	-	-	-	378	268	227	241	-	-	-	-	213	188	182	187	342	185	194	214	234	209	205	200	252	

Proportions/Means: Columns tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_1 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Missed (or will soon miss) a rent/mortgage payment

Base: All Respondents

	Waves																													
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)					
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962					
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962					
Yes	-	-	-	-	387	372	343	385	19%	18%	17%	19%	-	-	-	-	313	317	284	303	498	321	291	315	332	347	282	308	366	19%
No	-	-	-	-	1606	1641	1686	1665	81%	82%	83%	81%	-	-	-	-	1652	1652	1679	1659	2663	1636	1683	1655	1656	1645	1713	1659	1596	81%
Sigma	-	-	-	-	1993	2013	2029	2050	100%	100%	100%	100%	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_2 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Missed (or will soon miss) a bill payment

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	543	488	466	503	-	-	-	-	429	434	355	399	665	409	400	452	475	481	388	425	480	
					27%	24%	23%	25%					22%	22%	18%	20%	21%	21%	20%	23%	24%	24%	19%	22%	24%	
					O	O	O	O					O	O	O	O	O	O	O	O	O	O	O	O	O	
No	-	-	-	-	1450	1525	1563	1547	-	-	-	-	1536	1535	1608	1563	2496	1548	1574	1518	1513	1511	1607	1542	1482	
					73%	76%	77%	75%					78%	78%	82%	80%	79%	79%	60%	77%	76%	76%	81%	78%	76%	
					E	E	E	E					E	E	E	E	E	E	E	E	E	E	E	E	E	
Sigma	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
					100%	100%	100%	100%					100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_3 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Provided financial support for a family member

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	560	581	599	580	-	-	-	-	613	537	470	523	947	569	528	598	611	586	495	537	579	
	-	-	-	-	28%	29%	30%	28%	-	-	-	-	31%	27%	24%	27%	30%	29%	27%	30%	31%	29%	25%	27%	30%	
	-	-	-	-	OW	OW	OW	OW	-	-	-	-	nNOPSWx	o			OpsW	OW		OpsW	nOPSWx	OW	o	OW	OW	
No	-	-	-	-	1433	1432	1430	1470	-	-	-	-	1352	1432	1493	1439	2214	1388	1446	1372	1377	1406	1500	1430	1383	
	-	-	-	-	72%	71%	70%	72%	-	-	-	-	69%	73%	76%	73%	70%	71%	73%	70%	69%	71%	75%	73%	70%	
	-	-	-	-	n	n	n	n	-	-	-	-	Mu	Mu	Mu	Mu	Mu	Mu	Mu	Mu	Mu	Mu	Mu	Mu	Mu	
Sigma	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_4 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Provided financial support for a friend

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	383	360	372	407	-	-	-	-	451	391	343	380	650	379	407	416	417	442	361	408	438	
					19%	18%	18%	20%					23%	20%	17%	19%	21%	19%	21%	21%	22%	18%	21%	22%	22%	
No	-	-	-	-	1610	1653	1657	1643	-	-	-	-	1514	1578	1620	1582	2511	1578	1567	1554	1571	1550	1634	1559	1524	
					81%	82%	82%	80%					77%	80%	83%	81%	79%	81%	79%	79%	78%	78%	82%	79%	78%	
Sigma	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
					100%	100%	100%	100%					100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_5 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Sought out new or additional sources of income

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/20)	Wave 8 (4/25-4/27)	Wave 9 (5/1-5/3)	Wave 10 (5/8-5/10)	Wave 11 (5/15-5/17)	Wave 12 (5/22-5/28)	Wave 13 (5/29-5/31)	Wave 14 (6/6-6/8)	Wave 15 (6/13-6/15)	Wave 16 (6/18-6/20)	Wave 17 (6/26-6/29)	Wave 18 (7/2-7/4)	Wave 19 (7/10-7/12)	Wave 20 (7/17-7/19)	Wave 21 (7/24-7/26)	Wave 22 (7/31-8/2)	Wave 23 (8/7-8/9)	Wave 24 (8/14-8/16)	Wave 25 (8/21-8/23)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	752	774	665	688	-	-	-	-	633	654	523	605	1006	628	601	706	702	714	587	600	651	
					38%	38%	33%	34%					32%	33%	27%	31%	32%	32%	30%	36%	35%	36%	29%	31%	33%	
					OW	OW	OW	OW					O	OW	O	O	O	O	O	OPQSWX	OPQSWX	OPQSWX	OPQSWX	O	OW	
No	-	-	-	-	1241	1239	1364	1362	-	-	-	-	1332	1315	1440	1357	2155	1329	1373	1264	1286	1278	1408	1367	1311	
					62%	62%	67%	66%					68%	67%	73%	69%	68%	58%	70%	64%	65%	64%	71%	69%	67%	
					EFV	EFV	EFV	EF					EFV	EF	EF	EFTUV	EFTUV	EFTUV	EFTUV	EFTUV	EFTUV	EFTUV	EFTUV	EFTUV	EF	
Sigma	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
					100%	100%	100%	100%					100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_6 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Lost income partially

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	831	626	621	651	-	-	-	-	602	595	524	570	989	581	561	639	602	626	585	563	591	
					42%	31%	31%	32%					31%	30%	27%	29%	31%	30%	28%	32%	30%	31%	29%	29%	30%	
					O	O	O	O					O	o	o	o	O	O	O	OpSx	o	O	o	o	o	
No	-	-	-	-	1162	1387	1408	1399	-	-	-	-	1363	1374	1439	1392	2172	1376	1413	1331	1386	1366	1410	1404	1371	
					58%	69%	69%	68%					69%	70%	73%	71%	69%	70%	72%	68%	70%	69%	71%	71%	70%	
					E	E	E	E					E	E	E	E1	E	E	E	E1	E	E	E	E1	E	
Sigma	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
					100%	100%	100%	100%					100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_7 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Lost income entirely

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/20)	Wave 8 (4/25 -4/27)	Wave 9 (5/1- 5/3)	Wave 10 (5/8- 5/10)	Wave 11 (5/15- 5/17)	Wave 12 (5/22- 5/28)	Wave 13 (5/29- 5/31)	Wave 14 (6/6- 6/8)	Wave 15 (6/13- 6/15)	Wave 16 (6/18- 6/20)	Wave 17 (6/26- 6/29)	Wave 18 (7/2- 7/4)	Wave 19 (7/19- 7/19)	Wave 20 (7/17- 7/19)	Wave 21 (7/24- 7/26)	Wave 22 (7/31- 8/2)	Wave 23 (8/7- 8/9)	Wave 24 (8/14- 8/16)	Wave 25 (8/21- 8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	378 19%	268 13%	227 11%	241 12%	-	-	-	-	213 11%	198 10%	182 9%	197 10%	342 11%	185 9%	194 10%	214 11%	234 12%	209 10%	205 10%	200 10%	252 13%	
No	-	-	-	-	1615 81%	1745 87%	1802 89%	1809 88%	-	-	-	-	1752 89%	1771 90%	1781 91%	1765 90%	2819 89%	1772 91%	1780 90%	1756 89%	1754 88%	1783 90%	1790 90%	1767 90%	1710 87%	
Sigma	-	-	-	-	1993 100%	2013 100%	2029 100%	2050 100%	-	-	-	-	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_8 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Accumulated more debt than normal

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	537	537	499	515	-	-	-	-	474	485	376	441	822	484	447	520	534	496	461	465	484	
	-	-	-	-	27%	27%	25%	25%	-	-	-	-	24%	25%	19%	22%	26%	25%	23%	26%	27%	25%	23%	24%	25%	
	-	-	-	-	OPSWX	OPSWX	O	O	-	-	-	-	O	O	O	OPSW	O	O	OPSW	OPSWX	O	O	O	O	O	
No	-	-	-	-	1456	1476	1530	1535	-	-	-	-	1491	1484	1587	1521	2339	1473	1527	1450	1454	1496	1534	1502	1478	
	-	-	-	-	73%	73%	75%	75%	-	-	-	-	76%	75%	81%	78%	74%	75%	77%	74%	73%	75%	77%	76%	75%	
	-	-	-	-	EFQW	EFQW	EFQW	EFQW	-	-	-	-	EFQW	EFQW	EFQW	EFQW	EFQW	EFQW	EFQW	EFQW	EFQW	EFQW	EFQW	EFQW	EFQW	
Sigma	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_9 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Stopped or cut back on retirement savings

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/28)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/2-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	649	586	526	530	-	-	-	-	573	564	413	511	888	522	528	575	539	563	507	489	488	
					33%	29%	26%	26%					29%	29%	21%	26%	27%	27%	27%	29%	27%	28%	28%	25%	25%	
					gOpwXY		O	O					gOpwXY		OwXY	O	O	O	O	gOpwXY	O	Oxy	O	O	O	
No	-	-	-	-	1344	1427	1503	1520	-	-	-	-	1392	1405	1550	1451	2293	1435	1446	1395	1449	1429	1488	1478	1474	
					67%	71%	74%	74%					71%	71%	79%	74%	73%	73%	73%	71%	73%	72%	75%	75%	75%	
					E		E	E					E		E	E	E	E	E	E	E	E	E	E	E	
Sigma	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
					100%	100%	100%	100%					100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_10 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Stopped or cut back on other savings (e.g., college tuition, a major purchase, such as a house or care)

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	762	771	627	632	-	-	-	-	651	668	498	570	1002	623	622	654	619	660	591	606	567	
					38%	38%	31%	31%					33%	34%	25%	29%	32%	32%	33%	33%	31%	33%	50%	31%	29%	
							O	O					OPWY	gPOPWXY		O	O	O	OPWY	O	OPWY	O	O	O	o	
No	-	-	-	-	1231	1242	1402	1418	-	-	-	-	1314	1301	1465	1392	2159	1334	1352	1316	1369	1332	1404	1361	1395	
					62%	62%	69%	69%					67%	66%	75%	71%	68%	68%	68%	67%	69%	67%	70%	69%	71%	
					EFn	EFn	EFn	EFn					EF	EF	EF	EF	EF	EF	EF	EF	EF	EF	EF	EF	EF	
Sigma	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
					100%	100%	100%	100%					100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_11 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Paid for services that I haven't used (e.g., a dog walker, childcare, a house cleaning service)

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	325	328	322	355	-	-	-	-	349	290	279	298	512	272	294	351	320	327	321	325	340	
	-	-	-	-	16%	16%	16%	17%	-	-	-	-	18%	15%	14%	15%	16%	14%	15%	18%	16%	16%	16%	16%	17%	
	-	-	-	-																						
No	-	-	-	-	1668	1685	1707	1695	-	-	-	-	1616	1679	1684	1664	2649	1685	1680	1619	1668	1665	1674	1642	1622	
	-	-	-	-	84%	84%	84%	83%	-	-	-	-	82%	85%	86%	85%	84%	86%	85%	82%	84%	84%	84%	84%	83%	
	-	-	-	-																						
Sigma	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_12 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 Lost access to my health insurance

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	220	231	210	281	277	230	277	14%	
																		11%	12%	11%	14%	14%	11%	12%	14%	
																					RSTWx	rTWx		RSTWx		
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1737	1743	1760	1707	1715	1770	1737	1685	
																		89%	88%	89%	86%	86%	89%	88%	86%	
																		UY	uy	UVY	UY	UY	uy	UY	uy	
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1957	1974	1970	1988	1992	1995	1967	1962	
																		100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_13 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 I have been impacted financially in some other way

Base: All Respondents

	Waves																										
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)		
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962		
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962		
Yes	-	-	-	-	946	935	767	813	-	-	-	-	790	698	519	692	1095	717	692	772	727	752	688	670	712	47% 46%	38% 40%
No	-	-	-	-	1047	1078	1262	1237	-	-	-	-	1175	1271	1444	1270	2066	1240	1282	1198	1261	1240	1307	1297	1250	53% 54%	62% 60%
Sigma	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	100% 100%	100% 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

EMP05_14 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways?
 I have not been impacted financially

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	-	-	-	-	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	**	**	**	**	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	755 38%	805 40%	796 39%	787 38%	-	-	-	-	782 40%	349 18%	364 19%	313 16%	529 17%	281 14%	304 15%	332 17%	287 14%	303 15%	321 16%	340 17%	285 15%	
No	-	-	-	-	1238 62%	1208 60%	1233 61%	1263 62%	-	-	-	-	1183 60%	1620 82%	1599 81%	1649 84%	2632 83%	1676 86%	1670 85%	1638 83%	1701 85%	1689 86%	1674 85%	1627 84%	1677 85%	
Sigma	-	-	-	-	1993 100%	2013 100%	2029 100%	2050 100%	-	-	-	-	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

Base: All Respondents

REV01 Are you planning any major purchases once things return to normal? Please select all that apply.

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/24)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/2-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	2016	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Weighted Base	**	**	**	2016	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Going on vacation / travelling	-	-	-	479	616	567	543	659	679	590	565	728	656	690	527	684	993	756	678	695	650	688	703	686	680
				24%	31%	26%	27%	32%	33%	29%	29%	36%	33%	35%	27%	35%	31%	39%	34%	35%	33%	35%	35%	35%	35%
				DGO	D	g	DFGJKO	DFGJKO	DFGJKO	D	D	DFGJKO	DFGJKO	DFGJKO	g	DFGJKO	DGO	DFGJKO	DFGJKO	DFGJKO	DFGJKO	DFGJKO	DFGJKO	DFGJKO	DFGJKO
Buying new clothes	-	-	-	386	533	418	375	549	537	508	486	554	529	582	530	576	872	665	525	630	572	573	594	620	563
				19%	27%	21%	18%	27%	26%	25%	28%	28%	27%	30%	27%	29%	28%	34%	27%	32%	29%	29%	30%	32%	29%
				DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFGJK	DFG	DFGJK	DFG	DFGJK	DFGJK	DFGJK	DFGJK	DFGJK	DFGJK	DFGJK	DFGJK
Buying new household goods, furniture or appliances	-	-	-	338	389	367	339	416	414	396	373	416	448	458	319	380	594	446	366	415	434	420	444	445	447
				17%	19%	18%	17%	20%	20%	19%	19%	21%	23%	23%	16%	19%	19%	23%	19%	21%	22%	21%	22%	23%	23%
				DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO	DGO
Personal electronics (e.g., phone, tablet, voice assistant)	-	-	-	-	-	-	-	-	213	221	331	368	387	413	334	384	618	445	399	408	411	427	420	414	415
									11%	17%	18%	20%	21%	17%	20%	20%	23%	20%	23%	20%	21%	21%	21%	21%	21%
									DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ
Buying gifts for my friends / family	-	-	-	238	326	289	220	382	435	386	317	361	371	386	336	346	548	404	345	391	398	357	392	486	414
				12%	16%	14%	11%	19%	21%	18%	16%	17%	18%	17%	18%	17%	21%	17%	21%	20%	20%	18%	20%	25%	21%
				DG	DG	DG	DG	DFGHJKO	DFGHJKO	DFGHJKO	DG	DG	DFG	DFGK	DFG	DG	DFG	DFG	DFGJKO	DFG	DFGJKO	DFGJKO	DFG	DFGJK	DFGJKO
Buying a car	-	-	-	219	320	297	286	315	381	388	324	320	374	351	311	289	505	409	381	382	418	409	401	422	354
				11%	16%	15%	14%	15%	19%	19%	14%	16%	17%	18%	16%	16%	16%	21%	19%	19%	21%	21%	21%	20%	18%
				D	D	D	D	D	DFGHJKO	DFGHJKO	D	D	DFGHJKO	DFGHJKO	D	D	D	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO
Attending a concert or sporting event	-	-	-	237	316	304	234	359	323	301	266	325	306	343	274	297	428	310	325	316	312	322	364	358	338
				12%	16%	15%	12%	18%	16%	15%	14%	16%	17%	14%	15%	14%	15%	14%	16%	16%	16%	16%	18%	18%	17%
				DGq	DG	DG	DGJKOQ	DGq	DG	DG	DGkoQ	DG	DGJKOQ	DG	DG	DG	DG	DGkoQ	DGq	DG	DG	DGkoQ	DGJKOQ	DGJKOQ	DGJKOQ
Equipment and/or gear for outdoor activities/sports (e.g., bike, hiking and camping gear, sports equipment)	-	-	-	-	-	-	-	-	-	-	224	204	237	282	251	200	318	261	222	241	272	254	213	249	270
											11%	10%	12%	14%	13%	10%	10%	13%	13%	13%	14%	13%	11%	14%	14%
											DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO
Home office supplies and/or equipment (e.g., standing desk, computer monitor, headset etc.)	-	-	-	1020	818	891	928	774	727	769	237	224	293	301	281	253	375	290	260	264	289	264	264	283	252
				51%	41%	44%	46%	38%	36%	37%	12%	11%	15%	15%	14%	13%	12%	15%	13%	13%	15%	13%	13%	14%	13%
				KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ	KLQ
Buying a house	-	-	-	74	89	54	58	67	126	156	186	161	156	180	194	249	217	192	156	227	205	225	190	205	
				4%	4%	3%	3%	6%	8%	8%	8%	8%	8%	8%	10%	10%	8%	11%	8%	8%	11%	10%	11%	10%	10%
				FG	FG	FG	FG	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ	DFGHJ
Other major purchase	-	-	-	-	-	-	-	-	-	-	100	112	137	125	96	117	210	130	119	138	128	133	141	126	118
											5%	6%	7%	6%	5%	6%	7%	6%	6%	7%	6%	7%	6%	6%	6%
											DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO
Not planning a purchase	-	-	-	-	-	-	-	-	-	-	661	574	593	608	707	605	988	519	643	554	580	541	540	517	560
											34%	29%	30%	31%	36%	31%	31%	27%	33%	28%	29%	27%	27%	26%	29%
											DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO	DFGHJKO
Sigma	-	-	-	2991	3406	3187	2984	3523	3835	3715	4070	4348	4485	4705	4168	4326	6697	4851	4454	4589	4690	4592	4702	4796	4615
				148%	171%	158%	147%	172%	188%	180%	208%	218%	228%	239%	212%	220%	212%	248%	226%	233%	236%	231%	236%	244%	235%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

REV01 Are you planning any major purchases once things return to normal? Please select all that apply.

Base: Planning A Major Purchase

	Waves																								
	Wave 2 (3/14- 3/15)	Wave 3 (3/17- 3/18)	Wave 4 (3/21- 3/23)	Wave 5 (3/28- 3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11- 4/13)	Wave 8 (4/18- 4/20)	Wave 9 (4/25- 4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/24)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	2016	1993	2013	2029	2050	2039	2030	1296	1446	1347	1389	1247	1368	2161	1522	1374	1444	1474	1468	1493	1478	1441
Weighted Base	**	**	**	2016	1993	2013	2029	2050	2039	2066	1300	1422	1372	1361	1256	1357	2173	1438	1331	1416	1408	1451	1455	1450	1402
Going on vacation / travelling	-	-	-	479	616	567	543	659	679	590	565	728	656	690	527	684	993	756	678	695	650	688	703	686	680
				24%	31%	26%	27%	32%	33%	29%	43%	51%	48%	51%	42%	50%	46%	53%	51%	49%	46%	48%	48%	47%	48%
				DG	D	d	DFGJ	DFGJ	D	DEFGHJ	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJ	DEFGHJK	DEFGHJ	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK
Buying new clothes	-	-	-	386	533	418	375	549	537	508	486	554	529	582	530	576	872	665	525	630	572	573	594	620	563
				19%	27%	21%	18%	27%	26%	26%	37%	39%	39%	43%	42%	42%	40%	46%	39%	44%	41%	39%	41%	43%	40%
				DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG
Buying new household goods, furniture or appliances	-	-	-	338	389	367	339	416	414	396	373	416	448	458	319	380	594	446	366	415	434	420	444	445	447
				17%	19%	18%	17%	20%	20%	19%	29%	29%	33%	34%	25%	28%	28%	27%	31%	27%	29%	31%	29%	31%	32%
				dg				DG	DG	DEFGHJ	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK
Personal electronics (e.g., phone, tablet, voice assistant)	-	-	-	-	-	-	-	-	213	221	331	368	387	413	334	384	618	445	399	408	411	427	420	414	415
									10%	11%	25%	26%	28%	30%	27%	28%	28%	31%	30%	29%	29%	29%	29%	29%	30%
									DEFGHJ	DEFGHJ	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK
Buying gifts for my friends / family	-	-	-	238	326	289	220	382	435	386	317	361	371	360	336	346	548	404	345	391	398	357	392	486	414
				12%	16%	14%	11%	19%	21%	18%	24%	25%	27%	26%	27%	26%	25%	28%	26%	28%	26%	25%	27%	34%	30%
				DG	DG	DG	DG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG	DFG
Buying a car	-	-	-	219	320	297	286	315	381	388	324	320	374	351	311	289	505	409	381	382	418	409	401	422	354
				11%	16%	15%	14%	15%	19%	19%	23%	23%	27%	26%	25%	21%	23%	28%	29%	27%	30%	28%	28%	28%	25%
				D	D	D	D	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH
Attending a concert or sporting event	-	-	-	237	316	304	234	359	323	301	266	325	306	343	274	297	428	310	325	316	312	322	364	358	338
				12%	16%	15%	12%	18%	18%	15%	20%	22%	25%	22%	22%	22%	20%	22%	24%	22%	22%	22%	25%	25%	24%
				DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG	DG
Equipment and/or gear for outdoor activities/sports (e.g., bike, hiking and camping gear, sports equipment)	-	-	-	-	-	-	-	-	-	-	224	204	237	251	200	318	261	222	241	272	254	213	249	270	270
											17%	14%	17%	21%	20%	15%	15%	18%	17%	17%	19%	18%	15%	17%	19%
											DEFGHJ	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK
Home office supplies and/or equipment (e.g., standing desk, computer monitor, headset etc.)	-	-	-	1020	818	891	928	774	727	769	237	224	293	301	281	375	290	260	264	289	264	264	283	252	18%
				51%	41%	44%	46%	38%	36%	37%	18%	16%	21%	22%	22%	19%	20%	20%	21%	21%	18%	18%	19%	18%	
				L	L	L	L	L	L	LQVY	KLQVWXY	KLQVWXY	KLQVWXY	KLQVWXY	KLQVWXY	L	L	L	L	L	L	L	L	L	
Buying a house	-	-	-	74	89	54	58	67	126	156	186	161	156	180	201	194	249	217	192	156	227	205	225	190	205
				4%	4%	3%	3%	6%	8%	8%	14%	11%	11%	14%	16%	14%	11%	15%	14%	11%	16%	14%	15%	13%	15%
				FG	FG	FG	FG	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH	DeFGH
Other major purchase	-	-	-	-	-	-	-	-	-	-	100	112	137	125	96	117	210	130	119	138	128	133	141	126	118
											8%	8%	10%	9%	8%	9%	10%	9%	9%	10%	9%	9%	10%	9%	8%
											DEFGHJ	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK	DEFGHJK
Sigma	-	-	-	2991	3406	3187	2984	3523	3835	3715	3409	3774	3893	4096	3461	3721	5709	4332	3811	4036	4111	4051	4162	4278	4055
				148%	171%	158%	147%	172%	188%	180%	262%	265%	284%	301%	276%	274%	263%	301%	286%	285%	292%	279%	286%	295%	289%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

REV02 Once things return to normal and businesses reopen, would you do any of the following to prepare for something like this in the future? Please select all that apply.

Base: All Respondents

	Waves																										
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/12 - 7/12)	Wave 21 (7/19 - 7/19)		Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)		
Unweighted Base	-	-	-	2016	1993	2013	2029	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1962	
Weighted Base	**	**	**	2016	1993	2013	2029	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1962
Keep more money in savings	-	-	-	1182 59%	1118 56%	1084 54%	1037 51%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1003 51%
Stockpile unperishable foods	-	-	-	643 32%	652 33%	697 35%	616 30%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	620 32%
Make improvements to my living situation (e.g., move to a larger residence, purchase better furniture)	-	-	-	372 18%	352 18%	375 19%	362 18%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	442 23%
Purchase a gun	-	-	-	220 11%	250 13%	235 12%	203 10%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	307 16%
Remodel my kitchen	-	-	-	147 7%	168 9%	170 9%	181 9%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	264 13%
Something else	-	-	-	85 4%	63 3%	54 3%	51 3%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36 2%
None of these	-	-	-	453 22%	513 26%	554 28%	580 29%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	500 25%
Sigma	-	-	-	3101 154%	3136 157%	3189 157%	3030 149%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3173 162%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q15 How concerned are you about the impact coronavirus (COVID-19) has on the following?
 Summary Of Concerned

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/28)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/2-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
The American economy	1730 84%	1705 84%	1645 91%	-	1820 91%	1787 89%	1825 90%	1777 87%	1786 88%	1737 84%	1733 88%	1737 87%	1737 88%	1672 85%	1661 85%	1700 87%	2751 87%	1727 89%	1697 86%	1764 90%	1685 85%	1725 87%	1734 87%	1722 88%	1688 86%	
The health of your older friends and relatives	1771 86%	1747 87%	1827 90%	-	1800 90%	1778 88%	1779 88%	1734 85%	1746 86%	1674 81%	1643 84%	1690 85%	1628 83%	1641 83%	1588 81%	1644 84%	2617 83%	1730 88%	1670 85%	1731 88%	1661 84%	1707 86%	1715 86%	1674 85%	1667 85%	
The health of the broader American populace	1616 79%	1647 82%	1759 87%	-	1743 87%	1677 83%	1681 83%	1698 83%	1699 83%	1620 78%	1597 81%	1619 81%	1568 80%	1560 79%	1547 79%	1574 80%	2553 81%	1639 84%	1614 82%	1666 85%	1588 80%	1601 80%	1655 83%	1576 80%	1615 82%	
Your personal health	1330 65%	1336 66%	1523 75%	-	1543 77%	1504 75%	1478 73%	1445 70%	1503 74%	1440 70%	1410 72%	1375 69%	1343 68%	1353 69%	1366 70%	1404 72%	2265 72%	1511 77%	1439 73%	1496 76%	1421 71%	1418 71%	1488 75%	1423 72%	1486 76%	
Your personal finances	-	-	-	-	1494 75%	1469 73%	1412 70%	1401 68%	1416 69%	1398 67%	1341 68%	1328 67%	1234 63%	1285 65%	1290 65%	1283 65%	2085 65%	1404 72%	1362 66%	1367 69%	1365 68%	1299 65%	1374 69%	1267 64%	1345 69%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q15 How concerned are you about the impact coronavirus (COVID-19) has on the following?
 Summary Of Not At All/Not Very Concerned

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/24)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/2-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Your personal finances	-	-	-	-	499	544	617	649	623	679	620	667	731	684	683	679	1096	553	672	613	633	693	621	710	617	
					25%	27%	30%	32%	31%	33%	32%	33%	37%	35%	35%	35%	35%	28%	34%	31%	32%	35%	31%	36%	31%	
Your personal health	720	683	500	-	450	509	551	605	536	626	551	621	622	616	597	558	896	446	535	474	567	574	507	544	476	
	35%	34%	25%	-	23%	25%	27%	30%	26%	30%	29%	31%	32%	31%	30%	28%	28%	23%	23%	24%	29%	29%	25%	28%	24%	
The health of the broader American populace	434	372	264	-	250	336	348	352	340	447	364	377	397	409	416	388	608	318	360	304	400	391	340	391	347	
	21%	18%	13%	-	13%	17%	17%	17%	17%	22%	19%	19%	20%	21%	21%	20%	19%	18%	18%	15%	20%	20%	17%	20%	18%	
The health of your older friends and relatives	279	272	196	-	193	235	250	316	293	392	318	306	337	328	375	318	544	227	304	239	327	285	280	293	295	
	14%	13%	10%	-	10%	12%	12%	15%	14%	19%	16%	17%	17%	19%	16%	17%	17%	12%	12%	16%	14%	14%	14%	15%	15%	
The American economy	320	314	176	-	173	226	204	273	253	329	228	258	228	297	302	262	410	230	277	206	303	267	261	245	274	
	16%	16%	9%	-	9%	11%	10%	13%	12%	16%	12%	13%	12%	15%	13%	13%	13%	12%	14%	10%	15%	13%	13%	12%	14%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 191

Q15.1 How concerned are you about the impact coronavirus (COVID-19) has on the following?
 Your personal health

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/20 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Very/Somewhat Concerned (Net)	1330 65%	1336 66%	1523 75%	-	1543 77%	1504 75%	1478 73%	1445 70%	1503 74%	1440 70%	1410 72%	1375 69%	1343 68%	1353 69%	1366 70%	1404 72%	2265 77%	1511 73%	1439 76%	1496 71%	1421 71%	1418 75%	1488 75%	1423 72%	1486 76%	
Very concerned	624 30%	660 33%	800 40%	-	862 43%	801 40%	749 37%	762 38%	770 38%	655 32%	640 33%	663 33%	668 34%	684 35%	658 34%	697 34%	1079 34%	784 40%	698 35%	832 42%	773 39%	675 34%	796 40%	697 35%	844 43%	
Somewhat concerned	706 34%	676 33%	723 36%	-	681 34%	703 35%	728 36%	683 33%	733 36%	785 38%	770 39%	712 36%	674 34%	669 34%	708 36%	707 37%	1185 37%	727 37%	741 38%	663 34%	648 33%	743 37%	692 35%	725 37%	642 33%	
Not At All/Not Very Concerned (Net)	720 35%	683 34%	500 25%	-	450 23%	509 25%	551 27%	605 30%	536 26%	626 30%	551 28%	621 31%	622 32%	616 31%	597 30%	559 28%	896 28%	446 23%	535 27%	474 24%	567 24%	574 29%	507 25%	544 26%	476 24%	
Not very concerned	535 26%	487 24%	359 18%	-	331 17%	372 18%	383 19%	406 20%	369 18%	442 21%	401 20%	421 21%	416 20%	383 20%	395 20%	374 19%	575 18%	315 16%	383 19%	344 17%	392 20%	391 20%	341 17%	378 19%	312 16%	
Not at all concerned	186 9%	197 10%	141 7%	-	119 6%	137 7%	168 8%	200 10%	168 8%	184 9%	150 8%	200 10%	204 10%	222 11%	202 10%	184 9%	322 10%	130 7%	152 8%	130 7%	175 9%	183 9%	166 9%	166 9%	164 8%	
Sigma	2050 100%	2019 100%	2023 100%	-	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

Q15_2 How concerned are you about the impact coronavirus (COVID-19) has on the following?
The health of your older friends and relatives

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/20)	Wave 8 (4/18 - 4/27)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/20 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/4 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/16 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Very/Somewhat Concerned (Net)	1771 86%	1747 87%	1827 90%	-	1800 90%	1778 88%	1779 88%	1734 85%	1746 86%	1674 81%	1643 84%	1690 85%	1628 83%	1641 83%	1588 81%	1644 84%	2617 83%	1730 88%	1670 85%	1731 88%	1661 84%	1707 86%	1715 86%	1674 85%	1667 85%	
Very concerned	1034 50%	1089 54%	1251 62%	-	1211 61%	1124 56%	1091 54%	1040 51%	1075 53%	953 46%	955 48%	1021 51%	936 48%	908 46%	864 44%	923 47%	1537 49%	1068 55%	985 50%	1072 54%	1005 51%	1019 51%	1055 53%	975 50%	1055 54%	
Somewhat concerned	737 36%	658 33%	576 28%	-	588 30%	654 32%	687 34%	694 34%	670 33%	721 35%	688 35%	669 33%	692 35%	733 37%	725 37%	720 37%	1080 34%	662 34%	685 35%	659 33%	656 33%	689 35%	660 33%	699 36%	612 31%	
Not At All/Not Very Concerned (Net)	279 14%	272 13%	196 10%	-	193 10%	235 12%	250 12%	316 15%	293 14%	392 19%	318 16%	306 15%	337 17%	328 17%	375 19%	318 16%	544 17%	227 12%	304 15%	239 12%	327 16%	285 14%	280 14%	293 15%	295 15%	
Not very concerned	163 9%	176 9%	129 6%	-	136 7%	173 9%	167 8%	192 9%	210 11%	269 13%	224 11%	189 9%	233 12%	234 12%	234 12%	201 11%	353 11%	154 8%	219 11%	161 8%	223 11%	186 9%	189 10%	189 10%	206 10%	
Not at all concerned	96 5%	95 5%	67 3%	-	57 3%	62 3%	84 4%	124 6%	76 4%	123 6%	94 5%	117 6%	104 5%	94 5%	140 7%	118 6%	191 6%	73 4%	86 4%	79 4%	104 5%	99 4%	81 4%	104 5%	89 5%	
Sigma	2050 100%	2019 100%	2023 100%	-	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. **very small base (under 30) ineligible for sig testing

Q15_3 How concerned are you about the impact coronavirus (COVID-19) has on the following?
 The health of the broader American populace

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/8-6/8)	Wave 16 (6/15-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Very/Somewhat Concerned (Net)	1616 79%	1647 82%	1759 87%	-	1743 87%	1677 83%	1681 83%	1698 83%	1699 83%	1620 78%	1597 81%	1619 81%	1568 80%	1560 79%	1547 79%	1574 80%	2553 81%	1639 84%	1614 82%	1666 85%	1588 80%	1601 80%	1655 83%	1576 80%	1615 82%	
Very concerned	690 34%	774 38%	998 49%	-	1011 51%	878 44%	808 43%	883 43%	836 41%	762 37%	733 37%	773 39%	755 38%	740 38%	685 35%	799 41%	1244 39%	863 44%	811 41%	931 47%	834 42%	874 44%	852 43%	793 40%	835 43%	
Somewhat concerned	926 45%	872 43%	761 38%	-	733 37%	799 40%	873 43%	816 40%	863 42%	858 42%	865 44%	846 42%	813 41%	819 42%	863 44%	775 39%	1309 41%	775 40%	803 41%	735 37%	753 38%	727 36%	803 40%	783 40%	780 40%	
Not At All/Not Very Concerned (Net)	434 21%	372 18%	264 13%	-	250 13%	336 17%	348 17%	352 17%	340 17%	447 22%	364 19%	377 20%	397 21%	409 21%	416 21%	388 20%	608 19%	318 16%	360 18%	304 15%	400 20%	391 20%	340 17%	391 20%	347 18%	
Not very concerned	314 15%	252 12%	198 10%	-	176 9%	237 12%	257 13%	219 11%	255 12%	318 15%	255 13%	252 13%	293 15%	303 15%	273 14%	273 14%	403 13%	223 11%	256 13%	212 11%	291 14%	268 13%	230 12%	261 13%	238 12%	
Not at all concerned	120 6%	120 6%	65 3%	-	74 4%	99 5%	91 4%	133 6%	86 4%	129 6%	108 5%	126 6%	103 5%	107 5%	143 7%	115 4%	205 6%	95 3%	103 5%	93 5%	119 6%	123 6%	110 5%	130 7%	107 5%	
Sigma	2050 100%	2019 100%	2023 100%	-	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Q15. 4 How concerned are you about the impact coronavirus (COVID-19) has on the following?
 The American economy

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/20)	Wave 8 (4/18 -4/27)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/27 -5/28)	Wave 14 (5/29 -5/31)	Wave 15 (6/8 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/20 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (8/2 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/16 -8/16)	Wave 26 (8/23 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Very/Somewhat Concerned (Net)	1730 84%	1705 84%	1645 91%	-	1820 91%	1787 89%	1825 90%	1777 87%	1786 88%	1737 84%	1733 88%	1737 87%	1737 88%	1672 85%	1661 85%	1700 87%	2751 87%	1727 88%	1697 86%	1764 90%	1685 85%	1725 87%	1734 87%	1722 88%	1688 86%	
Very concerned	893 44%	986 49%	1287 64%	-	1251 63%	1184 59%	1139 56%	1170 57%	1106 54%	1053 51%	1140 58%	1069 54%	1084 55%	1002 51%	964 49%	1021 52%	1772 56%	1059 54%	988 50%	1124 57%	1006 51%	1036 52%	1062 53%	988 50%	1061 54%	
Somewhat concerned	836 41%	719 36%	558 28%	-	569 29%	603 30%	685 34%	607 30%	680 33%	684 33%	592 30%	668 33%	653 34%	670 34%	696 35%	679 35%	979 31%	667 34%	710 36%	640 32%	679 34%	689 35%	672 34%	734 37%	628 32%	
Not At All/Not Very Concerned (Net)	320 16%	314 16%	178 9%	-	173 9%	226 11%	204 10%	273 13%	253 12%	329 16%	228 12%	259 13%	228 12%	297 15%	302 15%	262 13%	410 13%	230 14%	277 14%	206 10%	303 15%	267 13%	261 13%	245 12%	274 14%	
Not very concerned	225 11%	220 11%	99 5%	-	116 6%	170 8%	132 7%	170 8%	183 9%	221 11%	175 9%	171 9%	160 9%	216 11%	203 10%	198 10%	262 8%	157 5%	184 9%	126 6%	228 11%	180 9%	178 9%	167 9%	197 10%	
Not at all concerned	95 5%	94 5%	80 4%	-	57 3%	55 3%	72 4%	103 5%	71 3%	108 5%	53 3%	89 5%	68 3%	80 4%	99 5%	64 3%	149 5%	73 4%	92 5%	80 4%	75 4%	87 4%	83 4%	78 4%	77 4%	
Sigma	2050 100%	2019 100%	2023 100%	-	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 195

Q15_5 How concerned are you about the impact coronavirus (COVID-19) has on the following?
Your personal finances

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/17-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/4-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Very/Somewhat Concerned (Net)	-	-	-	-	1494	1469	1412	1401	1416	1388	1341	1329	1234	1285	1280	1283	2065	1404	1302	1357	1355	1299	1374	1257	1345	
					75%	73%	70%	68%	69%	67%	68%	67%	63%	65%	65%	65%	65%	72%	66%	69%	68%	65%	69%	64%	69%	
Very concerned	-	-	-	-	870	772	678	701	700	669	628	615	617	610	599	627	1005	701	624	721	652	625	656	629	711	
					44%	38%	33%	34%	34%	32%	32%	31%	31%	31%	30%	32%	32%	36%	32%	37%	33%	31%	33%	32%	36%	
Somewhat concerned	-	-	-	-	624	697	734	700	716	719	715	714	617	675	681	656	1061	702	677	636	703	674	718	628	634	
					31%	35%	36%	34%	35%	35%	36%	36%	31%	34%	35%	33%	34%	36%	34%	32%	35%	34%	36%	32%	32%	
Not At All/Not Very Concerned (Net)	-	-	-	-	499	544	617	649	623	679	620	667	731	684	683	679	1096	553	672	613	633	693	621	710	617	
					25%	27%	30%	32%	31%	33%	32%	33%	37%	35%	35%	35%	28%	34%	31%	32%	35%	31%	31%	36%	31%	
Not very concerned	-	-	-	-	354	392	405	411	416	446	417	451	453	425	418	424	665	359	402	401	426	426	413	457	389	
					18%	19%	20%	20%	20%	22%	21%	21%	23%	22%	21%	22%	21%	18%	20%	20%	21%	21%	21%	20%	20%	
Not at all concerned	-	-	-	-	144	152	212	238	207	233	203	216	278	259	265	255	430	194	271	212	207	267	206	253	228	
					7%	8%	10%	12%	10%	11%	10%	11%	14%	13%	13%	14%	14%	10%	14%	11%	10%	13%	10%	13%	12%	
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
					100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. **very small base (under 30) ineligible for sig testing

Q18 Which of the following is true for you?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	2016	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	2016	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
I fear I could die as a result of contracting coronavirus	563 27%	572 28%	712 35%	865 43%	1113 56%	950 47%	897 44%	1055 51%	1036 51%	1032 50%	965 49%	962 48%	959 49%	1023 52%	1032 53%	997 51%	1623 51%	1023 52%	938 47%	1069 54%	1107 56%	1067 54%	1120 56%	1060 54%	1168 60%	
I do not fear that I could die as a result of contracting coronavirus	1487 73%	1447 72%	1311 65%	1151 57%	880 44%	1063 53%	1132 56%	995 49%	1003 49%	1034 50%	996 51%	1034 52%	1006 51%	946 48%	931 47%	965 49%	1538 49%	934 48%	1036 53%	901 46%	881 44%	925 46%	875 44%	907 46%	794 40%	
Sigma	2050 100%	2019 100%	2023 100%	2016 100%	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used.

Base: All Respondents

Q21 Which of the following is closest to your view of people's reaction to the coronavirus (COVID-19) outbreak?

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/24)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/3-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	2016	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	2016	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
I think the amount of fear is sensible given how serious the pandemic has become	942 46%	1012 50%	1236 61%	1375 68%	1571 79%	1505 75%	1492 74%	1527 75%	1505 74%	1420 69%	1392 71%	1405 70%	1431 73%	1393 71%	1381 70%	1399 71%	2324 74%	1482 76%	1399 71%	1443 73%	1442 73%	1451 73%	1444 72%	1397 71%	1467 75%	
The amount of fear is irrational, people are overreacting	1108 54%	1007 50%	787 39%	641 32%	422 21%	508 25%	537 28%	523 26%	534 26%	646 31%	569 29%	591 30%	534 27%	576 29%	582 30%	563 29%	837 26%	475 24%	575 29%	527 27%	546 27%	541 27%	551 28%	570 29%	495 25%	
Sigma	2050	2019	2023	2016	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used.

FR01 Have you felt any of the following recently due to the COVID-19 pandemic?
 Summary Of Yes

Base: All Respondents (Variable Bases)

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14 - 3/15)	(3/17 - 3/18)	(3/21 - 3/23)	(3/28 - 3/30)	(4/1 - 4/5)	(4/11 - 4/13)	(4/18 - 4/20)	(4/28 - 4/29)	(5/1 - 5/3)	(5/8 - 5/10)	(5/15 - 5/17)	(5/22 - 5/23)	(5/29 - 5/31)	(6/4 - 6/8)	(6/13 - 6/15)	(6/18 - 6/20)	(6/26 - 6/29)	(7/1 - 7/4)	(7/10 - 7/12)	(7/17 - 7/19)	(7/24 - 7/26)	(7/31 - 8/2)	(8/7 - 8/9)	(8/14 - 8/16)	(8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Appreciative-to be around people I truly care about	-	-	-	-	1549	1507	1468	1561	1529	1437	1449	1532	1385	1430	1346	1391	2354	1419	1371	1470	1448	1419	1390	1413	1413	
					78%	75%	72%	76%	75%	70%	74%	77%	70%	73%	69%	71%	74%	73%	69%	73%	73%	71%	70%	72%	72%	
Thankful - for the sacrifices that the American people have made for coronavirus	-	-	-	-	-	-	-	-	-	-	1549	1581	1484	1505	1345	1428	2431	1470	1367	1421	1433	1433	1428	1423	1384	
											79%	79%	76%	76%	69%	73%	77%	75%	69%	72%	72%	72%	72%	72%	71%	
Compassionate- taking the time to check in with the people I care about	-	-	-	-	1529	1543	1551	1572	1492	1409	1444	1536	1392	1398	1306	1333	2381	1379	1287	1393	1409	1379	1358	1352	1380	
					77%	77%	76%	77%	73%	68%	74%	77%	71%	71%	67%	68%	75%	70%	66%	71%	71%	69%	68%	69%	70%	
Angry- upset that I don't know when this will end	-	-	-	-	1068	1027	1006	1038	994	1003	958	1001	888	971	834	971	1687	1055	996	1070	980	1071	1021	1057	1048	
					54%	51%	50%	51%	49%	49%	49%	50%	46%	45%	49%	54%	54%	50%	54%	50%	54%	54%	51%	54%	53%	
Cabin fever- bored and sick of being in my home	-	-	-	-	1076	1044	1118	1133	1124	1098	993	1072	955	981	888	971	1722	989	906	1020	1004	973	951	995	1022	
					54%	52%	55%	55%	55%	53%	51%	54%	49%	50%	45%	50%	54%	51%	46%	52%	51%	49%	48%	51%	52%	
Lonely-feeling isolated from my friends/family	-	-	-	-	974	964	991	1026	961	943	903	913	791	876	814	835	1509	892	855	889	902	864	912	871	923	
					49%	48%	49%	50%	47%	46%	46%	46%	40%	44%	41%	43%	48%	43%	45%	45%	45%	43%	46%	44%	47%	
Grateful- for the break from work to be at home with my family or by myself	-	-	-	-	972	967	1049	1057	1026	953	958	983	945	988	844	867	1544	966	853	880	918	842	907	871	876	
					49%	48%	52%	52%	50%	46%	49%	49%	48%	50%	43%	44%	49%	49%	43%	45%	45%	42%	45%	44%	45%	
Fear- that my kids are missing out on learning	-	-	-	-	-	-	-	-	506	426	509	435	394	456	455	500	762	445	462	538	554	495	521	549	487	
									43%	37%	44%	40%	36%	40%	40%	44%	43%	40%	40%	40%	46%	42%	44%	48%	43%	
Overwhelmed- trying to balance work at home and other needs of my family	-	-	-	-	728	723	716	751	705	677	635	678	632	687	619	655	1151	676	617	677	750	748	679	686	704	
					37%	36%	35%	37%	35%	33%	32%	34%	32%	35%	32%	33%	36%	35%	31%	34%	35%	34%	34%	35%	36%	
Claustrophobic- unable to escape my home	-	-	-	-	695	660	703	725	709	696	617	584	577	587	572	630	1109	660	604	616	655	612	560	621	681	
					35%	33%	35%	35%	35%	34%	31%	29%	30%	29%	32%	35%	34%	31%	31%	33%	31%	28%	32%	35%		
Annoyed- by lack of personal space and the inability to get away from my family	-	-	-	-	649	650	643	695	666	657	603	563	646	596	604	1094	634	598	621	615	589	629	608	633	633	
					33%	32%	32%	34%	33%	32%	31%	30%	29%	30%	31%	35%	32%	30%	32%	31%	30%	32%	31%	32%	32%	

Proportions/Means: Columns tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_1 Have you felt any of the following recently due to the COVID-19 pandemic?
 Cabin fever- bored and sick of being in my home

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/19-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	1076	1044	1118	1133	1124	1098	993	1072	955	981	888	971	1722	989	906	1020	1004	973	951	995	1022	
	-	-	-	-	54%	52%	55%	55%	55%	53%	51%	54%	49%	50%	45%	50%	54%	51%	46%	52%	51%	49%	48%	51%	52%	
No	-	-	-	-	917	969	911	917	915	969	968	924	1010	988	1075	991	1439	968	1068	950	984	1019	1044	972	940	
	-	-	-	-	46%	48%	45%	45%	45%	47%	49%	46%	51%	50%	55%	50%	46%	49%	54%	48%	49%	51%	52%	49%	48%	
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_2 Have you felt any of the following recently due to the COVID-19 pandemic?
 Claustrophobic- unable to escape my home

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/20-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	695 35%	660 33%	703 35%	725 35%	709 35%	696 34%	617 31%	584 29%	577 29%	587 30%	572 29%	630 32%	1109 35%	660 34%	604 31%	616 31%	655 33%	612 31%	560 28%	621 32%	681 35%	
No	-	-	-	-	1298 65%	1353 67%	1326 65%	1325 65%	1330 65%	1371 66%	1344 69%	1412 71%	1388 71%	1382 70%	1391 71%	1332 68%	2052 65%	1297 66%	1370 69%	1354 69%	1333 67%	1380 69%	1435 72%	1346 68%	1281 65%	
Sigma	-	-	-	-	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_3 Have you felt any of the following recently due to the COVID-19 pandemic?
 Grateful- for the break from work to be at home with my family or by myself

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	972 49%	967 48%	1049 52%	1057 52%	1026 50%	953 46%	958 49%	983 49%	945 48%	988 50%	844 43%	867 44%	1544 49%	966 49%	853 43%	880 45%	918 46%	842 42%	907 45%	871 44%	876 45%	
No	-	-	-	-	1021 51%	1046 52%	980 48%	993 48%	1013 50%	1113 54%	1003 51%	1013 51%	1020 52%	981 50%	1119 57%	1095 56%	1617 51%	991 51%	1121 57%	1090 55%	1070 54%	1150 58%	1088 55%	1096 56%	1086 55%	
Sigma	-	-	-	-	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_4 Have you felt any of the following recently due to the COVID-19 pandemic?
 Appreciative-to be around people I truly care about

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	1549	1507	1468	1561	1529	1437	1449	1532	1385	1430	1346	1391	2354	1419	1371	1470	1448	1419	1390	1413	1413	
	-	-	-	-	78%	75%	72%	76%	75%	70%	74%	77%	70%	73%	69%	71%	74%	73%	69%	75%	73%	71%	70%	72%	72%	
No	-	-	-	-	444	506	561	489	510	629	512	464	580	539	617	571	807	538	603	500	540	573	605	554	549	
	-	-	-	-	22%	25%	28%	24%	25%	30%	26%	23%	30%	27%	31%	29%	26%	27%	31%	25%	27%	29%	30%	28%	28%	
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_5 Have you felt any of the following recently due to the COVID-19 pandemic?
 Compassionate- taking the time to check in with the people I care about

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/20)	Wave 8 (4/18-4/27)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	1529	1543	1551	1572	1492	1409	1444	1536	1392	1398	1306	1333	2381	1379	1297	1393	1409	1379	1358	1352	1380	
	-	-	-	-	77%	77%	76%	77%	73%	68%	74%	77%	71%	71%	67%	68%	75%	70%	66%	71%	71%	69%	68%	69%	70%	
No	-	-	-	-	464	470	478	478	547	657	517	460	573	571	657	629	780	578	677	577	579	613	637	615	582	
	-	-	-	-	23%	23%	24%	23%	27%	32%	26%	23%	29%	29%	33%	32%	25%	30%	34%	29%	29%	31%	32%	31%	30%	
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_6 Have you felt any of the following recently due to the COVID-19 pandemic?
 Lonely-feeling isolated from my friends/family

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	974	964	991	1026	961	943	903	913	791	876	814	835	1509	892	855	889	902	864	912	871	923	
	-	-	-	-	49%	48%	49%	50%	47%	46%	46%	46%	40%	44%	41%	43%	48%	46%	43%	45%	45%	43%	46%	44%	47%	
					MOPSPV	MOPSPV	MOPSPV	MOPSPV	MOPSPV	MO	MCP	MC	M	M	MOPSPV	MO	MO	MO	MO	MO	MO	MO	MO	M	MOPSPV	
No	-	-	-	-	1019	1049	1038	1024	1078	1124	1058	1083	1174	1093	1149	1127	1652	1065	1119	1081	1086	1128	1083	1096	1039	
	-	-	-	-	51%	52%	51%	50%	53%	54%	54%	54%	60%	56%	59%	57%	52%	54%	57%	55%	55%	57%	54%	56%	53%	
					EFQHQY	EFQHQY	EFQHQY	EFQHQY	EFQHQY	H	H	EFQHQY	EFQHQY	EFQHQY	EFQHQY	H	EFQHQY	EFQHQY	EFQHQY	EFQHQY	EFQHQY	EFQHQY	EFQHQY	H	EFQHQY	
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_7 Have you felt any of the following recently due to the COVID-19 pandemic?
 Overwhelmed- trying to balance work at home and other needs of my family

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	728	723	716	751	705	677	635	678	632	687	619	655	1151	676	617	677	750	748	679	686	704	
	-	-	-	-	37%	36%	35%	37%	35%	33%	32%	34%	32%	35%	32%	33%	36%	35%	31%	34%	38%	38%	34%	35%	36%	
No	-	-	-	-	1265	1290	1313	1299	1334	1389	1326	1318	1333	1282	1344	1307	2010	1281	1357	1293	1238	1244	1316	1281	1258	
	-	-	-	-	63%	64%	65%	63%	66%	67%	68%	66%	68%	65%	68%	67%	64%	65%	66%	66%	62%	62%	66%	65%	64%	
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_8 Have you felt any of the following recently due to the COVID-19 pandemic?
 Angry- upset that I don't know when this will end

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/20)	Wave 8 (4/25-4/27)	Wave 9 (5/1-5/3)	Wave 10 (5/8-5/10)	Wave 11 (5/15-5/17)	Wave 12 (5/22-5/28)	Wave 13 (5/29-5/31)	Wave 14 (6/6-6/8)	Wave 15 (6/13-6/15)	Wave 16 (6/18-6/20)	Wave 17 (6/26-6/29)	Wave 18 (7/2-7/4)	Wave 19 (7/10-7/12)	Wave 20 (7/17-7/19)	Wave 21 (7/24-7/26)	Wave 22 (7/31-8/2)	Wave 23 (8/7-8/9)	Wave 24 (8/14-8/16)	Wave 25 (8/21-8/23)	Wave 26 (8/28-8/30)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	1068	1027	1006	1038	994	1003	958	1001	888	971	834	971	1697	1055	996	1070	980	1071	1021	1057	1048	
	-	-	-	-	54%	51%	50%	51%	49%	49%	49%	50%	45%	49%	43%	49%	54%	54%	50%	54%	49%	54%	51%	54%	53%	
No	-	-	-	-	925	986	1023	1012	1045	1063	1003	995	1077	998	1129	991	1464	902	978	900	1008	921	974	910	914	
	-	-	-	-	46%	49%	50%	49%	51%	51%	51%	50%	55%	51%	57%	51%	46%	46%	50%	46%	51%	49%	46%	47%		
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_9 Have you felt any of the following recently due to the COVID-19 pandemic?
 Annoyed-by lack of personal space and the inability to get away from my family

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	649	650	643	695	666	657	617	603	563	646	596	604	1094	634	598	621	615	589	629	608	633	
	-	-	-	-	33%	32%	32%	34%	33%	32%	31%	30%	29%	33%	30%	31%	35%	32%	30%	32%	31%	30%	32%	31%	32%	
					M	m	LMopsv	Mv	m					Mv											m	
No	-	-	-	-	1344	1363	1386	1355	1373	1409	1344	1393	1402	1323	1367	1358	2067	1323	1376	1349	1373	1403	1366	1359	1329	
	-	-	-	-	67%	68%	68%	66%	67%	68%	69%	70%	71%	67%	70%	69%	65%	68%	70%	68%	69%	70%	68%	69%	68%	
					q		q		q	q	HQ	EHjKqy			hQ	hQ		hQ	q	Q	HinQ	q	Q	Q		
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_10 Have you felt any of the following recently due to the COVID-19 pandemic?
 Fear- that my kids are missing out on learning

Base: Parent

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	1183	1121	1159	1115	1108	1166	1133	1140	1856	1180	1170	1193	1200	1200	1235	1144	1153	
Weighted Base	**	**	**	**	**	**	**	**	1188	1147	1161	1093	1107	1141	1148	1147	1782	1099	1146	1127	1200	1187	1189	1150	1121	
Yes	-	-	-	-	-	-	-	-	506	426	509	435	394	456	455	500	762	445	462	538	554	495	521	549	487	
	-	-	-	-	-	-	-	-	43%	37%	44%	40%	36%	40%	40%	44%	43%	40%	40%	48%	46%	42%	44%	48%	43%	
									JM	JM	JM	JM	JM	JM	JM	JM	JM	JM	JM	JM	JM	JM	JM	JM	JM	
No	-	-	-	-	-	-	-	-	682	722	652	658	713	685	713	693	1019	654	683	589	647	692	668	601	634	
	-	-	-	-	-	-	-	-	57%	63%	56%	60%	64%	60%	60%	56%	57%	50%	60%	52%	54%	58%	56%	52%	57%	
									DK	DK	TJX	TJX	TJX	TJX	TJX	DK	TUX	TUX	TUX	TUX	TUX	TUX	TUX	TUX	TUX	
Sigma	-	-	-	-	-	-	-	-	1188	1147	1161	1093	1107	1141	1148	1147	1782	1099	1146	1127	1200	1187	1189	1150	1121	
	-	-	-	-	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01_11 Have you felt any of the following recently due to the COVID-19 pandemic?
 Thankful - for the sacrifices that the American people have made for coronavirus

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/28)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/2-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	**	**	**	**	**	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	-	-	-	-	-	-	-	1549	1581	1484	1505	1345	1428	2431	1470	1367	1421	1433	1433	1428	1423	1384	
											79%	79%	76%	76%	69%	73%	77%	75%	69%	72%	72%	72%	72%	72%	71%	
No	-	-	-	-	-	-	-	-	-	-	412	415	481	464	618	534	730	487	607	549	555	559	567	544	578	
											21%	21%	24%	24%	31%	27%	23%	25%	31%	28%	28%	28%	28%	28%	29%	
Sigma	-	-	-	-	-	-	-	-	-	-	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
											100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01A Have you felt any of the following recently due to the COVID-19 pandemic?
 Summary Of Yes

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3- 4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1- 5/3)	Wave 11 (5/8- 5/10)	Wave 12 (5/15- 5/17)	Wave 13 (5/22- 5/28)	Wave 14 (5/29- 5/31)	Wave 15 (6/6- 6/8)	Wave 16 (6/13- 6/15)	Wave 17 (6/18- 6/20)	Wave 18 (6/26- 6/29)	Wave 19 (7/2- 7/4)	Wave 20 (7/10- 7/12)	Wave 21 (7/17- 7/19)	Wave 22 (7/24- 7/26)	Wave 23 (7/31- 8/2)	Wave 24 (8/7- 8/9)	Wave 25 (8/14- 8/16)	Wave 26 (8/21- 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
Hopeful - that there is an end in sight	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Connected - communicating more with friends/family	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scared - for the future	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tired - of following guidelines & coronavirus in general	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Creative - I've found new hobbies/activities I enjoy during coronavirus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bored - I've run out of activities to do at home & wish I could go out	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Indifferent - I'm use to the new normal of life during coronavirus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dread - being unable to pay bill(s) during pandemic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01A_12 Have you felt any of the following recently due to the COVID-19 pandemic?
 Tired - of following guidelines & coronavirus in general

Base: All Respondents

	Waves																												
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)				
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1992	**	1967	1962
Yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	936	-	1006	982
																										47%	-	51%	50%
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1056	-	961	980
																										53%	-	49%	50%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962
																										100%	-	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01A_13 Have you felt any of the following recently due to the COVID-19 pandemic?
 Creative - I've found new hobbies/activities I enjoy during coronavirus

Base: All Respondents

	Waves																												
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)				
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1992	**	1967	1962
Yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	932	-	947	956
																										47%	-	48%	49%
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1060	-	1020	1006
																										53%	-	52%	51%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962
																										100%	-	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01A_14 Have you felt any of the following recently due to the COVID-19 pandemic?
 Scared - for the future

Base: All Respondents

	Waves																															
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)							
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)							
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962			
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1992	**	1967	1962			
Yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1160	-	1168	1148	58%	59%	59%
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	832	-	799	814	42%	41%	41%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01A_15 Have you felt any of the following recently due to the COVID-19 pandemic?
 Dread - being unable to pay bill(s) during pandemic

Base: All Respondents

	Waves																															
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)							
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)							
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962			
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1992	**	1967	1962			
Yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	675	-	642	684	34%	33%	35%
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1317	-	1325	1278	66%	67%	65%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01A_16 Have you felt any of the following recently due to the COVID-19 pandemic?
 Connected - communicating more with friends/family

Base: All Respondents

	Waves																															
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)							
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)							
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962			
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1992	**	1967	1962			
Yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1096	-	1091	1188	61%	YX	
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	896	-	876	774	45%	Y	39%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962	100%	Y	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01A_17 Have you felt any of the following recently due to the COVID-19 pandemic?
 Hopeful - that there is an end in sight

Base: All Respondents

	Waves																															
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)							
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)							
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962			
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1992	**	1967	1962			
Yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1250	-	1290	1304	66%	66%	66%
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	742	-	677	658	37%	34%	34%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01A_18 Have you felt any of the following recently due to the COVID-19 pandemic?
 Bored - I've run out of activities to do at home & wish I could go out

Base: All Respondents

	Waves																												
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)				
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1992	**	1967	1962
Yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	930	-	903	923
																										47%	-	46%	47%
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1062	-	1064	1039
																										53%	-	54%	53%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962
																										100%	-	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR01A_19 Have you felt any of the following recently due to the COVID-19 pandemic?
 Indifferent - I'm use to the new normal of life during coronavirus

Base: All Respondents

	Waves																															
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)							
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)							
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962			
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1992	**	1967	1962			
Yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	782	-	796	858	39%	40%	44%
No	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1210	-	1171	1104	61%	60%	56%
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1992	-	1967	1962	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR05 How much would you say you miss each of the following during this time of virus-related restrictions?
 Summary Of A Lot/Somewhat

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/23 -5/25)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Gatherings with friends and family	-	-	-	-	-	1494	1579	1605	1579	1584	1502	1608	1473	1483	1416	1491	2402	1480	1450	1503	1471	1485	1549	1445	1472	
Dining out at a restaurant/bar	-	-	-	-	-	1405	1492	1523	1521	1493	1402	1509	1400	1461	1364	1457	2273	1389	1358	1423	1385	1426	1423	1413	1382	
In person celebrations (e.g., birthdays, graduations)	-	-	-	-	-	-	-	-	-	-	-	-	-	1327	1289	1362	2160	1328	1317	1348	1339	1376	1377	1325	1337	
Shopping in stores	-	-	-	-	-	1341	1381	1399	1394	1445	1298	1376	1254	1316	1211	1332	2168	1284	1246	1273	1275	1251	1315	1228	1297	
Going to a social gathering	-	-	-	-	-	1191	1188	1281	1297	1310	1242	1320	1172	1220	1205	1256	1981	1205	1201	1244	1214	1277	1262	1232	1179	
Attending events like concerts, in-home and sporting events	-	-	-	-	-	916	984	1072	1069	1033	988	1091	971	1011	962	1093	1604	1021	1037	1090	1050	1088	1094	1082	1055	
Going to church	-	-	-	-	-	983	958	991	1011	990	972	950	980	978	982	1000	1505	995	1028	994	1008	951	1019	956	1025	
Going to a movie theatre	-	-	-	-	-	893	972	992	993	989	904	977	956	1005	928	1002	1528	961	929	982	995	1017	1059	1022	1017	
Watching sports on TV	-	-	-	-	-	910	909	1017	963	955	932	974	898	948	909	916	1473	909	887	907	959	888	930	920	928	
Going to my local coffee shop	-	-	-	-	-	858	940	894	955	988	933	969	892	916	840	904	1426	896	876	912	911	921	993	930	924	
Traveling on an airplane	-	-	-	-	-	707	737	758	828	815	807	828	765	792	824	1314	833	808	883	792	847	859	831	861		
Going to the gym/work out class	-	-	-	-	-	742	802	838	809	829	777	817	767	813	735	849	1302	802	746	831	862	848	854	799	835	
Working from the office	-	-	-	-	-	621	666	694	683	609	609	602	622	675	603	670	1104	647	603	648	678	627	690	600	703	
Going to school or university	-	-	-	-	-	488	538	583	598	611	533	575	581	593	580	642	930	622	591	633	616	672	642	647	647	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR05 How much would you say you miss each of the following during this time of virus-related restrictions?
 Summary Of Not At All/Not Very

Base: All Respondents

	Waves																											
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(w)	(X)	(Y)			
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962			
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962			
Going to school or university	-	-	-	-	-	1525	1491	1467	1441	1456	1428	1421	1384	1376	1383	1320	2231	1335	1372	1379	1355	1376	1323	1325	1315			
						76%	73%	72%	71%	70%	73%	71%	70%	70%	70%	67%	71%	68%	70%	70%	68%	69%	66%	67%	67%			
Working from the office	-	-	-	-	-	1392	1363	1356	1356	1386	1352	1394	1343	1294	1300	1292	2057	1310	1371	1322	1310	1365	1305	1367	1259			
						69%	67%	66%	66%	67%	69%	70%	68%	66%	66%	66%	65%	65%	67%	67%	66%	69%	65%	70%	64%			
Going to the gym/work out class	-	-	-	-	-	1271	1227	1212	1230	1237	1184	1179	1198	1156	1228	1113	1859	1155	1228	1139	1126	1144	1141	1168	1127			
						63%	60%	59%	60%	60%	60%	59%	61%	59%	63%	57%	59%	59%	62%	58%	58%	57%	57%	59%	57%			
Traveling on an airplane	-	-	-	-	-	1306	1292	1292	1211	1252	1154	1168	1200	1177	1209	1138	1847	1124	1166	1087	1196	1145	1036	1136	1101			
						65%	64%	63%	59%	61%	59%	61%	61%	60%	62%	58%	58%	57%	59%	55%	60%	52%	58%	56%	56%			
Going to my local coffee shop	-	-	-	-	-	1155	1089	1156	1084	1078	1028	1027	1073	1053	1123	1058	1735	1061	1098	1058	1077	1071	1002	1037	1038			
						57%	54%	56%	53%	52%	51%	51%	53%	53%	57%	54%	55%	54%	56%	54%	54%	50%	50%	53%	53%			
Watching sports on TV	-	-	-	-	-	1103	1120	1033	1076	1112	1029	1022	1067	1021	1054	1046	1688	1048	1087	1063	1029	1104	1065	1047	1034			
						55%	53%	53%	53%	54%	52%	51%	54%	52%	54%	53%	53%	54%	52%	54%	52%	55%	53%	53%	53%			
Going to a movie theatre	-	-	-	-	-	1120	1057	1058	1046	1077	1057	1019	1099	964	1035	960	1633	996	1045	988	993	975	936	945	945			
						59%	52%	52%	51%	52%	54%	51%	51%	49%	53%	49%	52%	51%	53%	50%	49%	49%	47%	48%	48%			
Going to church	-	-	-	-	-	1030	1071	1059	1028	1076	989	1031	985	991	981	962	1656	962	946	976	980	1041	976	1011	937			
						51%	53%	52%	50%	52%	50%	52%	50%	50%	50%	49%	49%	49%	48%	48%	48%	45%	45%	45%	46%			
Attending events like concerts, theatre and sporting events	-	-	-	-	-	1097	1045	978	970	1033	973	905	994	958	1001	869	1557	936	937	910	938	904	901	885	907			
						54%	51%	48%	48%	50%	50%	45%	51%	49%	51%	44%	49%	44%	48%	47%	46%	45%	45%	45%	46%			
Going to a social gathering	-	-	-	-	-	822	841	769	742	756	719	676	793	749	758	706	1170	752	773	726	774	715	733	735	783			
						41%	41%	38%	36%	37%	37%	34%	40%	38%	39%	36%	37%	38%	38%	37%	37%	36%	37%	37%	40%			
Shopping in stores	-	-	-	-	-	672	648	651	645	621	663	620	711	653	752	630	993	673	728	697	713	741	680	739	665			
						33%	32%	32%	32%	30%	34%	31%	36%	33%	38%	32%	31%	34%	37%	35%	36%	36%	34%	38%	34%			
In person celebrations (e.g., birthdays, graduations)	-	-	-	-	-	-	-	-	-	-	-	-	-	642	674	600	1001	629	657	622	649	616	618	642	625			
														33%	34%	33%	34%	32%	32%	33%	32%	33%	31%	31%	32%			
Dining out at a restaurant/bar	-	-	-	-	-	608	537	527	518	573	559	487	565	508	599	505	888	568	616	547	603	566	572	554	580			
						30%	26%	26%	25%	28%	29%	24%	29%	26%	31%	26%	29%	28%	28%	28%	28%	30%	28%	28%	30%			
Gatherings with friends and family	-	-	-	-	-	519	450	445	460	483	459	388	492	486	547	471	759	477	524	467	517	507	446	522	490			
						26%	22%	22%	23%	23%	23%	19%	25%	25%	28%	24%	24%	24%	24%	27%	24%	26%	25%	22%	27%	25%		

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 221

FR05_1 How much would you say you miss each of the following during this time of virus-related restrictions?
 Traveling on an airplane

Base: All Respondents

	Waves																									
	Wave 2 (3/14 -3/15)	Wave 3 (3/17 -3/18)	Wave 4 (3/21 -3/23)	Wave 5 (3/28 -3/30)	Wave 6 (4/3 -4/5)	Wave 7 (4/11 -4/13)	Wave 8 (4/18 -4/20)	Wave 9 (4/25 -4/27)	Wave 10 (5/1 -5/3)	Wave 11 (5/8 -5/10)	Wave 12 (5/15 -5/17)	Wave 13 (5/27 -5/28)	Wave 14 (5/29 -5/31)	Wave 15 (6/6 -6/8)	Wave 16 (6/13 -6/15)	Wave 17 (6/18 -6/20)	Wave 18 (6/26 -6/29)	Wave 19 (7/2 -7/4)	Wave 20 (7/10 -7/12)	Wave 21 (7/17 -7/19)	Wave 22 (7/24 -7/26)	Wave 23 (7/31 -8/2)	Wave 24 (8/7 -8/9)	Wave 25 (8/14 -8/16)	Wave 26 (8/21 -8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	707	737	758	828	815	807	828	765	792	754	824	1314	833	808	883	792	847	959	831	861	
A lot	-	-	-	-	-	301	308	304	355	356	312	334	372	377	296	357	551	383	363	396	337	371	426	354	417	
Somewhat	-	-	-	-	-	406	429	454	473	459	495	494	392	415	457	467	763	450	445	488	455	476	533	476	444	
Not At All/Not Very (Net)	-	-	-	-	-	1306	1292	1292	1211	1252	1154	1168	1200	1177	1209	1138	1847	1124	1166	1087	1196	1145	1036	1136	1101	
Not very	-	-	-	-	-	343	405	352	360	422	375	374	322	339	341	316	544	305	320	319	347	336	318	357	312	
Not at all	-	-	-	-	-	963	887	940	852	830	779	794	878	838	869	822	1303	819	846	768	849	809	718	779	789	
Sigma	-	-	-	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

FR05_2 How much would you say you miss each of the following during this time of virus-related restrictions?
 Going to a movie theatre

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/16-8/18)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	893	972	992	993	989	904	977	956	1005	928	1002	1528	961	929	982	995	1017	1059	1022	1017	
A lot	-	-	-	-	-	396	345	423	447	411	379	402	411	410	402	441	693	443	421	469	455	462	454	454	469	
Somewhat	-	-	-	-	-	9	9	9	9	9	9	9	9	9	9	16K	6K	16K	16K	16K	16K	16K	16K	16K	16K	
Not At All/Not Very (Net)	-	-	-	-	-	1120	1057	1058	1046	1077	1057	1019	1009	984	1035	960	1633	996	1045	988	993	975	936	945	945	
Not very	-	-	-	-	-	358	361	350	364	375	363	379	333	325	352	328	607	345	365	348	348	327	354	325	303	
Not at all	-	-	-	-	-	762	696	707	682	703	674	640	675	639	684	633	1027	651	680	640	645	648	582	620	642	
Sigma	-	-	-	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 223

FR05_3 How much would you say you miss each of the following during this time of virus-related restrictions?
Shopping in stores

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/17-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/20-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	1341	1381	1399	1394	1445	1298	1376	1254	1316	1211	1332	2168	1284	1246	1273	1275	1251	1315	1228	1297	
A lot	-	-	-	-	-	67%	68%	68%	68%	70%	66%	69%	64%	67%	62%	68%	69%	66%	63%	65%	64%	63%	66%	62%	66%	
Somewhat	-	-	-	-	-	625	577	557	558	576	497	577	512	551	480	525	814	500	501	509	491	499	506	475	575	
Not At All/Not Very (Net)	-	-	-	-	-	31%	28%	27%	27%	28%	25%	29%	26%	28%	24%	27%	26%	26%	25%	25%	25%	25%	25%	24%	29%	
Not very	-	-	-	-	-	716	804	842	836	869	801	799	742	764	731	806	1353	784	744	764	785	752	809	753	722	
Not at all	-	-	-	-	-	36%	40%	41%	41%	42%	41%	40%	38%	39%	37%	41%	43%	40%	38%	39%	38%	38%	41%	38%	37%	
Sigma	-	-	-	-	-	672	648	651	645	621	663	620	711	653	752	630	993	673	728	697	713	741	680	739	665	
	-	-	-	-	-	33%	32%	32%	32%	30%	34%	31%	36%	33%	38%	32%	31%	34%	37%	35%	36%	37%	34%	38%	34%	
	-	-	-	-	-	396	365	363	405	362	400	384	427	380	416	390	584	391	413	407	410	444	417	428	373	
	-	-	-	-	-	20%	18%	18%	20%	18%	19%	19%	22%	19%	21%	20%	18%	20%	21%	21%	21%	22%	21%	22%	19%	
	-	-	-	-	-	275	263	287	239	259	263	236	284	274	334	240	410	282	316	289	294	297	264	311	291	
	-	-	-	-	-	14%	14%	14%	12%	13%	13%	12%	14%	14%	17%	12%	13%	14%	16%	15%	15%	15%	13%	16%	15%	
	-	-	-	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 224

FR05_4 How much would you say you miss each of the following during this time of virus-related restrictions?
 Working from the office

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	621 31%	666 33%	694 34%	683 34%	680 33%	609 31%	602 30%	622 32%	675 34%	663 34%	670 34%	1104 35%	647 33%	603 31%	648 33%	678 34%	627 31%	690 33%	600 30%	703 36%	
A lot	-	-	-	-	-	261 13%	246 12%	301 15%	268 13%	266 13%	213 11%	223 11%	253 13%	272 14%	252 13%	276 14%	472 15%	269 14%	247 12%	274 14%	277 14%	231 12%	297 15%	258 13%	317 16%	
Somewhat	-	-	-	-	-	360 18%	420 21%	393 19%	415 20%	414 20%	395 19%	379 19%	369 19%	404 20%	411 21%	394 20%	632 20%	378 19%	356 18%	373 19%	401 20%	396 20%	393 20%	342 17%	385 20%	
Not At All/Not Very (Net)	-	-	-	-	-	1392 69%	1363 67%	1356 66%	1356 66%	1386 67%	1352 68%	1394 70%	1343 68%	1294 66%	1300 66%	1292 66%	2057 65%	1310 67%	1371 69%	1322 67%	1310 66%	1365 69%	1305 65%	1367 70%	1259 64%	
Not very	-	-	-	-	-	270 13%	296 15%	323 16%	333 16%	325 16%	321 16%	289 14%	300 15%	290 15%	297 15%	280 14%	486 15%	310 16%	307 16%	319 16%	298 15%	312 16%	277 14%	341 17%	272 14%	
Not at all	-	-	-	-	-	1123 56%	1067 53%	1033 50%	1023 50%	1061 51%	1031 51%	1105 55%	963 49%	1004 51%	1003 51%	1011 52%	1570 50%	1000 51%	1064 54%	1003 51%	1012 51%	1053 53%	1027 51%	1028 52%	987 50%	
Sigma	-	-	-	-	-	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 225

FR05_5 How much would you say you miss each of the following during this time of virus-related restrictions?
Attending events like concerts, theatre and sporting events

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/28)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/2-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/16-8/18)	(8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	916	984	1072	1069	1033	988	1091	971	1011	962	1093	1604	1021	1037	1060	1050	1088	1094	1082	1055	
A lot	-	-	-	-	-	430	426	503	473	438	422	467	457	485	442	516	730	451	482	480	469	535	509	500	515	
Somewhat	-	-	-	-	-	486	558	569	595	596	566	624	514	526	520	577	874	570	555	580	581	553	585	581	539	
Not At All/Not Very (Net)	-	-	-	-	-	1097	1045	978	970	1033	973	905	994	958	1001	869	1557	936	937	910	938	904	901	885	907	
Not very	-	-	-	-	-	394	357	304	362	375	344	331	324	347	353	312	536	320	313	334	364	305	309	338	324	
Not at all	-	-	-	-	-	703	688	674	608	658	629	574	670	612	647	557	1021	616	625	576	574	599	582	547	583	
Sigma	-	-	-	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 226

FR05_6 How much would you say you miss each of the following during this time of virus-related restrictions?
 Dining out at a restaurant/bar

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/20-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/4-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (8/2-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	1405	1492	1523	1521	1493	1402	1509	1400	1461	1364	1457	2273	1389	1358	1423	1385	1426	1423	1413	1382	
A lot	-	-	-	-	-	70%	74%	74%	75%	72%	71%	76%	71%	74%	69%	74%	72%	71%	69%	72%	70%	72%	71%	72%	70%	
Somewhat	-	-	-	-	-	33%	35%	36%	37%	38%	33%	37%	35%	36%	32%	36%	34%	32%	32%	32%	32%	31%	32%	35%	36%	
Not At All/Not Very (Net)	-	-	-	-	-	735	783	786	764	707	746	775	704	750	732	747	1202	757	728	730	772	781	728	703	668	
Not very	-	-	-	-	-	30%	26%	26%	25%	28%	29%	24%	29%	26%	31%	26%	28%	29%	31%	28%	30%	28%	29%	28%	30%	
Not at all	-	-	-	-	-	287	251	225	261	273	278	260	252	233	291	237	384	257	291	252	295	254	277	275	279	
Sigma	-	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 227

FR05_7 How much would you say you miss each of the following during this time of virus-related restrictions?
Watching sports on TV

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	910	909	1017	963	955	932	974	898	948	909	916	1473	909	887	907	959	888	930	920	928	
A lot	-	-	-	-	-	45%	45%	50%	47%	46%	48%	49%	46%	46%	46%	47%	47%	46%	45%	46%	48%	45%	47%	47%	47%	
Somewhat	-	-	-	-	-	481	478	541	502	501	476	537	505	529	483	470	737	508	434	491	459	392	457	456	476	
Not At All/Not Very (Net)	-	-	-	-	-	1103	1120	1033	1076	1112	1029	1022	1067	1021	1054	1046	1688	1048	1087	1063	1029	1104	1065	1047	1034	
Not very	-	-	-	-	-	55%	55%	50%	53%	54%	52%	51%	54%	52%	54%	53%	54%	54%	55%	54%	55%	55%	53%	53%	53%	
Not at all	-	-	-	-	-	314	287	250	322	327	292	280	306	292	336	334	508	281	285	296	328	341	290	361	327	
Sigma	-	-	-	-	-	789	833	783	754	785	736	742	761	729	718	1180	768	801	767	701	763	775	685	707	707	
	-	-	-	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 228

FR05_8 How much would you say you miss each of the following during this time of virus-related restrictions?
 Gatherings with friends and family

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	1494	1579	1605	1579	1584	1502	1608	1473	1483	1416	1491	2402	1480	1450	1503	1471	1485	1549	1445	1472	
A lot	-	-	-	-	-	833	891	941	899	906	813	925	783	806	737	841	1268	817	742	824	765	773	827	755	819	
Somewhat	-	-	-	-	-	661	688	664	680	677	689	683	690	677	679	650	1135	663	708	679	706	713	722	690	653	
Not At All/Not Very (Net)	-	-	-	-	-	519	450	445	460	483	459	388	492	486	547	471	759	477	524	467	517	507	446	522	490	
Not very	-	-	-	-	-	230	208	204	240	250	248	198	216	251	273	242	383	240	255	244	276	231	212	277	238	
Not at all	-	-	-	-	-	288	242	242	220	233	211	190	277	235	268	229	376	237	269	223	240	276	234	245	251	
Sigma	-	-	-	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 229

FR05_9 How much would you say you miss each of the following during this time of virus-related restrictions?
 Going to church

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/20-6/29)	Wave 18 (7/2-7/4)	Wave 19 (7/10-7/12)	Wave 20 (7/17-7/19)	Wave 21 (7/24-7/26)	Wave 22 (7/31-8/2)	Wave 23 (8/7-8/9)	Wave 24 (8/14-8/16)	Wave 25 (8/21-8/23)	Wave 26 (8/28-8/30)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	983	958	991	1011	990	972	965	980	978	982	1000	1505	995	1028	994	1008	951	1019	956	1025	
						49%	47%	48%	50%	48%	50%	48%	50%	50%	50%	51%	48%	51%	52%	50%	51%	48%	51%	49%	52%	
A lot	-	-	-	-	-	504	514	527	527	523	518	496	496	525	516	515	760	558	507	510	517	483	534	506	540	
						25%	25%	26%	26%	25%	26%	25%	27%	26%	26%	24%	29%	26%	26%	26%	24%	24%	27%	26%	26%	
Somewhat	-	-	-	-	-	479	444	464	484	467	455	469	484	453	466	485	745	436	521	484	491	469	485	451	485	
						24%	22%	23%	24%	23%	23%	24%	25%	23%	24%	24%	24%	22%	26%	25%	25%	24%	24%	23%	25%	
Not At All/Not Very (Net)	-	-	-	-	-	1030	1071	1059	1028	1076	989	1031	985	991	981	962	1656	962	946	976	980	1041	976	1011	937	
						51%	53%	52%	50%	52%	50%	52%	50%	50%	50%	49%	52%	49%	48%	50%	49%	52%	49%	51%	48%	
Not very	-	-	-	-	-	263	294	269	311	321	279	318	252	308	284	286	440	275	281	308	300	291	284	326	267	
						13%	14%	13%	15%	16%	14%	16%	13%	16%	14%	15%	14%	14%	14%	16%	15%	15%	14%	17%	14%	
Not at all	-	-	-	-	-	767	777	790	718	756	709	713	734	683	697	677	1217	687	665	668	680	750	682	684	671	
						38%	38%	39%	35%	37%	36%	36%	37%	35%	35%	34%	38%	35%	34%	34%	34%	38%	35%	35%	34%	
Sigma	-	-	-	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
						100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 230

FR05_10 How much would you say you miss each of the following during this time of virus-related restrictions?
 Going to school or university

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/20-6/29)	Wave 18 (6/26-7/4)	Wave 19 (7/2-7/12)	Wave 20 (7/19-7/19)	Wave 21 (7/17-7/24)	Wave 22 (7/31-8/2)	Wave 23 (8/7-8/9)	Wave 24 (8/14-8/16)	Wave 25 (8/21-8/23)	Wave 26 (8/23-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	488	538	583	598	611	533	575	581	593	580	642	930	622	602	591	633	616	672	642	647	
A lot	-	-	-	-	-	24%	27%	28%	29%	30%	27%	29%	29%	30%	30%	33%	29%	32%	30%	30%	32%	31%	34%	33%	33%	
Somewhat	-	-	-	-	-	12%	11%	13%	13%	13%	11%	13%	13%	14%	13%	14%	13%	15%	15%	15%	13%	14%	16%	15%	16%	
Not At All/Not Very (Net)	-	-	-	-	-	1525	1491	1467	1441	1456	1428	1421	1384	1376	1383	1320	2231	1335	1372	1379	1355	1376	1323	1325	1315	
Not very	-	-	-	-	-	76%	73%	72%	71%	70%	73%	71%	70%	70%	70%	67%	71%	70%	70%	70%	68%	69%	66%	67%	67%	
Not at all	-	-	-	-	-	225	277	263	287	278	311	254	281	268	293	276	410	265	275	271	303	285	265	282	250	
Sigma	-	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 231

FR05_13 How much would you say you miss each of the following during this time of virus-related restrictions?
 Going to the gym/work out class

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/24)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/2-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	742	802	838	809	829	777	817	767	813	735	849	1302	802	746	831	862	848	854	799	835	
A lot	-	-	-	-	-	347	352	430	408	415	374	380	380	408	331	369	631	403	355	416	396	409	402	400	407	
Somewhat	-	-	-	-	-	395	450	409	400	414	403	437	388	405	404	480	670	400	391	415	466	439	452	399	428	
Not At All/Not Very (Net)	-	-	-	-	-	1271	1227	1212	1230	1237	1184	1179	1198	1156	1228	1113	1859	1155	1228	1139	1126	1144	1141	1168	1127	
Not very	-	-	-	-	-	294	305	299	359	313	323	344	302	280	302	313	503	266	302	288	289	288	260	316	279	
Not at all	-	-	-	-	-	977	923	913	872	924	861	836	896	876	926	800	1356	889	927	851	837	856	881	852	847	
Sigma	-	-	-	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 232

FR05_14 How much would you say you miss each of the following during this time of virus-related restrictions?
 Going to a social gathering,

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/24)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/2-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	1191	1188	1281	1297	1310	1242	1320	1172	1220	1205	1256	1991	1205	1201	1244	1214	1277	1262	1232	1179	
A lot	-	-	-	-	-	509	524	544	583	586	505	551	495	524	506	558	849	533	513	568	525	556	527	545	553	
Somewhat	-	-	-	-	-	682	664	737	713	724	737	769	677	696	700	698	1142	672	688	675	689	720	734	686	626	
Not At All/Not Very (Net)	-	-	-	-	-	822	841	769	742	756	719	676	793	749	758	706	1170	752	773	726	774	715	733	735	783	
Not very	-	-	-	-	-	356	359	330	343	309	336	318	299	333	310	339	524	312	328	305	357	302	321	324	317	
Not at all	-	-	-	-	-	466	483	439	399	447	383	358	503	416	448	367	647	439	445	422	417	413	411	466		
Sigma	-	-	-	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 233

FR05_15 How much would you say you miss each of the following during this time of virus-related restrictions?
Going to my local coffee shop

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	858	940	894	955	988	933	969	892	916	840	904	1426	896	876	912	911	921	993	930	924	
A lot	-	-	-	-	-	43%	46%	44%	47%	48%	48%	49%	45%	47%	43%	46%	45%	46%	44%	46%	46%	46%	50%	47%	47%	
Somewhat	-	-	-	-	-	18%	19%	18%	19%	19%	20%	18%	19%	19%	18%	19%	18%	17%	19%	18%	19%	18%	21%	20%	22%	
Not At All/Not Very (Net)	-	-	-	-	-	1155	1089	1156	1084	1078	1028	1027	1073	1053	1123	1058	1735	1061	1098	1058	1077	1071	1002	1037	1038	
Not very	-	-	-	-	-	57%	54%	56%	53%	52%	51%	55%	53%	57%	54%	55%	54%	56%	54%	56%	54%	54%	50%	53%	53%	
Not at all	-	-	-	-	-	17%	17%	18%	19%	17%	17%	19%	17%	18%	16%	19%	17%	17%	17%	18%	18%	18%	18%	17%	19%	
Sigma	-	-	-	-	-	813	740	790	704	727	668	688	707	702	769	736	1131	727	724	696	703	725	689	709	665	
	-	-	-	-	-	40%	36%	39%	35%	35%	34%	34%	36%	36%	38%	38%	38%	37%	37%	35%	35%	36%	35%	36%	34%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 234

FR05_16 How much would you say you miss each of the following during this time of virus-related restrictions?
 In person celebrations (e.g., birthdays, graduations)

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
A Lot/Somewhat (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	1327 67%	1289 66%	1362 69%	2160 68%	1328 68%	1317 67%	1348 68%	1339 67%	1376 69%	1377 69%	1325 67%	1337 68%	
A lot	-	-	-	-	-	-	-	-	-	-	-	-	-	700 36%	625 32%	721 37%	1060 34%	661 34%	670 34%	677 34%	668 34%	708 36%	690 35%	694 35%	689 35%	
Somewhat	-	-	-	-	-	-	-	-	-	-	-	-	-	627 32%	664 34%	640 33%	1100 35%	667 34%	647 33%	671 34%	671 34%	668 34%	686 34%	631 32%	648 33%	
Not At All/Not Very (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	642 33%	674 34%	600 31%	1001 32%	629 32%	657 33%	622 32%	649 33%	616 31%	618 31%	642 32%	625 32%	
Not very	-	-	-	-	-	-	-	-	-	-	-	-	-	308 16%	284 14%	293 15%	410 13%	246 13%	278 14%	279 14%	315 16%	247 12%	273 14%	299 15%	277 14%	
Not at all	-	-	-	-	-	-	-	-	-	-	-	-	-	334 17%	389 20%	307 16%	590 19%	383 20%	378 19%	343 17%	335 17%	369 19%	345 17%	343 18%	348 18%	
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

COV04 How concerned are you of a new wave of COVID-19 outbreak in your area?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963	-	3161	-	1974	-	1988	-	-	1967	1962	
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	1963	**	3161	**	1974	**	1988	**	**	1967	1962	
Very/Somewhat Concerned (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1544 79%	-	2566 81%	-	1573 80%	-	1592 80%	-	-	1555 79%	1610 82%	
Very concerned	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777 40%	-	1406 44%	-	870 44%	-	920 46%	-	-	840 43%	885 45%	
Somewhat concerned	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767 39%	-	1161 37%	-	704 36%	-	672 34%	-	-	714 36%	725 37%	
Not At All/Not Very Concerned (Net)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	419 21%	-	595 19%	-	401 20%	-	396 20%	-	-	412 21%	352 18%	
Not very concerned	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266 14%	-	378 12%	-	257 13%	-	263 13%	-	-	295 15%	246 13%	
Not at all concerned	-	-	-	-	-	-	-	-	-	-	-	-	-	-	153 8%	-	217 7%	-	143 7%	-	133 7%	-	-	117 6%	107 5%	
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1963 100%	-	3161 100%	-	1974 100%	-	1988 100%	-	-	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 236

Q22 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system?

Summary Of Concerned

Base: All Respondents

	Waves																								
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/1-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/28-4/29)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (6/9-6/10)	Wave 15 (6/13-6/15)	Wave 16 (6/18-6/20)	Wave 17 (6/26-6/29)	Wave 18 (7/1-7/4)	Wave 19 (7/10-7/12)	Wave 20 (7/17-7/19)	Wave 21 (7/24-7/26)	Wave 22 (7/31-8/2)	Wave 23 (8/7-8/9)	Wave 24 (8/14-8/16)	Wave 25 (8/21-8/23)	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	2050	2019	2023	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Weighted Base	2050	2019	2023	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Healthcare workers (doctors, nurses, supporting staff)	1608 73%	1618 80%	1780 88%	-	-	1763 85%	1727 83%	1727 84%	1691 83%	1631 73%	1548 73%	1588 80%	1541 78%	1563 79%	1484 76%	1554 73%	2485 86%	1678 73%	1554 79%	1642 83%	1594 80%	1576 79%	1595 80%	1538 78%	1549 79%
Hospital beds (room for patients)	1540 75%	1554 77%	1740 86%	-	-	1644 82%	1593 79%	1563 76%	1517 74%	1472 71%	1408 72%	1412 71%	1396 71%	1395 71%	1380 70%	1403 72%	2378 75%	1582 81%	1466 74%	1562 79%	1483 75%	1495 75%	1516 76%	1434 73%	1488 75%
Hospital ventilators (for assisted breathing)	1525 74%	1547 77%	1738 86%	-	-	1688 84%	1631 80%	1606 78%	1561 77%	1516 75%	1420 72%	1443 72%	1398 71%	1422 72%	1353 69%	1399 71%	2329 74%	1532 78%	1438 73%	1528 78%	1471 74%	1472 74%	1498 75%	1418 72%	1446 74%
Testing kits for COVID-19	1538 75%	1479 73%	1660 82%	-	-	1688 84%	1651 81%	1644 80%	1627 80%	1530 78%	1494 76%	1478 78%	1419 72%	1459 74%	1346 69%	1394 71%	2215 70%	1454 74%	1388 70%	1482 75%	1435 72%	1427 72%	1483 73%	1406 71%	1435 73%
Surgical masks and gloves	1395 68%	1424 71%	1672 83%	-	-	1692 84%	1671 82%	1683 82%	1638 80%	1540 75%	1508 77%	1475 74%	1411 72%	1443 73%	1367 70%	1372 70%	2325 74%	1510 77%	1407 71%	1485 75%	1425 72%	1442 72%	1472 73%	1396 71%	1407 72%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

Q22 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system?

Summary Of Not At All / Not Very Concerned

Base: All Respondents

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	2050	2019	2023	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Weighted Base	2050	2019	2023	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Surgical masks and gloves	655 32%	595 29%	351 17%	-	-	321 16%	358 18%	367 18%	401 21%	526 25%	453 23%	521 26%	554 28%	526 27%	596 30%	590 30%	836 26%	447 23%	567 29%	485 25%	563 28%	550 28%	523 28%	571 29%	555 28%
Testing kits for COVID-19	512 25%	540 27%	363 18%	-	-	325 16%	378 19%	406 20%	412 20%	536 25%	467 24%	518 26%	546 26%	510 26%	617 31%	568 29%	946 30%	503 26%	586 30%	488 25%	553 28%	565 28%	512 28%	561 29%	527 27%
Hospital ventilators (for assisted breathing)	525 26%	472 23%	285 14%	-	-	325 16%	398 20%	444 22%	478 23%	550 27%	541 28%	553 29%	567 29%	547 28%	610 31%	563 29%	832 26%	425 22%	536 27%	442 22%	517 27%	520 28%	497 25%	549 28%	516 26%
Hospital beds (room for patients)	510 25%	465 23%	283 14%	-	-	369 18%	436 21%	487 24%	522 26%	594 29%	553 28%	584 29%	569 29%	574 29%	583 30%	559 28%	783 25%	375 19%	508 26%	408 19%	505 25%	497 25%	479 24%	533 27%	494 25%
Healthcare workers (doctors, nurses, supporting staff)	442 22%	401 20%	243 12%	-	-	250 12%	302 15%	323 16%	348 17%	435 21%	398 21%	424 20%	406 22%	479 21%	408 21%	676 21%	279 14%	420 21%	328 17%	394 20%	416 21%	400 20%	429 22%	413 21%	413 21%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

Q22_1 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system?

Surgical masks and gloves

Base: All Respondents

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(3/14 - 3/15)	(3/17 - 3/18)	(3/21 - 3/23)	(3/28 - 3/30)	(4/1 - 4/5)	(4/11 - 4/13)	(4/18 - 4/20)	(4/25 - 4/27)	(5/1 - 5/3)	(5/8 - 5/10)	(5/15 - 5/17)	(5/22 - 5/24)	(5/29 - 5/31)	(6/4 - 6/8)	(6/13 - 6/15)	(6/18 - 6/20)	(6/26 - 6/29)	(7/4 - 7/4)	(7/10 - 7/12)	(7/17 - 7/19)	(7/24 - 7/26)	(7/31 - 8/2)	(8/7 - 8/9)	(8/14 - 8/16)	(8/21 - 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	2050	2019	2023	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Weighted Base	2050	2019	2023	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Very/Somewhat Concerned (Net)	1395	1424	1672	-	-	1692	1671	1683	1638	1540	1508	1475	1411	1443	1367	1372	2325	1510	1407	1485	1425	1442	1472	1396	1407
Very concerned	644	743	1089	-	-	1068	1036	1001	1026	880	856	815	773	776	738	725	1261	900	792	904	801	787	798	713	793
Somewhat concerned	751	682	583	-	-	624	635	681	612	660	652	660	638	667	629	647	1085	610	615	582	624	655	675	683	613
Not At All/Not Very Concerned (Net)	655	595	351	-	-	321	358	367	401	526	453	521	554	526	596	590	836	447	567	485	563	550	523	571	555
Not very concerned	393	351	231	-	-	215	235	213	258	316	275	327	342	340	345	370	498	279	340	288	368	313	300	349	343
Not at all concerned	262	243	120	-	-	106	123	155	143	210	178	194	212	186	252	220	337	168	226	196	194	237	223	222	212
Sigma	2050	2019	2023	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
	100%	100%	100%	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

Q22_2 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system?

Testing kits for COVID-19

Base: All Respondents

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	2050	2019	2023	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Weighted Base	2050	2019	2023	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Very/Somewhat Concerned (Net)	1538	1479	1660	-	-	1688	1681	1644	1627	1530	1494	1478	1419	1459	1346	1394	2215	1454	1388	1482	1435	1427	1483	1406	1435
Very concerned	834	828	1009	-	-	1076	1018	1045	1045	881	900	802	799	788	710	757	1195	817	764	873	808	807	801	725	812
Somewhat concerned	704	651	651	-	-	612	633	599	581	649	594	675	620	670	636	637	1020	636	624	609	627	620	682	681	623
Not At All/Not Very Concerned (Net)	512	540	363	-	-	325	378	406	412	536	467	518	546	510	617	568	946	503	586	488	553	565	512	561	527
Not very concerned	309	343	250	-	-	203	242	241	264	345	280	306	314	315	358	351	600	327	352	269	322	325	317	352	318
Not at all concerned	203	198	113	-	-	122	136	164	149	192	187	212	231	196	260	217	346	176	234	219	231	241	195	210	209
Sigma	2050	2019	2023	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
	100%	100%	100%	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q22_3 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system?

Hospital beds (room for patients)

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14 - 3/15)	(3/17 - 3/18)	(3/21 - 3/23)	(3/28 - 3/30)	(4/1 - 4/5)	(4/11 - 4/13)	(4/18 - 4/20)	(4/28 - 4/29)	(5/1 - 5/3)	(5/8 - 5/10)	(5/15 - 5/17)	(5/22 - 5/23)	(5/29 - 5/31)	(6/6 - 6/8)	(6/13 - 6/15)	(6/18 - 6/20)	(6/26 - 6/29)	(7/2 - 7/4)	(7/10 - 7/12)	(7/17 - 7/19)	(7/24 - 7/26)	(7/31 - 8/2)	(8/7 - 8/9)	(8/14 - 8/16)	(8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Very/Somewhat Concerned (Net)	1540	1554	1740	-	-	1644	1593	1563	1517	1472	1408	1412	1396	1395	1380	1403	2378	1582	1466	1562	1483	1495	1516	1434	1468	
Very concerned	766	857	1075	-	-	959	882	854	806	742	722	718	711	732	684	727	1275	883	826	935	837	857	828	737	816	
Somewhat concerned	774	697	665	-	-	685	712	709	711	731	686	695	686	663	696	676	1104	699	640	627	646	638	688	697	651	
Not At All/Not Very Concerned (Net)	510	465	283	-	-	369	436	487	522	594	553	584	569	574	583	559	783	375	508	408	505	497	479	533	494	
Not very concerned	301	282	196	-	-	255	287	308	342	402	334	349	340	336	338	367	464	231	285	231	314	288	279	351	295	
Not at all concerned	209	183	86	-	-	114	148	178	180	192	219	235	228	237	245	192	319	144	222	177	191	209	200	183	199	
Sigma	2050	2019	2023	-	-	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	100%	100%	100%	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 241

Q22_4 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system?

Hospital ventilators (for assisted breathing)

Base: All Respondents

	Waves																											
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26			
	(3/14 - 3/15)	(3/17 - 3/18)	(3/21 - 3/23)	(3/28 - 3/30)	(4/1 - 4/5)	(4/11 - 4/13)	(4/18 - 4/20)	(4/25 - 4/27)	(5/1 - 5/3)	(5/8 - 5/10)	(5/15 - 5/17)	(5/22 - 5/24)	(5/29 - 5/31)	(6/4 - 6/8)	(6/13 - 6/15)	(6/18 - 6/20)	(6/25 - 6/29)	(7/4 - 7/4)	(7/10 - 7/12)	(7/17 - 7/19)	(7/24 - 7/26)	(7/31 - 8/2)	(8/7 - 8/9)	(8/14 - 8/16)	(8/21 - 8/23)			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)			
Unweighted Base	2050	2019	2023	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962			
Weighted Base	2050	2019	2023	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962			
Very/Somewhat Concerned (Net)	1525 74%	1547 77%	1738 86%	-	-	1688 84%	1631 80%	1606 79%	1561 77%	1516 73%	1420 72%	1443 72%	1398 71%	1422 72%	1353 69%	1399 71%	2329 74%	1532 78%	1438 73%	1528 78%	1471 74%	1472 74%	1498 75%	1418 72%	1446 74%			
Very concerned	738 38%	842 42%	1151 57%	-	-	1047 52%	961 47%	925 45%	922 46%	847 41%	783 40%	777 39%	745 38%	780 40%	700 36%	726 37%	1245 39%	878 45%	809 41%	931 47%	803 40%	828 42%	811 41%	720 37%	837 43%			
Somewhat concerned	787 38%	705 35%	586 29%	-	-	641 32%	670 33%	682 33%	639 31%	670 32%	637 32%	666 33%	653 33%	642 33%	653 33%	674 34%	1084 34%	654 33%	629 32%	597 30%	667 34%	644 32%	687 34%	698 35%	608 31%			
Not At All/Not Very Concerned (Net)	525 26%	472 23%	285 14%	-	-	325 16%	398 20%	444 22%	478 23%	550 27%	541 28%	553 28%	567 29%	547 28%	610 31%	563 29%	832 26%	425 22%	536 27%	442 22%	517 26%	520 26%	497 25%	549 28%	516 26%			
Not very concerned	322 16%	280 14%	189 9%	-	-	220 11%	242 12%	259 13%	310 15%	336 16%	316 16%	347 17%	327 17%	319 16%	367 19%	366 19%	510 16%	255 13%	316 16%	241 12%	306 15%	282 14%	278 14%	343 17%	307 16%			
Not at all concerned	203 10%	192 9%	96 5%	-	-	106 5%	156 8%	185 9%	169 8%	214 10%	225 11%	205 10%	239 12%	229 12%	243 12%	197 10%	322 10%	170 9%	219 11%	202 10%	212 11%	239 12%	220 11%	207 11%	210 11%			
Sigma	2050 100%	2019 100%	2023 100%	-	-	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%			

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

Q22_5 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system?
Healthcare workers (doctors, nurses, supporting staff)

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14 - 3/15)	(3/17 - 3/18)	(3/21 - 3/23)	(3/28 - 3/30)	(4/1 - 4/5)	(4/11 - 4/13)	(4/18 - 4/20)	(4/25 - 4/27)	(5/1 - 5/3)	(5/8 - 5/10)	(5/15 - 5/17)	(5/22 - 5/24)	(5/29 - 5/31)	(6/4 - 6/8)	(6/13 - 6/20)	(6/18 - 6/20)	(6/26 - 6/29)	(7/2 - 7/4)	(7/10 - 7/12)	(7/17 - 7/19)	(7/24 - 7/26)	(7/31 - 8/2)	(8/7 - 8/9)	(8/14 - 8/16)	(8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Very/Somewhat Concerned (Net)	1608 78%	1618 80%	1780 88%	-	-	1763 86%	1727 83%	1727 84%	1691 83%	1631 80%	1548 79%	1598 80%	1541 78%	1563 79%	1484 76%	1554 79%	2485 86%	1678 83%	1554 83%	1642 80%	1594 79%	1576 80%	1595 80%	1538 78%	1549 79%	
Very concerned	863 42%	940 47%	1186 59%	-	-	1139 57%	1123 55%	1127 55%	1075 53%	977 47%	936 48%	955 48%	907 46%	932 47%	848 43%	906 46%	1445 52%	1024 49%	931 47%	1101 56%	947 48%	945 47%	955 48%	870 44%	960 49%	
Somewhat concerned	745 36%	678 34%	595 29%	-	-	623 31%	605 30%	600 30%	616 30%	655 32%	612 31%	643 32%	634 32%	631 32%	649 32%	649 33%	1040 33%	654 33%	622 32%	541 27%	647 32%	631 32%	639 34%	668 34%	589 30%	
Not At All/Not Very Concerned (Net)	442 22%	401 20%	243 12%	-	-	250 12%	302 15%	323 16%	348 17%	435 21%	413 21%	424 21%	406 20%	479 24%	408 21%	676 21%	279 14%	408 21%	420 21%	328 17%	394 20%	416 21%	400 20%	429 22%	413 21%	
Not very concerned	259 13%	235 12%	162 8%	-	-	149 7%	189 9%	198 10%	223 11%	264 13%	254 13%	229 11%	254 13%	238 12%	264 13%	251 13%	401 19%	170 9%	231 12%	180 9%	228 11%	229 11%	240 12%	258 13%	249 13%	
Not at all concerned	183 9%	166 8%	81 4%	-	-	102 5%	113 6%	125 6%	125 6%	171 8%	160 8%	168 8%	170 8%	167 8%	214 11%	157 8%	275 9%	109 6%	190 10%	148 8%	166 8%	187 9%	161 8%	171 9%	164 8%	
Sigma	2050 100%	2019 100%	2023 100%	-	-	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 243

FR11 How concerned are you about you or your loved one's risk of being exposed to coronavirus when you leave your home for essential errands during stay-home orders?

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/2 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	-	-	1988	-	-	1967	1962	
Weighted Base	**	**	**	**	**	**	**	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	-	-	1988	**	**	1967	1962	
Very/Somewhat Concerned (Net)	-	-	-	-	-	-	-	1646 80%	1632 80%	1543 75%	1510 77%	1528 77%	1498 76%	1500 76%	1427 73%	1491 76%	2428 77%	1579 81%	-	-	1528 77%	-	-	1490 76%	1578 80%	
Very concerned	-	-	-	-	-	-	-	856 42%	808 40%	742 36%	719 37%	706 35%	735 37%	764 38%	683 35%	746 38%	1224 38%	867 44%	-	-	835 42%	-	-	722 37%	858 44%	
Somewhat concerned	-	-	-	-	-	-	-	789 39%	823 40%	801 39%	792 40%	822 41%	764 38%	736 37%	744 38%	746 38%	1203 38%	712 36%	-	-	693 35%	-	-	769 38%	720 37%	
Not At All/Not Very Concerned (Net)	-	-	-	-	-	-	-	404 20%	407 20%	523 25%	451 23%	468 23%	467 24%	469 24%	536 27%	471 24%	733 23%	378 19%	-	-	460 23%	-	-	477 24%	384 20%	
Not very concerned	-	-	-	-	-	-	-	281 14%	289 14%	354 17%	327 17%	336 17%	294 15%	331 17%	352 18%	318 16%	479 15%	244 12%	-	-	304 15%	-	-	341 17%	255 13%	
Not at all concerned	-	-	-	-	-	-	-	123 6%	118 6%	169 8%	123 6%	132 7%	173 9%	138 7%	184 9%	153 8%	255 8%	134 7%	-	-	155 8%	-	-	136 7%	129 7%	
Sigma	-	-	-	-	-	-	-	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	-	-	1988 100%	-	-	1967 100%	1962 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 244

FR12 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus?

Summary Of Very/Somewhat Concerned

Base: All Respondents (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/23)	Wave 4 (3/21 - 3/30)	Wave 5 (3/28 - 4/5)	Wave 6 (4/3 - 4/11)	Wave 7 (4/11 - 4/20)	Wave 8 (4/18 - 4/27)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 7/4)	Wave 19 (7/5 - 7/12)	Wave 20 (7/10 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26 (8/23 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Returning to my normal activities in public (e.g., public transit, socializing)	-	-	-	-	-	-	-	1504	1521	1471	1421	1470	1362	1333	1351	1403	2304	1485	1387	1493	1477	1439	1465	1416	1432	
								73%	75%	71%	72%	74%	69%	68%	69%	71%	73%	76%	70%	76%	74%	72%	73%	72%	73%	
								MNOs	JMNOPs	n	mNo	MNOs				N	MNO	JMNOPs		JMNOS	No	MNOs	No	mNO		
Leaving my home to go to non-essential businesses (e.g., bars, hair dressers, etc.)	-	-	-	-	-	-	-	1387	1441	1345	1317	1327	1296	1228	1252	1258	2161	1376	1289	1410	1406	1323	1347	1315	1400	
								68%	71%	65%	67%	66%	66%	62%	64%	64%	68%	70%	65%	72%	71%	66%	68%	67%	71%	
								NOp	JMNOPs	n	No	N	n				JNOP	JMNOPs		JMNOPs	N	Nop	N	N	JMNOPs	
My kids going back to school for the first time	-	-	-	-	-	-	-	771	780	689	721	649	698	762	764	747	1170	776	717	790	840	758	794	779	797	
								66%	66%	60%	62%	59%	63%	67%	67%	65%	66%	71%	63%	70%	70%	64%	67%	68%	71%	
								JL	JL				JkL	JkL	JL	JL	JkLNpS		JkLNpS	JkLNpS	JkLNpS	JkLNpS	JkLNpS	JkLNpS	JkLNpS	
Taking my first flight	-	-	-	-	-	-	-	1344	1498	1414	1353	1332	1374	1286	1327	1307	2208	1392	1272	1348	1397	1300	1353	1369	1343	
								66%	73%	68%	69%	67%	70%	65%	68%	67%	70%	71%	64%	68%	70%	65%	68%	70%	68%	
								hNSV	hNSV	hNSV	hNSV	HINpSV	HINpSV				HINpSV	HINpSV		HINpSV	s	HNSV	s	HNSV	s	
Going back to the office	-	-	-	-	-	-	-	777	767	747	674	612	647	618	699	668	1160	757	609	736	753	732	705	693	717	
								63%	65%	61%	61%	57%	60%	57%	58%	58%	63%	67%	57%	66%	63%	61%	60%	62%	66%	
								LNpS	LnNpS	n	n	n	n	LNS	LNS	JLNpS	JLNpS	JLNpS	JLNpS	JLNpS	JLNpS	JLNpS	JLNpS	JLNpS	JLNpS	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR12 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus?

Summary Of Not At All/Not Very Concerned

Base: All Respondents (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/2 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/4 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Going back to the office	-	-	-	-	-	-	-	458 37%	417 35%	474 39%	422 39%	458 43%	429 40%	471 43%	416 37%	477 42%	667 37%	372 33%	459 43%	386 34%	441 37%	477 39%	461 40%	421 38%	374 34%	
Taking my first flight	-	-	-	-	-	-	-	706 34%	541 27%	652 32%	608 31%	664 35%	591 30%	683 35%	636 32%	655 33%	953 30%	565 29%	702 36%	622 32%	591 30%	692 35%	642 32%	598 30%	619 32%	
My kids going back to school for the first time	-	-	-	-	-	-	-	402 34%	408 34%	459 40%	441 38%	444 41%	409 37%	379 33%	384 33%	401 35%	612 34%	323 29%	429 37%	337 30%	361 30%	429 30%	385 33%	371 32%	324 29%	
Leaving my home to go to non-essential businesses (e.g., bars, hair dressers, etc.)	-	-	-	-	-	-	-	663 32%	598 29%	721 35%	644 33%	669 34%	669 34%	741 38%	711 36%	704 36%	1000 32%	581 30%	685 35%	560 28%	582 29%	669 34%	648 32%	652 33%	562 29%	
Returning to my normal activities in public (e.g., public transit, socializing)	-	-	-	-	-	-	-	546 27%	518 25%	596 29%	540 28%	526 26%	603 31%	636 32%	612 31%	559 29%	857 27%	472 24%	597 30%	477 24%	511 26%	553 28%	530 27%	551 28%	530 27%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 246

FR12_1 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus?
 Leaving my home to go to non-essential businesses (e.g., bars, hair dressers, etc.)

Base: All Respondents

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(3/14 - 3/15)	(3/17 - 3/18)	(3/21 - 3/23)	(3/28 - 3/30)	(4/1 - 4/5)	(4/11 - 4/13)	(4/18 - 4/20)	(4/28 - 4/29)	(5/1 - 5/3)	(5/8 - 5/10)	(5/15 - 5/17)	(5/22 - 5/24)	(5/29 - 5/31)	(6/4 - 6/8)	(6/13 - 6/15)	(6/18 - 6/20)	(6/26 - 6/29)	(7/1 - 7/4)	(7/10 - 7/12)	(7/17 - 7/19)	(7/24 - 7/26)	(7/31 - 8/2)	(8/7 - 8/9)	(8/14 - 8/16)	(8/21 - 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Weighted Base	**	**	**	**	**	**	**	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Very/Somewhat Concerned (Net)	-	-	-	-	-	-	-	1387	1441	1345	1317	1327	1296	1228	1252	1258	2161	1376	1289	1410	1406	1323	1347	1315	1400
Very concerned	-	-	-	-	-	-	-	88%	71%	65%	67%	66%	62%	64%	64%	68%	70%	65%	72%	71%	66%	68%	67%	71%	71%
Somewhat concerned	-	-	-	-	-	-	-	263	674	582	608	538	547	551	561	559	1009	727	598	734	678	597	658	633	757
Not At All/Not Very Concerned (Net)	-	-	-	-	-	-	-	30%	33%	28%	31%	27%	28%	29%	28%	28%	32%	37%	30%	37%	34%	30%	33%	32%	38%
Not very concerned	-	-	-	-	-	-	-	764	767	763	708	788	750	676	682	700	1152	649	691	676	728	725	689	681	644
Not at all concerned	-	-	-	-	-	-	-	37%	38%	37%	36%	39%	38%	34%	35%	36%	38%	35%	33%	34%	37%	36%	35%	35%	33%
Sigma	-	-	-	-	-	-	-	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
	-	-	-	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR12_2 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus?
 Returning to my normal activities in public (e.g., public transit, socializing)

Base: All Respondents

	Waves																											
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/4 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)			
Unweighted Base	-	-	-	-	-	-	-	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962			
Weighted Base	**	**	**	**	**	**	**	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962			
Very/Somewhat Concerned (Net)	-	-	-	-	-	-	-	1504	1521	1471	1421	1470	1362	1333	1351	1403	2304	1485	1387	1493	1477	1439	1465	1416	1432			
Very concerned	-	-	-	-	-	-	-	691	701	640	653	633	639	637	618	633	1104	786	728	781	770	705	736	692	782			
Somewhat concerned	-	-	-	-	-	-	-	812	819	831	769	837	722	697	733	770	1200	698	661	712	708	735	729	724	650			
Not At All/Not Very Concerned (Net)	-	-	-	-	-	-	-	456	518	596	540	526	603	636	612	559	857	472	587	477	511	553	530	551	530			
Not very concerned	-	-	-	-	-	-	-	331	317	348	330	302	350	377	341	297	467	280	279	257	297	302	324	345	306			
Not at all concerned	-	-	-	-	-	-	-	216	201	248	210	224	254	259	271	263	390	193	308	220	214	250	207	206	224			
Sigma	-	-	-	-	-	-	-	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962			
	-	-	-	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%			

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 248

FR12_3 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus?

Taking my first flight

Base: All Respondents

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/1-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/24)	(5/29-5/31)	(6/4-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/1-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Weighted Base	**	**	**	**	**	**	**	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Very/Somewhat Concerned (Net)	-	-	-	-	-	-	-	1344	1498	1414	1353	1332	1374	1286	1327	1307	2208	1392	1272	1348	1397	1300	1353	1369	1343
Very concerned	-	-	-	-	-	-	-	86%	73%	68%	69%	67%	70%	65%	68%	67%	70%	71%	64%	69%	70%	65%	68%	70%	68%
Somewhat concerned	-	-	-	-	-	-	-	27%	30%	27%	28%	28%	25%	25%	27%	24%	30%	26%	26%	27%	26%	27%	28%	27%	24%
Not At All/Not Very Concerned (Net)	-	-	-	-	-	-	-	706	541	652	608	664	591	683	655	636	655	953	565	702	622	591	692	642	598
Not very concerned	-	-	-	-	-	-	-	34%	27%	32%	31%	33%	30%	35%	32%	33%	30%	29%	36%	32%	30%	35%	32%	30%	32%
Not at all concerned	-	-	-	-	-	-	-	447	291	359	347	378	345	403	387	391	561	323	423	381	354	407	383	317	378
Sigma	-	-	-	-	-	-	-	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
	-	-	-	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 249

FR12_4 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus?

My kids going back to school for the first time

Base: All Respondents Who Are Parent

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14 - 3/15)	(3/17 - 3/18)	(3/21 - 3/23)	(3/28 - 3/30)	(4/1 - 4/5)	(4/11 - 4/13)	(4/18 - 4/20)	(4/25 - 4/27)	(5/1 - 5/3)	(5/8 - 5/10)	(5/15 - 5/17)	(5/22 - 5/24)	(5/29 - 5/31)	(6/6 - 6/8)	(6/13 - 6/15)	(6/18 - 6/20)	(6/26 - 6/29)	(7/2 - 7/4)	(7/10 - 7/12)	(7/17 - 7/19)	(7/24 - 7/26)	(7/31 - 8/2)	(8/7 - 8/9)	(8/14 - 8/16)	(8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	1136	1183	1121	1159	1115	1108	1166	1133	1140	1856	1180	1170	1193	1200	1200	1235	1144	1153	
Weighted Base	**	**	**	**	**	**	**	1173	1188	1147	1161	1093	1107	1141	1148	1147	1782	1099	1146	1127	1200	1187	1189	1150	1121	
Very/Somewhat Concerned (Net)	-	-	-	-	-	-	-	771	780	689	721	649	698	762	764	747	1170	776	717	790	840	758	794	779	797	
Very concerned	-	-	-	-	-	-	-	448	475	385	424	365	392	454	435	462	705	478	433	527	515	453	491	471	529	
Somewhat concerned	-	-	-	-	-	-	-	323	305	304	297	283	306	329	329	285	464	298	284	263	324	305	303	308	268	
Not At All/Not Very Concerned (Net)	-	-	-	-	-	-	-	402	408	459	441	444	409	379	384	401	612	323	429	337	361	429	395	371	324	
Not very concerned	-	-	-	-	-	-	-	110	167	158	141	140	149	134	130	204	96	147	108	166	148	139	144	121		
Not at all concerned	-	-	-	-	-	-	-	291	241	301	287	303	268	230	250	271	408	227	282	229	194	281	256	226	203	
Sigma	-	-	-	-	-	-	-	1173	1188	1147	1161	1093	1107	1141	1148	1147	1782	1099	1146	1127	1200	1187	1189	1150	1121	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

FR12_5 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus?
 Going back to the office

Base: All Employed Respondents

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(3/14 - 3/15)	(3/17 - 3/18)	(3/21 - 3/23)	(3/28 - 3/30)	(4/1 - 4/5)	(4/11 - 4/13)	(4/18 - 4/20)	(4/25 - 4/27)	(5/1 - 5/3)	(5/8 - 5/10)	(5/15 - 5/17)	(5/22 - 5/24)	(5/29 - 5/31)	(6/4 - 6/8)	(6/13 - 6/15)	(6/18 - 6/20)	(6/26 - 6/29)	(7/1 - 7/4)	(7/10 - 7/12)	(7/17 - 7/19)	(7/24 - 7/26)	(7/31 - 8/2)	(8/7 - 8/9)	(8/14 - 8/16)	(8/21 - 8/23)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	-	-	-	1207	1190	1173	1130	1103	1068	1141	1082	1147	1807	1269	1106	1156	1220	1238	1229	1156	1138
Weighted Base	**	**	**	**	**	**	**	1235	1184	1221	1096	1076	1089	1115	1145	1827	1128	1068	1122	1194	1209	1166	1114	1091	
Very/Somewhat Concerned (Net)	-	-	-	-	-	-	-	777	767	747	674	612	647	618	699	668	1160	757	609	736	753	732	705	683	717
Very concerned	-	-	-	-	-	-	-	63%	65%	61%	61%	57%	60%	57%	63%	58%	63%	67%	57%	66%	65%	61%	62%	66%	66%
Somewhat concerned	-	-	-	-	-	-	-	341	382	330	312	259	294	306	323	335	530	372	300	362	397	344	381	362	404
Not At All/Not Very Concerned (Net)	-	-	-	-	-	-	-	28%	32%	27%	28%	24%	27%	28%	29%	29%	29%	33%	28%	32%	33%	28%	33%	33%	37%
Not very concerned	-	-	-	-	-	-	-	436	386	418	361	352	353	311	375	333	630	385	309	373	356	388	324	331	313
Not at all concerned	-	-	-	-	-	-	-	35%	33%	34%	33%	33%	33%	42%	43%	42%	37%	33%	33%	34%	30%	32%	28%	30%	29%
Sigma	-	-	-	-	-	-	-	1235	1184	1221	1096	1076	1089	1115	1145	1827	1128	1068	1122	1194	1209	1166	1114	1091	
	-	-	-	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?

Base: Applicable Response

	Fly on a plane (A)	Go to a gym class (B)	Take a cruise (C)	Go out to dinner (D)	Visit a casino (E)	Stay in a hotel (F)	Go to the office (G)	Go to a sporting event (H)	Go to the movies (I)	Host/attend a large social gathering (J)	Take public transportation (e.g., subway, buses, trains) (K)	Greet people with a handshake (L)
Unweighted Base	1545	1364	1341	1862	1391	1709	1285	1472	1679	1675	1401	1814
Weighted Base	1586	1361	1353	1852	1398	1718	1237	1479	1665	1698	1396	1812
Up To 6 Months (Net)	859 54%	836 61%	558 41%	1368 74%	747 53%	1022 59%	956 77%	789 53%	976 59%	975 57%	811 58%	881 49%
Up To 3 Months (Sub-Net)	584 37%	636 47%	376 28%	1031 56%	524 37%	727 42%	746 60%	553 37%	665 40%	633 37%	600 43%	636 35%
Immediately/1-30 Days (Sub-Sub-Net)	326 21%	397 29%	247 18%	683 37%	326 23%	445 26%	522 42%	341 23%	420 25%	366 22%	368 26%	376 21%
Immediately	154 10%	163 12%	111 8%	328 18%	147 10%	220 13%	278 23%	135 9%	155 9%	149 9%	162 12%	186 10%
1-30 days	172 11%	233 17%	137 10%	355 19%	179 13%	224 13%	244 20%	207 14%	266 16%	217 13%	206 15%	190 11%
2-3 months	258 16%	239 18%	128 9%	348 19%	198 14%	283 16%	212 18%	212 14%	245 15%	267 16%	232 17%	260 14%
4-6 months	275 17%	200 15%	182 13%	337 18%	223 16%	295 17%	210 17%	235 16%	311 19%	342 20%	211 15%	245 14%
7-11 months	233 15%	156 11%	145 11%	203 11%	150 11%	227 13%	96 8%	206 14%	216 13%	230 14%	151 11%	219 12%
A year or longer	385 24%	215 16%	393 29%	233 13%	371 27%	376 22%	127 10%	339 23%	342 21%	389 23%	289 21%	384 21%
Never again	109 7%	154 11%	257 19%	49 3%	130 9%	92 5%	59 5%	145 10%	131 8%	104 6%	145 10%	328 18%
1 Day To 3 Months (Net)	429 27%	472 35%	265 20%	703 38%	377 27%	507 30%	467 38%	419 29%	511 31%	484 29%	438 31%	450 25%
Sigma	1586 100%	1361 100%	1353 100%	1852 100%	1398 100%	1718 100%	1237 100%	1479 100%	1665 100%	1698 100%	1396 100%	1812 100%

Proportions/Mean: All Columns Tested (5%, 10% risk level)
 Overlap formulae used.

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 252

Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?

Summary Of Immediately/1-30 Days

Base: Applicable Response (Variable Bases)

	Waves																											
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26			
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-3/30)	(4/3-4/5)	(4/11-4/13)	(4/18-4/20)	(4/25-4/27)	(5/1-5/3)	(5/8-5/10)	(5/15-5/17)	(5/22-5/24)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/4-7/7)	(7/11-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)			
Go to the office	-	-	831	843	731	698	582	644	643	612	515	597	604	586	559	617	981	611	594	572	509	548	563	548	522			
	-	-	63%	63%	59%	56%	47%	52%	49%	46%	43%	50%	48%	49%	46%	51%	49%	49%	48%	46%	40%	43%	44%	44%	42%			
Go out to dinner	-	-	870	822	807	761	722	795	732	637	568	706	701	727	705	757	1198	705	735	743	663	755	703	771	683			
	-	-	48%	45%	43%	40%	37%	41%	38%	32%	30%	37%	37%	35%	38%	41%	40%	38%	40%	39%	35%	40%	37%	41%	37%			
Go to a gym class	-	-	483	480	429	386	359	389	400	379	322	385	367	343	340	382	585	357	373	375	324	359	363	383	397			
	-	-	37%	36%	36%	31%	28%	31%	31%	28%	25%	29%	27%	27%	28%	30%	28%	28%	28%	28%	24%	28%	27%	29%	29%			
Take public transportation (e.g., subway, buses, trains)	-	-	430	424	343	355	293	311	359	324	279	308	325	302	315	331	539	341	352	361	293	328	324	333	368			
	-	-	32%	32%	29%	27%	22%	24%	27%	23%	20%	23%	24%	24%	25%	25%	25%	25%	25%	26%	22%	24%	23%	25%	26%			
Stay in a hotel	-	-	408	361	312	342	267	295	399	339	322	363	402	383	368	410	675	415	462	444	430	433	386	457	445			
	-	-	24%	21%	19%	20%	15%	17%	22%	19%	19%	21%	23%	22%	22%	22%	24%	24%	24%	27%	23%	24%	22%	25%	26%			
Go to the movies	-	-	500	420	445	408	346	375	393	359	312	334	392	373	351	401	570	340	454	388	378	384	341	372	420			
	-	-	29%	25%	28%	25%	21%	23%	23%	21%	19%	20%	23%	23%	23%	24%	21%	21%	27%	23%	22%	23%	20%	22%	25%			
Visit a casino	-	-	312	293	245	257	197	211	270	269	240	255	268	293	274	299	420	257	329	292	260	272	268	269	326			
	-	-	22%	22%	20%	20%	15%	18%	20%	19%	18%	19%	18%	19%	21%	22%	20%	19%	24%	22%	19%	20%	20%	20%	23%			
Go to a sporting event	-	-	394	339	311	298	221	261	312	293	218	257	294	276	276	302	447	305	293	282	281	271	265	313	341			
	-	-	26%	23%	22%	21%	15%	18%	21%	19%	15%	17%	20%	19%	19%	20%	19%	21%	20%	19%	19%	18%	18%	21%	23%			
Host/attend a large social gathering	-	-	482	416	417	404	344	356	375	369	305	359	355	362	335	406	614	379	404	357	323	363	307	359	366			
	-	-	28%	25%	25%	24%	20%	21%	22%	21%	18%	21%	21%	21%	22%	20%	22%	22%	23%	24%	21%	19%	18%	22%	22%			
Greet people with a handshake	-	-	592	511	481	407	400	407	401	394	376	401	389	399	445	655	427	431	404	359	394	340	441	376	21%			
	-	-	31%	27%	26%	22%	21%	21%	21%	21%	21%	20%	21%	21%	22%	22%	24%	24%	22%	22%	21%	19%	19%	24%	21%			
Fly on a plane	-	-	314	298	288	288	199	219	288	259	222	250	283	255	262	299	420	305	343	317	265	275	290	293	326			
	-	-	20%	19%	19%	18%	12%	14%	18%	15%	14%	16%	17%	17%	17%	19%	16%	19%	22%	20%	16%	17%	18%	18%	21%			
Take a cruise	-	-	195	159	155	174	138	153	189	164	161	148	203	177	203	203	254	212	237	209	199	191	178	203	247			
	-	-	14%	12%	12%	13%	10%	12%	14%	13%	11%	14%	16%	14%	16%	15%	12%	16%	17%	16%	16%	14%	14%	16%	18%			

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 253

Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?

Summary Of Up To 3 Months

Base: Applicable Response (Variable Bases)

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14-3/15)	(3/17-3/18)	(3/21-3/23)	(3/28-4/5)	(4/1-4/13)	(4/11-4/20)	(4/18-4/27)	(4/25-5/3)	(5/1-5/10)	(5/8-5/10)	(5/15-5/17)	(5/27-5/28)	(5/29-5/31)	(6/6-6/8)	(6/13-6/15)	(6/18-6/20)	(6/26-6/29)	(7/4-7/4)	(7/10-7/12)	(7/17-7/19)	(7/24-7/26)	(7/31-8/2)	(8/7-8/9)	(8/14-8/16)	(8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Go to the office	-	-	1040	1030	952	922	853	871	895	859	730	809	833	803	776	814	1330	829	779	781	728	738	759	764	746	
	-	-	79%	77%	76%	74%	69%	70%	69%	65%	60%	67%	66%	67%	65%	67%	67%	66%	63%	63%	57%	58%	60%	61%	60%	
Go out to dinner	-	-	1336	1321	1271	1230	1214	1230	1260	1135	991	1139	1143	1119	1105	1108	1815	1072	1073	1111	1017	1098	1041	1092	1031	
	-	-	70%	69%	68%	65%	63%	64%	64%	57%	53%	60%	61%	60%	60%	60%	60%	57%	58%	59%	53%	58%	55%	58%	56%	
Go to a gym class	-	-	770	737	688	655	619	635	673	631	535	659	650	594	546	604	959	570	593	575	567	605	618	599	636	
	-	-	58%	55%	58%	53%	49%	50%	52%	46%	41%	49%	46%	46%	45%	47%	44%	44%	45%	45%	42%	44%	46%	45%	47%	
Take public transportation (e.g., subway, buses, trains)	-	-	732	672	594	612	513	558	598	540	508	503	596	539	510	539	871	537	569	545	490	540	525	526	600	
	-	-	54%	51%	50%	47%	39%	43%	45%	37%	36%	37%	44%	40%	41%	41%	38%	38%	41%	41%	37%	39%	38%	38%	43%	
Stay in a hotel	-	-	808	737	677	704	623	624	728	667	585	696	738	657	669	708	1161	672	727	702	683	700	656	703	727	
	-	-	47%	43%	41%	41%	36%	36%	41%	37%	34%	40%	43%	38%	40%	41%	42%	39%	43%	40%	38%	40%	37%	40%	42%	
Go to the movies	-	-	920	866	845	821	718	727	767	710	629	687	723	674	664	705	1106	638	733	671	642	676	640	675	665	
	-	-	54%	52%	52%	49%	43%	44%	46%	41%	38%	41%	43%	41%	42%	42%	41%	39%	44%	40%	37%	40%	40%	40%	40%	
Visit a casino	-	-	612	536	480	522	424	406	521	469	402	476	520	477	468	490	749	420	491	461	437	455	441	492	524	
	-	-	43%	40%	39%	40%	33%	31%	36%	33%	29%	34%	37%	35%	36%	36%	32%	32%	36%	35%	31%	33%	37%	37%	37%	
Go to a sporting event	-	-	747	656	580	581	496	518	583	553	454	525	529	531	501	512	813	503	531	480	478	477	472	555	553	
	-	-	49%	44%	42%	41%	34%	36%	39%	33%	31%	35%	35%	37%	34%	35%	34%	34%	36%	33%	32%	32%	32%	38%	37%	
Host/attend a large social gathering	-	-	919	825	837	760	723	749	756	698	605	676	700	701	658	685	1060	615	669	618	571	649	599	666	633	
	-	-	53%	49%	51%	45%	42%	44%	44%	39%	35%	39%	41%	42%	40%	41%	38%	37%	40%	36%	33%	37%	35%	40%	37%	
Fly on a plane	-	-	642	589	574	568	464	464	543	515	451	492	543	485	508	510	808	475	552	538	462	527	507	530	584	
	-	-	40%	38%	37%	36%	29%	30%	33%	30%	28%	31%	34%	34%	33%	31%	29%	29%	36%	34%	28%	32%	31%	33%	37%	
Greet people with a handshake	-	-	1016	912	858	715	726	710	703	654	579	703	889	658	666	680	1051	635	678	644	562	627	590	664	636	
	-	-	54%	49%	47%	38%	38%	38%	38%	34%	32%	37%	38%	36%	37%	37%	35%	35%	37%	35%	30%	34%	32%	36%	35%	
Take a cruise	-	-	346	304	276	329	259	282	343	325	275	263	343	286	315	333	451	315	360	352	337	310	325	341	376	
	-	-	25%	23%	22%	23%	20%	22%	22%	20%	20%	19%	23%	25%	25%	25%	21%	23%	26%	26%	24%	23%	24%	26%	26%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 254

Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?

Summary Of 1 Day To 3 Months

Base: Applicable Response (Variable Bases)

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/20-6/22)	Wave 18 (6/26-6/29)	Wave 19 (7/4-7/7)	Wave 20 (7/11-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Go out to dinner	-	-	1036 54%	1056 55%	1033 55%	945 49%	993 51%	987 51%	958 49%	892 45%	759 41%	842 44%	843 45%	803 43%	797 43%	739 40%	1256 41%	734 39%	672 36%	749 40%	682 36%	753 40%	699 37%	662 35%	703 38%	
Go to the office	-	-	602 46%	598 45%	584 47%	544 44%	592 48%	537 43%	577 44%	523 39%	433 36%	490 41%	507 40%	477 40%	498 42%	470 39%	755 38%	492 39%	398 32%	442 36%	425 33%	427 33%	413 32%	402 32%	467 38%	
Go to a gym class	-	-	613 47%	573 43%	512 41%	502 41%	488 39%	493 39%	529 41%	478 35%	382 30%	512 38%	491 37%	435 34%	403 33%	418 32%	635 31%	387 30%	415 32%	395 31%	424 31%	434 32%	452 33%	398 30%	472 35%	
Take public transportation (e.g., subway, buses, trains)	-	-	556 41%	533 40%	474 40%	470 39%	391 30%	440 34%	444 34%	397 28%	368 28%	363 27%	441 32%	407 32%	358 28%	364 28%	611 29%	348 26%	391 28%	358 27%	357 27%	392 28%	379 27%	356 26%	438 31%	
Go to the movies	-	-	771 45%	751 46%	722 45%	671 40%	608 36%	607 37%	639 36%	579 33%	516 31%	551 33%	572 34%	525 32%	514 32%	522 31%	843 32%	454 26%	508 30%	502 30%	472 27%	502 30%	499 29%	499 30%	511 31%	
Stay in a hotel	-	-	654 38%	600 35%	568 35%	577 34%	521 30%	520 30%	569 32%	508 28%	440 25%	526 30%	573 33%	470 28%	484 29%	500 29%	827 30%	465 27%	470 27%	473 27%	470 26%	475 27%	456 26%	458 26%	507 30%	
Host/attend a large social gathering	-	-	773 45%	707 42%	718 44%	622 37%	615 36%	636 37%	629 37%	553 28%	487 29%	530 31%	558 33%	562 34%	511 31%	485 29%	785 26%	431 26%	470 26%	472 26%	405 23%	495 26%	453 26%	491 29%	484 29%	
Go to a sporting event	-	-	601 40%	538 36%	463 33%	475 34%	406 28%	425 29%	463 31%	414 27%	348 24%	406 27%	385 26%	409 29%	368 25%	375 25%	596 26%	353 24%	374 26%	340 23%	351 23%	349 23%	357 24%	398 27%	419 28%	
Fly on a plane	-	-	516 32%	488 31%	472 31%	446 29%	383 24%	382 24%	423 26%	395 23%	344 21%	372 23%	424 26%	374 24%	364 24%	375 24%	584 23%	317 20%	350 23%	381 23%	335 21%	394 23%	380 23%	371 23%	429 27%	
Visit a casino	-	-	485 34%	433 33%	387 32%	417 32%	351 27%	324 25%	398 29%	350 25%	285 21%	368 27%	387 28%	361 26%	328 25%	338 25%	548 26%	281 21%	312 23%	317 24%	318 23%	331 24%	339 24%	343 25%	377 27%	
Greet people with a handshaké	-	-	816 43%	723 39%	681 37%	539 29%	577 30%	548 29%	547 29%	490 25%	394 22%	493 26%	483 27%	470 26%	451 25%	423 23%	709 24%	387 21%	437 24%	445 24%	369 20%	401 22%	422 23%	419 23%	450 25%	
Take a cruise	-	-	254 18%	230 18%	205 16%	252 19%	205 16%	223 17%	265 19%	231 16%	202 15%	187 14%	245 17%	226 17%	217 17%	232 18%	315 15%	195 14%	239 18%	255 19%	245 18%	212 15%	245 18%	241 19%	265 20%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
 COVID-19
 Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
 Table 255

Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?

Summary Of Up To 6 Months

Base: Applicable Response (Variable Bases)

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/3 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/28)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/26 - 6/29)	Wave 18 (7/4 - 7/12)	Wave 19 (7/11 - 7/19)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Go to the office	-	-	1145 87%	1169 87%	1088 87%	1067 86%	1028 84%	1042 84%	1077 83%	1031 78%	920 76%	975 81%	1029 81%	941 79%	949 79%	973 81%	1595 80%	988 79%	933 76%	941 76%	943 74%	924 72%	925 73%	940 76%	956 77%	
Go out to dinner	-	-	1616 84%	1642 86%	1592 84%	1628 85%	1579 82%	1561 81%	1582 82%	1527 77%	1339 72%	1491 78%	1442 77%	1433 76%	1399 76%	1433 77%	2322 77%	1363 74%	1390 74%	1445 76%	1375 72%	1434 75%	1362 72%	1383 74%	1368 74%	
Go to a gym class	-	-	988 73%	970 72%	864 73%	871 71%	888 68%	830 66%	895 70%	886 65%	765 59%	880 65%	858 64%	807 63%	755 62%	823 64%	1276 63%	773 60%	794 61%	813 63%	801 59%	848 62%	808 60%	827 62%	836 61%	
Stay in a hotel	-	-	1192 68%	1127 65%	1052 64%	1059 62%	992 57%	980 57%	1091 62%	1062 59%	960 55%	1031 58%	1087 63%	993 58%	986 59%	1048 61%	1643 59%	964 56%	1044 62%	1001 57%	992 55%	1022 58%	980 56%	1026 59%	1022 59%	
Go to the movies	-	-	1239 73%	1209 73%	1155 72%	1140 69%	1080 65%	1070 65%	1119 67%	1057 61%	928 58%	1011 61%	1051 62%	1012 61%	951 60%	1008 61%	1546 58%	941 57%	989 59%	974 58%	999 58%	984 59%	964 56%	984 59%	976 59%	
Take public transportation (e.g., subway, busses, trains)	-	-	952 70%	885 67%	775 65%	841 64%	749 57%	783 61%	834 63%	778 54%	734 52%	725 54%	818 60%	723 57%	742 60%	753 57%	1205 55%	750 55%	783 57%	726 54%	725 54%	755 54%	737 52%	743 55%	811 58%	
Host/attend a large social gathering	-	-	1270 73%	1170 69%	1163 71%	1150 69%	1114 65%	1073 63%	1083 63%	1049 59%	959 56%	1060 62%	1036 61%	1012 61%	1014 61%	994 60%	1629 57%	944 59%	993 59%	953 56%	966 56%	1032 59%	926 54%	961 56%	975 57%	
Fly on a plane	-	-	1000 63%	905 58%	859 56%	882 56%	788 49%	755 49%	853 53%	861 51%	757 47%	794 50%	871 54%	769 50%	761 50%	777 50%	1262 49%	753 47%	807 52%	827 52%	752 46%	828 51%	739 48%	780 50%	859 54%	
Visit a casino	-	-	867 62%	792 60%	697 56%	759 58%	669 52%	651 50%	758 56%	742 54%	627 46%	680 49%	786 56%	726 53%	666 52%	695 51%	1085 48%	636 48%	693 51%	694 48%	668 48%	673 49%	654 48%	673 50%	747 53%	
Go to a sporting event	-	-	1033 68%	977 66%	862 62%	875 62%	822 57%	806 56%	888 60%	840 54%	717 49%	833 55%	813 55%	821 57%	799 55%	760 51%	1198 52%	729 50%	764 52%	727 50%	738 49%	744 50%	733 49%	782 54%	789 53%	
Greet people with a handshake	-	-	1318 70%	1220 65%	1146 63%	1066 57%	1017 54%	983 52%	988 50%	959 46%	834 46%	984 51%	956 53%	944 52%	935 51%	926 49%	1448 48%	869 49%	905 49%	892 49%	872 47%	917 49%	831 45%	910 50%	881 48%	
Take a cruise	-	-	534 39%	487 37%	435 34%	513 39%	425 32%	432 33%	496 34%	495 34%	442 32%	419 31%	544 37%	439 34%	473 38%	487 37%	704 33%	472 35%	523 38%	499 37%	529 38%	498 36%	498 36%	498 38%	558 41%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

24 Aug 2020
Table 25c

Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?

Summary Of Year Or Longer

Base: Applicable Response (Variable Bases)

	Waves																								
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/28)	Wave 14 (5/31-6/6)	Wave 15 (6/8-6/15)	Wave 16 (6/15-6/20)	Wave 17 (6/22-6/29)	Wave 18 (7/4-7/12)	Wave 19 (7/11-7/19)	Wave 20 (7/17-7/24)	Wave 21 (7/17-7/26)	Wave 22 (7/24-8/2)	Wave 23 (7/31-8/7)	Wave 24 (8/7-8/16)	Wave 25 (8/14-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Take a cruise	-	-	436	418	411	389	437	448	454	441	487	494	476	445	385	403	747	507	435	418	475	452	478	425	393
Visit a casino	-	-	32%	32%	32%	30%	33%	34%	33%	30%	35%	36%	33%	34%	31%	31%	35%	37%	32%	31%	34%	33%	35%	33%	29%
Fly on a plane	-	-	252	281	278	295	334	346	330	350	392	415	316	348	337	355	558	415	346	361	386	389	397	377	371
Host/attend a large social gathering	-	-	319	359	384	343	447	454	415	464	491	480	389	407	419	415	757	504	441	424	518	454	502	490	385
Go to a sporting event	-	-	20%	23%	23%	22%	23%	24%	26%	27%	30%	30%	24%	27%	26%	27%	29%	31%	26%	28%	32%	28%	31%	31%	24%
Stay in a hotel	-	-	297	318	317	355	407	398	354	417	419	396	335	369	395	389	610	413	369	420	433	397	449	428	376
Greet people with a handshake	-	-	213	239	286	284	333	341	356	361	368	423	322	363	352	361	613	420	454	402	406	427	435	392	384
Take public transportation (e.g., subway, busses, trains)	-	-	189	189	184	187	277	250	217	230	335	331	242	270	263	272	459	298	333	279	298	322	346	314	289
Go to the movies	-	-	213	216	221	242	272	311	239	304	362	352	303	318	317	342	549	376	369	366	358	354	404	371	342
Go to a gym class	-	-	125	163	115	129	181	192	176	214	231	186	218	219	231	210	293	226	232	225	232	238	273	255	215
Go out to dinner	-	-	129	121	151	120	172	175	176	219	229	205	187	197	232	222	330	226	239	241	241	243	265	255	233
Go to the office	-	-	78	54	55	64	86	90	87	118	104	79	101	116	109	82	145	115	146	117	139	144	131	131	127

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q33B_1 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?
 Fly on a plane

Base: Applicable Response

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	1565	1533	1489	1503	1614	1533	1610	1627	1628	1605	1573	1543	1449	1543	2446	1631	1544	1575	1621	1622	1636	1584	1545
Weighted Base	**	**	1599	1558	1532	1562	1606	1553	1625	1689	1620	1604	1606	1535	1509	1556	2574	1610	1542	1603	1620	1634	1627	1605	1586
Up To 6 Months (Net)	-	-	1000	905	859	882	788	755	853	861	757	794	871	769	761	777	1262	753	807	827	752	828	738	780	859
Up To 3 Months (Sub-Net)	-	-	642	589	574	568	464	464	543	515	451	492	543	485	508	510	808	475	552	538	482	527	507	530	584
Immediately/1-30 Days (Sub-Sub-Net)	-	-	314	298	288	288	199	219	288	259	222	250	283	255	262	299	420	305	343	317	265	275	290	293	326
Immediately	-	-	126	102	101	123	80	82	120	119	107	120	118	111	144	135	224	158	202	157	127	132	127	159	154
1-30 days	-	-	188	196	187	166	119	137	168	139	115	130	165	144	118	164	196	147	142	160	138	142	163	133	172
2-3 months	-	-	327	292	286	280	264	246	255	256	228	242	259	229	246	211	388	169	208	221	197	252	217	238	258
4-6 months	-	-	359	316	285	314	324	291	310	347	306	302	328	284	253	267	454	279	255	289	291	301	232	250	275
7-11 months	-	-	179	217	179	243	260	240	258	232	241	226	234	249	230	259	414	254	183	250	228	259	290	247	233
A year or longer	-	-	319	359	384	343	447	454	415	464	491	480	389	407	419	415	757	504	441	424	518	454	502	490	385
Never again	-	-	101	78	110	83	111	104	98	132	131	103	112	111	99	105	141	99	111	102	121	94	96	88	109
1 Day To 3 Months (Net)	-	-	516	488	472	446	383	382	423	395	344	372	424	374	364	375	584	317	350	381	335	394	380	371	429
Sigma	-	-	1599	1558	1532	1562	1606	1553	1625	1689	1620	1604	1606	1535	1509	1556	2574	1610	1542	1603	1620	1634	1627	1605	1586

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

Q33B_2 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?
Go to a gym class

Base: Applicable Response

	Waves																												
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)				
Unweighted Base	-	-	1315	1276	1156	1191	1257	1201	1256	1288	1260	1291	1297	1307	1166	1271	1955	1354	1287	1311	1364	1375	1365	1319	1364				
Weighted Base	**	**	1319	1330	1190	1232	1261	1263	1286	1364	1306	1348	1344	1286	1213	1288	2020	1285	1307	1289	1350	1375	1357	1336	1361				
Up To 6 Months (Net)	-	-	989	970	864	871	886	830	895	886	765	880	858	807	755	823	1276	773	794	813	801	846	808	827	836				
Up To 3 Months (Sub-Net)	-	-	770	737	688	655	619	635	673	631	535	659	650	594	546	604	959	570	593	575	567	605	618	599	636				
Immediately/1-30 Days (Sub-Sub-Net)	-	-	493	480	429	386	359	389	400	379	322	385	367	343	340	382	585	357	373	375	324	359	363	383	397				
Immediately	-	-	157	164	176	153	134	142	144	153	144	147	159	159	142	186	324	183	178	180	143	171	166	201	163				
1-30 days	-	-	336	316	253	233	226	247	257	226	178	238	207	184	198	196	261	174	195	196	181	188	197	182	233				
2-3 months	-	-	278	257	259	269	260	246	273	252	213	274	284	251	206	221	374	213	210	200	243	246	255	216	239				
4-6 months	-	-	219	233	176	217	237	195	222	255	229	221	208	214	210	219	317	203	201	238	234	241	190	228	200				
7-11 months	-	-	111	115	101	118	120	142	125	135	164	155	147	150	126	137	267	147	144	115	188	146	147	123	156				
A year or longer	-	-	125	163	115	129	181	192	176	214	231	186	219	219	231	293	226	232	225	232	238	273	255	215	186				
Never again	-	-	94	82	109	114	103	99	91	128	146	127	121	110	100	119	184	139	136	137	129	145	129	131	154				
1 Day To 3 Months (Net)	-	-	613	573	512	502	486	493	529	478	392	512	491	435	403	418	635	387	415	395	424	434	452	398	472				
Sigma	-	-	1319	1330	1190	1232	1261	1263	1286	1364	1306	1348	1344	1286	1213	1288	2020	1285	1307	1289	1350	1375	1357	1336	1361				

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. **very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

Q3B3_3 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?
Take a cruise

Base: Applicable Response

	Waves																												
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/23)	Wave 4 (3/23-3/30)	Wave 5 (4/1-4/5)	Wave 6 (4/11-4/13)	Wave 7 (4/18-4/20)	Wave 8 (4/25-4/27)	Wave 9 (5/1-5/3)	Wave 10 (5/8-5/10)	Wave 11 (5/15-5/17)	Wave 12 (5/22-5/24)	Wave 13 (5/29-5/31)	Wave 14 (6/4-6/8)	Wave 15 (6/11-6/15)	Wave 16 (6/18-6/20)	Wave 17 (6/26-6/29)	Wave 18 (7/4-7/4)	Wave 19 (7/10-7/12)	Wave 20 (7/17-7/19)	Wave 21 (7/24-7/26)	Wave 22 (7/31-8/2)	Wave 23 (8/7-8/9)	Wave 24 (8/14-8/16)	Wave 25 (8/21-8/23)	Wave 26 (8/28-8/30)				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)				
Unweighted Base	-	-	1330	1280	1250	1253	1334	1250	1345	1385	1370	1351	1387	1316	1214	1305	2053	1411	1333	1339	1391	1389	1396	1319	1341				
Weighted Base	**	**	1382	1303	1276	1315	1320	1301	1369	1450	1388	1360	1457	1300	1247	1313	2165	1359	1360	1336	1397	1378	1368	1303	1353				
Up To 6 Months (Net)	-	-	534	487	435	513	425	432	496	485	442	419	544	439	473	487	704	472	523	499	529	496	498	498	558				
Up To 3 Months (Sub-Net)	-	-	346	304	276	329	259	282	343	325	275	263	343	295	315	333	451	315	360	352	337	310	325	341	376				
Immediately/1-30 Days (Sub-Sub-Net)	-	-	195	159	155	174	138	153	189	184	161	149	203	177	203	203	254	212	237	209	199	191	178	203	247				
Immediately	-	-	92	66	71	77	54	59	79	94	72	76	97	69	98	101	136	119	121	96	92	99	80	100	111				
1-30 days	-	-	103	94	85	97	83	94	110	90	89	73	106	108	105	102	119	93	116	113	107	92	98	102	137				
2-3 months	-	-	151	144	121	155	121	129	154	141	113	114	139	118	112	130	197	102	124	142	138	119	147	139	128				
4-6 months	-	-	188	184	159	184	166	150	153	169	167	156	201	144	158	154	253	162	162	147	191	186	172	157	182				
7-11 months	-	-	153	144	139	134	137	125	157	178	174	159	170	165	127	156	292	115	144	164	156	160	172	153	145				
A year or longer	-	-	436	418	411	389	437	448	454	441	487	494	476	445	385	403	747	507	435	418	475	452	478	425	393				
Never again	-	-	259	253	291	280	295	262	337	285	289	266	251	263	266	421	266	421	266	258	256	237	269	221	226				
1 Day To 3 Months (Net)	-	-	254	238	205	252	205	223	265	231	202	187	245	226	217	232	315	195	239	255	245	212	245	241	265				
Sigma	-	-	1382	1303	1276	1315	1320	1301	1369	1450	1388	1360	1457	1300	1247	1313	2165	1359	1360	1336	1397	1378	1368	1303	1353				

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. **very small base (under 30) ineligible for sig testing

Q33B_4 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?
 Go out to dinner

Base: Applicable Response

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	1911	1926	1885	1902	1942	1941	1950	1951	1871	1924	1890	1873	1835	1865	3022	1869	1862	1882	1913	1904	1901	1886	1862	
Weighted Base	**	**	1913	1910	1882	1912	1930	1934	1940	1985	1872	1914	1882	1874	1846	1851	3026	1864	1844	1892	1905	1902	1895	1877	1852	
Up To 6 Months (Net)	-	-	1616	1642	1582	1628	1579	1561	1582	1527	1339	1491	1442	1433	1399	1433	2322	1383	1390	1445	1375	1434	1362	1383	1368	
Up To 3 Months (Sub-Net)	-	-	1336	1321	1271	1238	1214	1230	1250	1135	991	1139	1143	1119	1105	1108	1815	1072	1073	1111	1017	1098	1041	1092	1031	
Immediately/1-30 Days (Sub-Sub-Net)	-	-	870	822	807	761	722	795	732	637	568	706	701	727	705	757	1198	705	735	743	663	755	703	771	683	
Immediately	-	-	300	265	238	293	221	243	292	244	232	298	300	315	308	369	560	338	401	362	335	345	342	430	328	
1-30 days	-	-	571	557	569	468	501	552	439	393	337	408	401	411	397	388	638	367	335	381	328	410	361	342	355	
2-3 months	-	-	466	500	464	477	492	435	518	499	422	433	443	392	399	351	617	367	338	367	353	344	338	320	348	
4-6 months	-	-	280	321	311	390	365	331	332	322	349	352	299	315	294	325	507	311	317	334	358	336	321	292	337	
7-11 months	-	-	125	126	120	133	162	171	162	188	246	188	200	213	182	169	312	192	178	178	253	194	235	205	203	
A year or longer	-	-	129	121	151	120	172	175	176	176	218	229	205	187	197	232	222	330	226	239	241	241	243	265	255	
Never again	-	-	43	21	30	32	18	27	20	52	58	30	53	31	34	27	61	64	37	28	36	31	32	34	49	
1 Day To 3 Months (Net)	-	-	1036	1056	1033	945	993	987	958	892	759	842	843	803	797	739	1256	734	672	749	682	753	699	662	703	
Sigma	-	-	1913	1910	1882	1912	1930	1934	1940	1985	1872	1914	1882	1874	1846	1851	3026	1864	1844	1892	1905	1902	1895	1877	1852	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Q33B_5 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?
 Visit a casino

Base: Applicable Response

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	1377	1307	1192	1277	1284	1260	1327	1374	1315	1355	1382	1357	1273	1328	2091	1340	1344	1333	1337	1401	1399	1393	1348	1391
Weighted Base	**	**	1410	1326	1227	1300	1287	1312	1356	1430	1370	1382	1407	1365	1292	1348	2141	1333	1353	1337	1389	1377	1365	1334	1398	
Up To 6 Months (Net)	-	-	867	792	697	759	669	651	758	742	627	680	796	726	666	695	1085	636	693	694	668	673	654	673	747	
Up To 3 Months (Sub-Net)	-	-	612	536	480	522	424	406	521	469	402	476	520	477	468	490	749	420	491	461	437	455	441	492	524	
Immediately/1-30 Days (Sub-Sub-Net)	-	-	312	293	245	257	197	211	270	269	240	255	268	293	274	299	420	257	329	292	260	272	268	269	326	
Immediately	-	-	127	102	93	105	73	82	123	119	117	108	133	116	140	152	201	139	179	144	120	124	102	149	147	
1-30 days	-	-	185	190	152	153	124	129	147	150	123	147	135	178	134	147	219	119	151	148	140	148	166	120	179	
2-3 months	-	-	300	243	235	265	227	195	251	201	161	221	252	184	194	191	329	162	161	169	177	182	173	223	198	
4-6 months	-	-	255	256	217	237	245	245	237	273	225	204	266	249	205	336	216	202	232	230	218	213	182	182	223	
7-11 months	-	-	168	151	150	154	170	190	167	203	195	137	171	189	185	157	282	150	168	161	205	156	199	153	150	
A year or longer	-	-	252	281	278	295	334	346	338	350	392	415	316	348	337	355	558	415	346	361	396	389	397	377	371	
Never again	-	-	125	102	103	92	114	125	94	135	156	150	135	102	104	141	216	132	146	121	121	159	114	130	130	
1 Day To 3 Months (Net)	-	-	485	433	387	417	351	324	398	350	285	368	387	361	328	338	548	281	312	317	318	331	339	343	377	
Sigma	-	-	1410	1326	1227	1300	1287	1312	1356	1430	1370	1382	1407	1365	1292	1348	2141	1333	1353	1337	1389	1377	1365	1334	1398	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Q33B_6 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?
 Stay in a hotel

Base: Applicable Response

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	1704	1699	1616	1670	1730	1706	1774	1773	1750	1759	1722	1710	1639	1728	2734	1747	1704	1738	1788	1753	1762	1720	1709
Weighted Base	**	**	1731	1725	1644	1702	1731	1724	1773	1735	1761	1727	1707	1666	1725	2770	1717	1684	1750	1793	1742	1751	1741	1718	
Up To 6 Months (Net)	-	-	1192	1127	1052	1059	992	980	1091	1062	960	1031	1087	993	986	1048	1643	964	1044	1001	992	1022	980	1026	1022
Up To 3 Months (Sub-Net)	-	-	806	737	677	704	623	624	728	667	585	696	738	657	669	708	1161	672	727	702	683	700	656	703	727
Immediately/1-30 Days (Sub-Sub-Net)	-	-	408	361	312	342	267	295	399	339	322	363	402	383	368	410	675	415	462	444	430	433	386	457	445
Immediately	-	-	152	138	109	127	102	104	159	145	170	166	186	185	209	334	206	257	229	213	224	200	245	220	
1-30 days	-	-	256	224	203	215	165	190	240	180	177	193	236	197	183	201	342	208	205	215	217	208	185	213	224
2-3 months	-	-	398	376	365	362	356	329	329	327	263	333	336	274	301	298	486	257	265	258	253	267	270	246	283
4-6 months	-	-	386	390	375	355	369	356	363	395	374	335	349	336	317	340	482	292	317	299	309	322	324	323	295
7-11 months	-	-	185	221	211	222	252	291	267	252	254	231	287	228	219	410	249	201	266	276	250	265	220	227	
A year or longer	-	-	297	318	317	355	407	398	354	417	419	396	335	369	395	389	610	413	369	420	433	397	449	428	376
Never again	-	-	57	59	64	66	80	55	62	79	87	80	64	58	57	70	107	92	70	62	93	73	57	68	92
1 Day To 3 Months (Net)	-	-	654	600	568	577	521	520	569	508	440	526	573	470	484	500	827	465	470	473	470	475	456	458	507
Sigma	-	-	1731	1725	1644	1702	1731	1724	1773	1735	1761	1727	1707	1666	1725	2770	1717	1684	1750	1793	1742	1751	1741	1718	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Q33B_7 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?
 Go to the office

Base: Applicable Response

	Waves																								
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	1333	1319	1217	1251	1242	1230	1288	1270	1194	1195	1222	1232	1232	1231	1933	1357	1231	1271	1329	1318	1333	1260	1285
Weighted Base	**	**	1315	1342	1247	1241	1230	1246	1300	1327	1209	1206	1263	1193	1202	1208	1999	1247	1232	1238	1276	1279	1272	1244	1237
Up To 6 Months (Net)	-	-	1145	1169	1088	1067	1023	1042	1077	1031	920	975	1029	941	949	973	1595	988	933	941	943	924	925	940	956
Up To 3 Months (Sub-Net)	-	-	1040	1030	952	922	853	871	895	859	730	809	833	803	776	814	1330	829	779	781	728	738	759	764	746
Immediately/1-30 Days (Sub-Sub-Net)	-	-	831	843	731	698	582	644	643	612	515	597	604	586	559	617	981	611	594	572	509	548	563	548	522
Immediately	-	-	438	432	368	378	261	334	319	335	297	318	326	326	276	344	576	337	381	339	303	311	346	362	278
1-30 days	-	-	393	411	363	320	321	310	324	277	218	279	278	280	283	274	405	275	213	233	206	238	216	187	244
2-3 months	-	-	209	188	221	224	271	227	253	246	215	212	229	217	196	349	217	185	209	219	190	197	216	223	200
4-6 months	-	-	105	138	136	145	175	171	182	172	190	166	196	137	173	159	264	160	154	160	216	186	165	176	210
7-11 months	-	-	48	81	63	78	80	73	94	109	133	102	85	92	100	102	182	70	92	111	138	129	105	96	89
A year or longer	-	-	78	54	55	64	86	90	87	118	104	79	101	116	109	82	145	115	146	117	139	144	131	131	127
Never again	-	-	44	38	40	32	37	41	41	70	52	50	48	45	44	51	77	73	61	88	84	72	88	67	59
1 Day To 3 Months (Net)	-	-	602	598	584	544	592	537	577	523	433	490	507	477	499	470	755	492	398	442	425	427	413	402	467
Sigma	-	-	1315	1342	1247	1241	1230	1246	1300	1327	1209	1206	1263	1193	1202	1208	1999	1247	1232	1238	1276	1279	1272	1244	1237

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Q33B_8 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?
 Go to a sporting event

Base: Applicable Response

	Waves																												
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)				
Unweighted Base	-	-	1500	1447	1334	1369	1468	1383	1446	1494	1453	1477	1470	1414	1387	1453	2246	1487	1452	1460	1507	1501	1473	1452	1472				
Weighted Base	**	**	1519	1490	1386	1408	1453	1444	1485	1552	1475	1506	1490	1428	1452	1478	2317	1459	1457	1456	1507	1490	1475	1459	1479				
Up To 6 Months (Net)	-	-	1033	977	862	875	822	806	888	840	717	833	813	821	799	760	1198	729	764	727	738	744	733	782	789				
Up To 3 Months (Sub-Net)	-	-	747	656	580	581	496	518	583	553	454	525	529	531	501	512	813	503	531	480	478	477	472	555	553				
Immediately/1-30 Days (Sub-Sub-Net)	-	-	394	339	311	298	221	261	312	293	218	257	294	276	276	302	447	305	293	282	281	271	265	313	341				
Immediately	-	-	145	118	117	106	90	94	120	138	106	119	144	122	133	137	216	150	158	140	127	128	115	157	135				
1-30 days	-	-	248	221	195	192	131	167	192	154	112	138	150	154	143	164	231	155	136	142	154	143	150	157	207				
2-3 months	-	-	353	318	269	283	275	257	271	260	236	267	235	255	225	211	366	198	238	198	197	207	207	241	212				
4-6 months	-	-	286	321	282	294	326	287	305	287	263	308	284	290	298	248	386	226	233	248	260	267	260	227	235				
7-11 months	-	-	162	184	163	193	183	177	185	239	216	189	210	193	220	227	331	204	222	184	206	221	219	200	206				
A year or longer	-	-	234	254	269	270	339	356	320	332	410	376	341	324	318	386	611	423	353	402	440	416	392	368	339				
Never again	-	-	91	76	92	70	108	105	91	140	133	108	126	91	115	105	177	103	118	143	122	109	131	108	146				
1 Day To 3 Months (Net)	-	-	601	538	463	475	406	425	463	414	348	406	385	409	368	375	596	353	374	340	351	349	357	398	419				
Sigma	-	-	1519	1490	1386	1408	1453	1444	1485	1552	1475	1506	1490	1428	1452	1478	2317	1459	1457	1456	1507	1490	1475	1459	1479				

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q33B_9 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?
 Go to the movies

Base: Applicable Response

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	1691	1645	1606	1628	1681	1632	1677	1689	1651	1683	1661	1659	1580	1650	2650	1695	1668	1686	1726	1696	1739	1675	1679	
Weighted Base	**	**	1697	1650	1612	1659	1672	1654	1674	1734	1647	1660	1689	1653	1596	1663	2672	1646	1669	1670	1718	1673	1713	1672	1665	
Up To 6 Months (Net)	-	-	1239	1209	1155	1140	1080	1070	1119	1057	928	1011	1051	1012	951	1008	1546	941	989	974	999	984	964	984	976	
Up To 3 Months (Sub-Net)	-	-	920	866	845	821	718	727	767	710	629	687	723	674	664	705	1106	638	733	671	642	676	640	675	685	
Immediately/1-30 Days (Sub-Sub-Net)	-	-	500	420	445	408	346	375	393	359	312	334	392	373	351	401	570	340	454	388	378	384	341	372	420	
Immediately	-	-	149	115	123	150	109	119	128	131	113	136	151	150	150	182	263	184	225	169	170	174	141	176	155	
1-30 days	-	-	351	305	322	259	236	255	265	228	198	198	241	219	219	306	156	230	219	208	210	200	196	266	266	
2-3 months	-	-	420	446	400	412	372	352	374	351	318	353	331	301	313	303	536	298	278	283	264	292	299	302	245	
4-6 months	-	-	319	343	310	319	362	343	352	347	298	324	329	338	296	303	440	303	257	303	357	307	325	309	311	
7-11 months	-	-	170	170	160	206	225	212	240	263	233	209	226	224	243	233	427	214	208	217	254	219	251	226	216	
A year or longer	-	-	213	216	221	242	272	311	239	304	362	352	303	318	317	342	549	376	369	366	358	354	404	371	342	
Never again	-	-	75	55	76	70	95	61	75	110	124	88	109	100	84	80	150	115	102	113	107	117	93	91	131	
1 Day To 3 Months (Net)	-	-	771	751	722	671	608	607	639	579	516	561	572	525	514	522	843	454	508	502	472	502	499	499	511	
Sigma	-	-	1697	1650	1612	1659	1672	1654	1674	1734	1647	1660	1689	1653	1596	1663	2672	1646	1669	1670	1718	1673	1713	1672	1665	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q33B_10 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?

Base: Applicable Response

Host/attend a large social gathering

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	1717	1690	1626	1659	1713	1694	1698	1729	1697	1733	1678	1687	1613	1654	2704	1709	1690	1694	1729	1754	1730	1662	1675	
Weighted Base	**	**	1729	1689	1647	1678	1708	1699	1708	1778	1706	1720	1697	1673	1649	1658	2761	1666	1680	1703	1728	1752	1709	1666	1698	
Up To 6 Months (Net)	-	-	1270	1170	1163	1150	1114	1073	1083	1049	959	1060	1036	1012	1014	994	1629	944	993	953	966	1032	926	961	975	
Up To 3 Months (Sub-Net)	-	-	919	825	837	760	723	749	756	698	606	676	700	701	658	685	1060	615	669	618	571	649	599	666	633	
Immediately/1-30 Days (Sub-Sub-Net)	-	-	482	416	417	404	344	356	375	369	305	359	355	362	335	406	614	379	404	357	323	363	307	359	366	
Immediately	-	-	146	119	119	139	107	114	127	145	118	146	142	139	147	199	275	184	199	146	166	154	146	174	149	
1-30 days	-	-	336	297	298	266	236	243	248	224	187	213	224	187	206	340	195	205	211	157	209	160	185	217	193	
2-3 months	-	-	437	410	420	356	379	393	381	329	300	316	346	339	323	279	446	236	265	261	247	286	292	306	267	
4-6 months	-	-	351	345	326	390	392	324	327	351	354	385	336	311	356	309	569	328	324	335	395	383	327	295	342	
7-11 months	-	-	180	203	190	200	223	237	240	251	262	247	242	253	248	227	422	220	225	246	268	238	266	222	230	
A year or longer	-	-	206	240	221	259	309	313	309	380	389	330	315	327	334	358	569	421	383	419	414	418	424	416	389	
Never again	-	-	73	76	73	69	62	75	76	99	96	83	103	82	53	78	142	82	78	84	80	64	93	68	104	
1 Day To 3 Months (Net)	-	-	773	707	718	622	615	636	629	553	487	530	558	562	511	485	785	431	470	472	405	495	453	491	484	
Sigma	-	-	1729	1689	1647	1678	1708	1699	1708	1778	1706	1720	1697	1673	1649	1658	2761	1666	1680	1703	1728	1752	1709	1666	1698	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q33B_11 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?

Take public transportation (e.g., subway, buses, trains)

Base: Applicable Response

	Waves																											
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)			
Unweighted Base	-	-	1374	1297	1172	1292	1314	1271	1298	1383	1363	1336	1329	1307	1235	1327	2090	1399	1365	1346	1401	1418	1440	1340	1401			
Weighted Base	**	**	1362	1327	1190	1310	1315	1294	1325	1441	1398	1349	1360	1279	1283	1321	2141	1362	1378	1334	1394	1406	1354	1396				
Up To 6 Months (Net)	-	-	952	885	775	841	749	783	834	778	734	725	818	723	742	753	1205	750	783	726	725	755	737	743	811			
Up To 3 Months (Sub-Net)	-	-	732	672	594	612	513	558	598	540	508	503	596	539	510	539	871	537	569	545	490	540	525	526	600			
Immediately/1-30 Days (Sub-Sub-Net)	-	-	430	424	343	355	293	311	359	324	279	308	325	302	315	331	539	341	352	361	293	328	324	333	368			
Immediately	-	-	177	140	119	141	121	118	153	143	140	140	155	132	151	175	260	189	179	187	133	148	146	170	162			
1-30 days	-	-	253	285	224	214	172	193	205	181	139	168	170	170	164	156	279	153	174	174	160	180	179	164	206			
2-3 months	-	-	302	248	250	257	219	247	239	216	229	195	272	237	194	208	332	195	217	184	197	211	200	192	232			
4-6 months	-	-	219	213	181	229	237	225	237	222	222	222	222	214	232	214	334	213	213	181	236	215	213	217	211			
7-11 months	-	-	101	141	107	136	155	125	159	173	192	145	168	159	152	162	266	167	123	188	182	176	166	163	151			
A year or longer	-	-	189	189	194	187	277	250	217	330	335	331	242	270	263	272	459	298	333	279	298	322	346	314	289			
Never again	-	-	121	112	124	148	133	138	115	158	137	148	132	127	126	134	211	148	140	142	133	141	156	134	145			
1 Day To 3 Months (Net)	-	-	555	533	474	470	391	440	444	397	368	363	441	407	358	364	611	348	391	358	357	392	379	356	438			
Sigma	-	-	1362	1327	1190	1310	1315	1294	1325	1441	1398	1349	1360	1279	1283	1321	2141	1362	1378	1334	1394	1406	1354	1396				

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. **very small base (under 30) ineligible for sig testing

Q33B_12 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?

Greet people with a handshake

Base: Applicable Response

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/30-4/5)	Wave 6 (4/11-4/13)	Wave 7 (4/18-4/20)	Wave 8 (4/22-4/23)	Wave 9 (5/1-5/3)	Wave 10 (5/8-5/10)	Wave 11 (5/15-5/17)	Wave 12 (5/22-5/23)	Wave 13 (5/27-5/31)	Wave 14 (6/4-6/8)	Wave 15 (6/13-6/15)	Wave 16 (6/18-6/20)	Wave 17 (6/24-6/29)	Wave 18 (7/4-7/12)	Wave 19 (7/17-7/19)	Wave 20 (7/24-7/26)	Wave 21 (7/31-8/2)	Wave 22 (8/7-8/9)	Wave 23 (8/14-8/16)	Wave 24 (8/21-8/23)	Wave 25 (8/28-8/31)	Wave 26 (9/1-9/3)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	1881	1883	1828	1844	1895	1886	1894	1888	1817	1897	1828	1826	1771	1819	2941	1824	1826	1829	1873	1860	1844	1818	1814	
Weighted Base	**	**	1888	1869	1820	1858	1897	1886	1879	1922	1817	1892	1815	1814	1772	1823	2957	1805	1816	1832	1870	1864	1835	1827	1812	
Up To 6 Months (Net)	-	-	1318	1220	1146	1066	1017	983	988	959	834	964	956	944	935	926	1448	869	905	892	872	917	831	910	881	
Up To 3 Months (Sub-Net)	-	-	1016	912	858	715	728	710	703	654	579	703	689	658	666	680	1051	635	678	644	562	627	590	664	636	
Immediately/1-30 Days (Sub-Sub-Net)	-	-	592	511	481	407	400	407	401	394	376	378	401	389	399	445	655	427	431	404	359	394	340	441	376	
Immediately	-	-	200	190	176	176	149	162	156	165	185	210	206	188	215	257	342	248	242	199	194	226	167	245	186	
1-30 days	-	-	393	322	305	231	250	245	246	230	191	166	195	201	183	188	313	179	190	205	165	169	172	196	190	
2-3 months	-	-	424	401	377	308	327	302	302	260	203	328	287	269	267	236	396	208	247	240	203	232	250	223	260	
4-6 months	-	-	302	307	289	351	291	273	285	304	255	260	267	286	269	246	398	235	227	249	310	290	241	246	245	
7-11 months	-	-	162	171	142	158	159	186	176	185	232	174	201	178	177	176	333	156	169	201	221	214	208	190	219	
A year or longer	-	-	213	230	286	284	333	341	356	361	368	423	322	363	352	361	613	420	454	402	406	427	435	392	384	
Never again	-	-	195	233	245	351	388	376	359	417	383	331	336	329	309	360	563	360	287	336	371	306	361	334	328	
1 Day To 3 Months (Net)	-	-	816	723	681	539	577	548	547	490	394	493	483	470	451	423	709	387	437	445	369	401	422	419	450	
Sigma	-	-	1888	1869	1820	1858	1897	1886	1879	1922	1817	1892	1815	1814	1772	1823	2957	1805	1816	1832	1870	1864	1835	1827	1812	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q36 How likely do you think it is that coronavirus (COVID-19) will cause a global recession?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/3-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	2050	2019	2023	-	-	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	2050	2019	2023	**	**	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Somewhat/Very Likely (Net)	1578 77%	1629 81%	1730 86%	-	-	1731 86%	1683 83%	1713 84%	1710 84%	1727 84%	1677 85%	1675 84%	1647 84%	1584 80%	1604 82%	1625 83%	2659 84%	1671 85%	1646 83%	1653 84%	1672 84%	1692 85%	1697 85%	1629 83%	1608 82%	
Very likely	780 38%	869 43%	1046 52%	-	-	1042 52%	935 48%	1010 49%	1021 50%	1029 51%	1006 49%	988 46%	976 46%	903 46%	930 47%	920 47%	1605 51%	1029 53%	912 48%	1059 54%	1001 50%	1070 54%	1034 52%	952 48%	946 48%	
Somewhat likely	798 39%	760 38%	684 34%	-	-	689 34%	748 37%	703 34%	689 34%	698 34%	671 34%	687 34%	671 34%	681 35%	673 34%	705 36%	1054 33%	642 33%	734 37%	594 30%	671 34%	621 31%	664 33%	677 34%	662 34%	
Not At All/Not Likely (Net)	324 16%	267 13%	164 8%	-	-	163 8%	196 10%	163 8%	172 8%	198 10%	168 9%	195 10%	176 11%	222 11%	201 10%	187 10%	307 10%	221 7%	187 7%	195 7%	189 10%	185 9%	196 10%	171 9%	194 10%	
Not very likely	255 12%	210 10%	122 6%	-	-	120 6%	166 8%	122 6%	128 6%	138 7%	123 6%	151 8%	126 6%	165 8%	140 7%	123 6%	221 7%	101 3%	139 7%	138 7%	139 10%	139 7%	117 6%	113 6%	135 7%	
Not at all likely	69 3%	57 3%	42 2%	-	-	43 2%	31 2%	44 2%	59 2%	45 2%	44 2%	49 3%	57 3%	61 3%	64 3%	86 3%	54 3%	56 3%	50 3%	46 2%	58 2%	54 3%	45 2%	59 3%		
I'm not sure	148 7%	123 6%	129 6%	-	-	118 6%	150 7%	156 7%	142 7%	117 6%	127 6%	142 7%	163 8%	158 8%	150 8%	194 6%	131 4%	133 4%	128 7%	131 7%	104 5%	126 6%	180 6%	160 6%		
Sigma	2050 100%	2019 100%	2023 100%	-	-	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Q36A Would you say we are in a global recession due to the coronavirus outbreak?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/27-5/28)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/2-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	2016	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	2016	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Yes	-	-	-	1689	1793	1558	1522	1583	1614	1601	1496	1485	1508	1428	1462	1527	2456	1514	1441	1516	1560	1567	1532	1455	1486	
	-	-	-	84%	90%	77%	75%	77%	79%	77%	76%	74%	77%	73%	74%	78%	78%	77%	73%	77%	78%	79%	77%	74%	76%	
	-	-	-	INOSX		INOSX		GLNOSXy		INOSX		NS		gLNOSX		gLNOSX		INSx		NSX		GLNOSX		GLNOSXy		
No	-	-	-	327	200	455	507	467	425	465	465	511	457	541	501	435	705	443	533	454	428	425	463	512	476	
	-	-	-	16%	10%	23%	25%	23%	21%	23%	24%	26%	23%	27%	26%	22%	22%	22%	27%	23%	22%	21%	23%	26%	24%	
	-	-	-	E		DE		DE		DE		DE		DE		DE		DE		DE		DE		DE		
Sigma	-	-	-	2016	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

LI01 Which do you think will have a bigger effect on the life of you and your family?

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/3-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/15)	Wave 17 (6/18-6/20)	Wave 18 (6/26-6/29)	Wave 19 (7/3-7/4)	Wave 20 (7/10-7/12)	Wave 21 (7/17-7/19)	Wave 22 (7/24-7/26)	Wave 23 (7/31-8/2)	Wave 24 (8/7-8/9)	Wave 25 (8/14-8/16)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Coronavirus/COVID-19 itself	-	-	-	-	765	696	776	651	750	698	666	655	698	748	692	760	1164	746	784	784	854	809	780	736	807	
	-	-	-	-	38%	35%	38%	32%	37%	34%	34%	33%	36%	38%	35%	39%	37%	38%	40%	40%	43%	41%	39%	37%	41%	
					FHJKL	FHJKL	FHJKL	HL	HL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	FHJKL	
The economic impacts of the coronavirus pandemic	-	-	-	-	1228	1317	1253	1399	1289	1369	1295	1341	1267	1221	1271	1202	1997	1211	1190	1186	1134	1183	1215	1231	1155	
	-	-	-	-	62%	65%	62%	68%	63%	66%	66%	67%	64%	62%	65%	61%	63%	62%	60%	60%	57%	59%	61%	63%	59%	
					UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	UVV	
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

L102 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?

Summary Of Mostly The Same

Base: All Respondents

	Waves																								
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/1-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/25-4/27)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/24)	Wave 14 (5/29-5/31)	Wave 15 (6/4-6/8)	Wave 16 (6/13-6/20)	Wave 17 (6/18-6/26)	Wave 18 (6/29-7/4)	Wave 19 (7/11-7/12)	Wave 20 (7/17-7/19)	Wave 21 (7/24-7/26)	Wave 22 (7/31-8/2)	Wave 23 (8/7-8/9)	Wave 24 (8/14-8/16)	Wave 25 (8/21-8/23)	Wave 26
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962
Health insurance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1070	1093	1097	1099	1103	1114	1093	1096
Personal hygiene	-	-	-	-	935	999	1016	1100	1017	946	884	996	996	947	1026	899	1610	887	971	984	1015	1011	1001	977	1019
Family life	-	-	-	-	1147	1182	1159	1146	1146	1072	1015	1123	1046	1081	1077	1009	1721	977	1043	1023	995	1043	1023	981	969
Eating habits	-	-	-	-	1086	1053	1095	1051	1052	989	958	1017	995	933	1013	977	1605	942	1001	970	930	976	978	974	943
Healthcare	-	-	-	-	54%	52%	54%	51%	52%	48%	49%	51%	51%	47%	52%	50%	51%	48%	51%	49%	47%	49%	49%	47%	48%
Work life	-	-	-	-	1031	1027	944	954	913	883	910	954	890	903	931	885	1395	816	906	855	846	899	843	892	832
Shopping habits	-	-	-	-	823	748	802	742	742	634	638	659	662	658	754	633	1185	652	737	669	691	658	694	688	647
Social activity	-	-	-	-	742	680	718	708	656	628	613	622	662	647	733	614	994	535	690	555	629	641	631	602	627
Travel/vacation	-	-	-	-	684	622	692	617	586	543	526	542	579	583	661	595	924	530	663	521	547	584	558	568	595

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Fielding Period: March 14 - August 23, 2020
COVID-19
Weighted To The U.S. General Adult Population - Propensity

L102 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?

Summary Of Somewhat Different

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/23)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/4 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Shopping habits	-	-	-	-	717 36%	775 36%	797 39%	863 42%	811 40%	927 45%	786 40%	890 45%	810 41%	839 43%	759 35%	876 45%	1236 50%	819 30%	819 42%	802 41%	819 41%	863 43%	838 42%	820 41%	807 41%	
Social activity	-	-	-	-	723 36%	817 41%	815 40%	792 39%	827 41%	880 43%	784 40%	835 42%	718 37%	778 40%	733 37%	828 42%	1285 44%	867 32%	822 44%	835 42%	787 40%	794 40%	824 41%	815 41%	756 39%	
Travel/vacation	-	-	-	-	680 34%	721 36%	707 35%	751 37%	751 37%	783 38%	674 34%	727 36%	670 34%	717 36%	683 35%	729 37%	1143 36%	761 39%	718 36%	763 39%	787 40%	758 38%	752 37%	737 37%	729 37%	
Eating habits	-	-	-	-	584 29%	612 30%	641 32%	671 33%	651 32%	688 34%	668 34%	668 31%	618 31%	684 35%	613 31%	653 33%	1026 32%	682 35%	650 33%	672 34%	685 34%	691 35%	648 32%	661 34%	630 32%	
Family life	-	-	-	-	540 27%	516 26%	557 27%	632 31%	586 29%	606 29%	628 32%	587 29%	584 30%	566 28%	682 29%	636 35%	952 30%	614 33%	629 33%	644 32%	651 33%	655 33%	631 32%	607 31%	607 31%	
Healthcare	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	713 36%	654 33%	680 35%	661 32%	691 33%	650 31%	604 31%	
Work life	-	-	-	-	557 28%	548 27%	643 32%	630 31%	688 34%	705 34%	612 31%	624 31%	619 30%	593 30%	624 34%	663 32%	1005 34%	633 32%	654 32%	628 32%	661 33%	626 31%	689 35%	612 31%	590 30%	
Health insurance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	564 29%	552 28%	545 28%	563 28%	559 28%	503 26%		
Personal hygiene	-	-	-	-	594 29%	553 27%	588 29%	536 26%	545 27%	620 30%	570 29%	593 30%	561 29%	539 27%	522 27%	904 29%	576 29%	590 29%	547 28%	535 27%	574 29%	595 30%	559 28%	499 25%		

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

L102 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?

Summary Of Very Different

Base: All Respondents

	Waves																											
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/23)	Wave 14 (5/29 - 5/31)	Wave 15 (6/4 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/1 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)			
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962			
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962			
Travel/vacation	-	-	-	-	630 32%	670 33%	631 31%	681 33%	702 34%	741 36%	761 39%	727 36%	716 36%	669 34%	619 32%	638 33%	1095 35%	666 34%	593 30%	686 35%	654 33%	649 33%	684 34%	662 34%	638 33%			
Social activity	-	-	-	-	528 26%	518 26%	496 24%	549 27%	556 27%	559 27%	564 29%	538 27%	584 30%	544 28%	498 25%	519 26%	881 28%	555 28%	462 23%	579 23%	572 23%	557 23%	540 22%	550 22%	578 23%			
Work life	-	-	-	-	405 20%	438 22%	441 22%	466 23%	438 21%	479 23%	438 22%	419 21%	456 23%	474 24%	409 21%	414 21%	761 24%	507 26%	415 21%	487 21%	481 21%	467 23%	462 23%	464 24%	540 28%			
Shopping habits	-	-	-	-	453 23%	490 24%	430 21%	446 22%	487 24%	506 24%	537 27%	447 22%	493 25%	473 24%	449 23%	453 23%	740 23%	486 25%	418 21%	500 21%	478 24%	472 24%	463 23%	459 23%	507 23%			
Healthcare	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	415 21%	406 21%	411 21%	423 21%	410 21%	354 18%	401 20%	446 23%			
Personal hygiene	-	-	-	-	474 24%	461 23%	425 21%	414 20%	476 23%	501 24%	507 26%	407 20%	408 21%	483 25%	414 21%	491 25%	647 20%	494 25%	413 21%	439 22%	438 22%	406 20%	399 20%	431 22%	444 23%			
Eating habits	-	-	-	-	323 16%	348 17%	293 14%	329 16%	336 16%	390 19%	335 17%	311 16%	352 18%	337 17%	332 17%	530 17%	332 17%	323 16%	328 16%	323 16%	328 16%	373 19%	324 16%	369 19%	332 17%			
Family life	-	-	-	-	306 15%	316 16%	313 15%	272 13%	306 15%	389 19%	317 16%	286 14%	335 17%	331 17%	322 16%	270 14%	489 15%	343 18%	317 16%	318 16%	349 16%	298 15%	317 16%	356 18%	386 20%			
Health insurance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	322 16%	329 17%	339 17%	356 16%	326 16%	322 16%	353 18%	372 19%			

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

LI02_1 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?
 Shopping habits

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/23)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/20)	Wave 17 (6/18 - 6/29)	Wave 18 (6/26 - 7/4)	Wave 19 (7/1 - 7/12)	Wave 20 (7/10 - 7/19)	Wave 21 (7/17 - 7/26)	Wave 22 (7/24 - 8/2)	Wave 23 (7/31 - 8/9)	Wave 24 (8/7 - 8/16)	Wave 25 (8/14 - 8/23)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Mostly the same	-	-	-	-	823 41%	749 37%	802 40%	742 36%	742 36%	634 31%	638 33%	659 33%	662 34%	658 33%	754 38%	633 32%	1185 37%	652 33%	737 37%	669 34%	691 35%	658 33%	694 35%	688 35%	647 33%	
Somehow different	-	-	-	-	717 36%	775 38%	797 39%	863 42%	811 40%	927 45%	786 40%	890 45%	810 41%	839 43%	759 39%	876 45%	1236 39%	819 42%	1236 39%	819 42%	802 41%	819 41%	863 43%	838 42%	820 42%	807 41%
Very different	-	-	-	-	453 23%	490 24%	430 21%	446 22%	487 24%	506 24%	537 27%	447 22%	493 25%	473 24%	449 23%	453 23%	740 23%	486 25%	418 21%	500 25%	478 24%	472 24%	463 23%	459 23%	507 29%	
Sigma	-	-	-	-	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

LI02_2 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?

Eating habits

Base: All Respondents

	Waves																									
	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7	Wave 8	Wave 9	Wave 10	Wave 11	Wave 12	Wave 13	Wave 14	Wave 15	Wave 16	Wave 17	Wave 18	Wave 19	Wave 20	Wave 21	Wave 22	Wave 23	Wave 24	Wave 25	Wave 26	
	(3/14 - 3/15)	(3/17 - 3/18)	(3/21 - 3/23)	(3/28 - 3/30)	(4/1 - 4/5)	(4/11 - 4/13)	(4/18 - 4/20)	(4/28 - 4/27)	(5/1 - 5/3)	(5/8 - 5/10)	(5/15 - 5/17)	(5/22 - 5/24)	(5/29 - 5/31)	(6/6 - 6/8)	(6/13 - 6/15)	(6/18 - 6/20)	(6/26 - 6/29)	(7/2 - 7/4)	(7/10 - 7/12)	(7/17 - 7/19)	(7/24 - 7/26)	(7/31 - 8/2)	(8/7 - 8/9)	(8/14 - 8/16)	(8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Mostly the same	-	-	-	-	1086	1053	1095	1051	1052	989	958	1017	995	933	1013	977	1605	942	1001	970	930	976	978	974	943	
					54%	52%	54%	51%	52%	48%	49%	51%	51%	47%	52%	50%	51%	48%	51%	49%	47%	49%	49%	50%	48%	
Some what different	-	-	-	-	584	612	641	671	651	688	668	668	618	684	613	653	1026	682	650	672	685	691	648	661	630	
					29%	30%	32%	33%	32%	33%	34%	33%	31%	35%	31%	33%	32%	35%	33%	34%	34%	34%	32%	34%	32%	
Very different	-	-	-	-	323	348	293	329	336	390	335	311	352	332	332	332	530	332	323	328	373	324	369	332	390	
					16%	17%	14%	16%	16%	19%	17%	16%	18%	18%	17%	17%	17%	17%	17%	16%	17%	18%	16%	19%	17%	20%
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
					100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

LI02_3 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?
 Social activity

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/10)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/1 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Mostly the same	-	-	-	-	742 37%	680 34%	718 35%	708 35%	656 32%	628 30%	613 31%	622 31%	662 34%	647 33%	733 37%	614 31%	994 31%	535 27%	690 35%	555 28%	629 32%	641 32%	631 32%	602 31%	627 32%	
Somewhat different	-	-	-	-	723 36%	817 41%	815 40%	792 39%	827 41%	880 43%	784 40%	835 42%	718 37%	778 40%	733 37%	828 42%	1285 41%	867 44%	822 42%	835 42%	787 40%	794 40%	824 41%	815 41%	756 39%	
Very different	-	-	-	-	528 26%	516 26%	496 24%	549 27%	556 27%	559 27%	564 29%	538 27%	584 30%	544 28%	498 25%	519 26%	881 28%	555 28%	462 23%	579 29%	572 29%	557 28%	540 27%	550 28%	578 29%	
Sigma	-	-	-	-	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

LI02_4 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?

Travel/vacation

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/25 - 4/27)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/24)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/4 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Mostly the same	-	-	-	-	684 34%	622 31%	692 34%	617 30%	586 29%	543 26%	526 27%	542 27%	579 29%	583 30%	661 34%	595 30%	924 29%	530 27%	663 34%	521 26%	547 28%	584 29%	558 29%	568 29%	595 30%	
Somehow different	-	-	-	-	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	JKLRTU	
Very different	-	-	-	-	630 32%	670 33%	631 31%	681 33%	702 34%	741 36%	741 36%	727 36%	716 36%	669 34%	619 32%	638 33%	1095 35%	666 34%	593 30%	686 35%	654 33%	649 33%	684 34%	662 34%	638 33%	
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

LI02_5 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?

Work life

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/22 - 5/23)	Wave 14 (5/29 - 5/31)	Wave 15 (6/6 - 6/8)	Wave 16 (6/13 - 6/15)	Wave 17 (6/18 - 6/20)	Wave 18 (6/26 - 6/29)	Wave 19 (7/4 - 7/4)	Wave 20 (7/10 - 7/12)	Wave 21 (7/17 - 7/19)	Wave 22 (7/24 - 7/26)	Wave 23 (7/31 - 8/2)	Wave 24 (8/7 - 8/9)	Wave 25 (8/14 - 8/16)	Wave 26 (8/21 - 8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Mostly the same	-	-	-	-	1031 52%	1027 51%	944 47%	954 47%	913 45%	883 43%	910 46%	954 46%	890 45%	903 46%	931 47%	895 45%	1395 44%	816 42%	906 46%	855 43%	846 43%	899 45%	843 42%	892 45%	832 42%	
Somehow different	-	-	-	-	557 28%	548 27%	643 32%	630 31%	688 34%	705 34%	612 31%	624 31%	619 31%	593 30%	624 30%	663 34%	1005 32%	633 32%	654 33%	628 32%	661 33%	626 31%	689 35%	612 31%	590 30%	
Very different	-	-	-	-	405 20%	438 22%	441 22%	466 23%	438 21%	479 23%	438 22%	419 21%	456 23%	474 24%	409 21%	414 21%	761 24%	507 26%	415 21%	487 25%	481 24%	467 23%	462 23%	464 24%	540 28%	
Sigma	-	-	-	-	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

LI02_6 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?

Family life

Base: All Respondents

	Waves																									
	Wave 2 (3/14-3/15)	Wave 3 (3/17-3/18)	Wave 4 (3/21-3/23)	Wave 5 (3/28-3/30)	Wave 6 (4/1-4/5)	Wave 7 (4/11-4/13)	Wave 8 (4/18-4/20)	Wave 9 (4/28-4/29)	Wave 10 (5/1-5/3)	Wave 11 (5/8-5/10)	Wave 12 (5/15-5/17)	Wave 13 (5/22-5/23)	Wave 14 (5/29-5/31)	Wave 15 (6/6-6/8)	Wave 16 (6/13-6/20)	Wave 17 (6/18-6/29)	Wave 18 (6/26-7/4)	Wave 19 (7/7-7/12)	Wave 20 (7/10-7/19)	Wave 21 (7/17-7/26)	Wave 22 (7/24-8/2)	Wave 23 (7/31-8/9)	Wave 24 (8/7-8/16)	Wave 25 (8/14-8/23)	Wave 26 (8/21-8/23)	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Mostly the same	-	-	-	-	1147 59%	1182 59%	1159 57%	1146 56%	1146 56%	1072 52%	1015 52%	1123 56%	1048 53%	1081 53%	1077 53%	1009 51%	1721 54%	977 50%	1043 53%	1023 52%	995 50%	1043 52%	1023 51%	981 50%	969 49%	
Somewhat different	-	-	-	-	540 27%	518 26%	557 27%	632 31%	586 29%	606 29%	628 32%	587 29%	584 30%	556 28%	565 29%	682 35%	952 30%	636 33%	614 31%	629 32%	644 32%	651 33%	655 33%	631 32%	607 31%	
Very different	-	-	-	-	306 15%	316 16%	313 15%	272 13%	306 15%	389 19%	317 16%	286 14%	335 17%	331 17%	322 16%	270 14%	488 15%	343 18%	317 16%	318 16%	349 18%	298 15%	317 16%	355 18%	386 20%	
Sigma	-	-	-	-	1993 100%	2013 100%	2029 100%	2050 100%	2039 100%	2066 100%	1961 100%	1996 100%	1965 100%	1969 100%	1963 100%	1962 100%	3161 100%	1957 100%	1974 100%	1970 100%	1988 100%	1992 100%	1995 100%	1967 100%	1962 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

LI02_7 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?
 Personal hygiene

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/10)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/1 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	1993	2013	2029	2050	2039	2030	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Weighted Base	**	**	**	**	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
Mostly the same	-	-	-	-	935 47%	999 50%	1016 50%	1100 54%	1017 50%	946 46%	884 45%	996 51%	996 48%	947 48%	1026 52%	899 46%	1610 51%	887 45%	971 48%	984 50%	1015 51%	1011 51%	1001 50%	977 50%	1019 52%	
					JKpR	JKPR	JKPR	JKPR	JKPR	JKPR	JKPR	eJKPR	eJKPR	EJKNPR	EJKPR	JKR	JKPR	EJKPR	eJKPR	JKPR	EJKPR	JKPR	JKPR	JKPR	EJKNPR	
Somewhat different	-	-	-	-	584 29%	553 27%	588 29%	536 26%	545 27%	620 30%	570 29%	593 30%	561 29%	539 27%	522 27%	572 29%	904 29%	576 29%	590 30%	547 28%	535 27%	574 29%	596 30%	559 28%	499 25%	
					hY	hY	y	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	HiouY	
Very different	-	-	-	-	474 24%	461 23%	425 21%	414 20%	476 23%	501 24%	507 26%	407 20%	408 21%	483 25%	414 21%	491 25%	647 20%	494 25%	413 21%	439 22%	438 22%	406 20%	399 20%	431 22%	444 23%	
					ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	ghLMQWV	
Sigma	-	-	-	-	1993	2013	2029	2050	2039	2066	1961	1996	1965	1969	1963	1962	3161	1957	1974	1970	1988	1992	1995	1967	1962	
	-	-	-	-	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

LI02_8 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?
 Healthcare

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/11)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/2 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
Mostly the same	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somehow different	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Very different	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

LI02_9 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same?
 Health insurance

Base: All Respondents

	Waves																									
	Wave 2 (3/14 - 3/15)	Wave 3 (3/17 - 3/18)	Wave 4 (3/21 - 3/23)	Wave 5 (3/28 - 3/30)	Wave 6 (4/1 - 4/5)	Wave 7 (4/11 - 4/13)	Wave 8 (4/18 - 4/20)	Wave 9 (4/28 - 4/29)	Wave 10 (5/1 - 5/3)	Wave 11 (5/8 - 5/10)	Wave 12 (5/15 - 5/17)	Wave 13 (5/27 - 5/28)	Wave 14 (6/9 - 6/11)	Wave 15 (6/13 - 6/15)	Wave 16 (6/18 - 6/20)	Wave 17 (6/26 - 6/29)	Wave 18 (7/4 - 7/4)	Wave 19 (7/10 - 7/12)	Wave 20 (7/17 - 7/19)	Wave 21 (7/24 - 7/26)	Wave 22 (7/31 - 8/2)	Wave 23 (8/7 - 8/9)	Wave 24 (8/14 - 8/16)	Wave 25 (8/21 - 8/23)	Wave 26	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	
Unweighted Base	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weighted Base	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
Mostly the same	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somehow different	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Very different	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/X/Y
 Overlap formulae used. ** very small base (under 30) ineligible for sig testing

24 August 2020

Fielding Period: March 14 - August 23, 2020

COVID-19
Weighted To The U.S. General Adult Population - Propensity

Page Table Title

1	1	CON1 Have you watched coverage of any of the conventions in previous years - Democratic and/or Republican? Select all that apply
2	2	CON2 Did you watch any of the 2020 Democratic National Convention (Mon, Aug 17, 2020 - Thu, Aug 20, 2020)?
3	3	CON3 Would you prefer future conventions to continue the new virtual format or return to a convention hall?
4	4	CON4 As you may know, the Republican National Convention will begin on August 24th with primarily virtual/remote speeches. Do you intend to watch any of the programming?
5	5	CON5 Which of the following moments of the Democratic National Convention would you consider high points or low points? Summary Of High
7	6	CON5 Which of the following moments of the Democratic National Convention would you consider high points or low points? Summary Of Low
9	7	CON5_1 Which of the following moments of the Democratic National Convention would you consider high points or low points? Gabrielle Giffords' speech
10	8	CON5_2 Which of the following moments of the Democratic National Convention would you consider high points or low points? Michelle Obama's speech
11	9	CON5_3 Which of the following moments of the Democratic National Convention would you consider high points or low points? Roll Call
12	10	CON5_4 Which of the following moments of the Democratic National Convention would you consider high points or low points? Elizabeth Warren's speech
13	11	CON5_5 Which of the following moments of the Democratic National Convention would you consider high points or low points? Barack Obama's speech
14	12	CON5_6 Which of the following moments of the Democratic National Convention would you consider high points or low points? Billie Eilish's performance
15	13	CON5_7 Which of the following moments of the Democratic National Convention would you consider high points or low points? John Legend's performance
16	14	CON5_8 Which of the following moments of the Democratic National Convention would you consider high points or low points? Kamala Harris' speech
17	15	CON5_9 Which of the following moments of the Democratic National Convention would you consider high points or low points? Segment on immigration
18	16	CON5_10 Which of the following moments of the Democratic National Convention would you consider high points or low points? Segment on climate change
19	17	CON5_11 Which of the following moments of the Democratic National Convention would you consider high points or low points? Kristin Urquiza's speech about father's death from COVID-19
20	18	CON5_12 Which of the following moments of the Democratic National Convention would you consider high points or low points? Bernie Sanders' speech
21	19	CON5_13 Which of the following moments of the Democratic National Convention would you consider high points or low points? Jill Biden's speech
22	20	CON5_14 Which of the following moments of the Democratic National Convention would you consider high points or low points? Segment on Joe Biden using Amtrak
23	21	CON5_15 Which of the following moments of the Democratic National Convention would you consider high points or low points? Michael Bloomberg's speech
24	22	CON5_16 Which of the following moments of the Democratic National Convention would you consider high points or low points? John Kasich's speech
25	23	CON5_17 Which of the following moments of the Democratic National Convention would you consider high points or low points? Joe Biden's speech
26	24	HOL04 Compared to 2019, do you anticipate that you will spend more or less over the winter holidays (e.g., Christmas, Hanukkah, etc.)?
27	25	AIR03 Recently it was reported that airlines and airports asked a United Nations-led task force to recommend countries accept a negative COVID-19 test within 48 hours of travel as an alternative to quarantines for passengers traveling from countries with high COVID-19 infection rates. If such a measure were adopted by the 193 United Nations member countries, would you be more or less likely to travel?
28	26	TEST1 Which of the following scenarios would you prefer if you were to take a COVID-19 test?
29	27	TEST2 How important are the following factors to you when it comes to COVID-19 testing? Summary Of Very/Somewhat Important
30	28	TEST2 How important are the following factors to you when it comes to COVID-19 testing? Summary Of Not At All/Not Very Important
31	29	TEST2_1 How important are the following factors to you when it comes to COVID-19 testing? Fast results
32	30	TEST2_2 How important are the following factors to you when it comes to COVID-19 testing? Simple process
33	31	TEST2_3 How important are the following factors to you when it comes to COVID-19 testing? Accuracy
34	32	TEST2_4 How important are the following factors to you when it comes to COVID-19 testing? Nasal swab method
35	33	TEST2_5 How important are the following factors to you when it comes to COVID-19 testing? Saliva testing
36	34	TEST2_6 How important are the following factors to you when it comes to COVID-19 testing? Testing site with services in various languages

24 August 2020

Fielding Period: March 14 - August 23, 2020

COVID-19
Weighted To The U.S. General Adult Population - Propensity

Page	Table	Title
37	35	TEST2_7 How important are the following factors to you when it comes to COVID-19 testing? Drive through
38	36	TEST2_8 How important are the following factors to you when it comes to COVID-19 testing? Walk-up clinic
39	37	TEST3 In your opinion, what length of time do you consider 'fast' to get COVID-19 test results back? Enter either the hours or days.
40	38	CDC12 How strictly do you follow these safety recommendations for COVID-19 in your daily life? Summary Of Strictly
41	39	CDC12 How strictly do you follow these safety recommendations for COVID-19 in your daily life? Summary Of Very Strictly
42	40	CDC12 How strictly do you follow these safety recommendations for COVID-19 in your daily life? Summary Of Personally Strictly
43	41	CDC12 How strictly do you follow these safety recommendations for COVID-19 in your daily life? Summary Of Not Strictly
44	42	CDC12_1 How strictly do you follow these safety recommendations for COVID-19 in your daily life? Wearing a mask in public settings
45	43	CDC12_2 How strictly do you follow these safety recommendations for COVID-19 in your daily life? Staying 6-feet apart from others who don't live in my household
46	44	CDC12_3 How strictly do you follow these safety recommendations for COVID-19 in your daily life? Washing my hands for 20-seconds after being in public spaces
47	45	CDC12_4 How strictly do you follow these safety recommendations for COVID-19 in your daily life? Avoiding touching my eyes, nose and mouth with unwashed hands
48	46	CDC12_5 How strictly do you follow these safety recommendations for COVID-19 in your daily life? Cleaning and disinfecting frequently touched surfaces daily
49	47	CDC12_6 How strictly do you follow these safety recommendations for COVID-19 in your daily life? Staying home if I feel sick
50	48	CDC13 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? Summary Of Very Much/Somewhat
51	49	CDC13 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? Summary Of Not At All/Not Too Much
52	50	CDC13_1 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? The virus is not as serious a problem as everyone says it is
53	51	CDC13_2 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? My friends and family don't follow them
54	52	CDC13_3 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? I don't live with any people who are at high risk for severe illness
55	53	CDC13_4 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? Not needed because I am healthy
56	54	CDC13_5 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? I forget to follow them
57	55	CDC13_6 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? My community doesn't follow them
58	56	CDC13_7 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? The safety recommendations go against my beliefs
59	57	CDC13_8 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? I don't believe these safety recommendations will keep me safe
60	58	CDC13_9 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? My friends would pressure me not to physically distance
61	59	CDC13_10 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? My family would pressure me not to physically distance
62	60	CDC13_11 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? I don't need to physically distance because I don't go out
63	61	CDC13_12 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? I don't need to physically distance because I know my friends don't have COVID-19
64	62	CDC13_13 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? I don't need to physically distance because COVID-19 isn't common in my area
65	63	CDC13_14 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? I don't wear masks because of religious reasons
66	64	CDC13_15 How much do each of the following drive your decision to not follow COVID-19 safety recommendations? I don't wear masks because I'm afraid I will be discriminated against
67	65	CDC14 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? Summary Of Very Much/Somewhat
68	66	CDC14 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? Summary Of Not At All/Not Too Much

24 August 2020

Fielding Period: March 14 - August 23, 2020

COVID-19
Weighted To The U.S. General Adult Population - Propensity

Page	Table	Title
69	67	CDC14_1 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? I want to protect others
70	68	CDC14_2 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? I believe it will help save our future
71	69	CDC14_3 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? My generation has the power to help stop the spread, it's up to us
72	70	CDC14_4 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? It's the least I can do right now to help fight the pandemic
73	71	CDC14_5 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? All my friends follow them
74	72	CDC14_6 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? Pressure from friends and family
75	73	CDC14_7 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? I am concerned about my own health
76	74	CDC14_8 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? I am concerned about the health of people I live with
77	75	CDC14_9 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? Masks are part of my fashion now
78	76	CDC14_10 How much do each of the following reasons drive your decision to follow COVID-19 recommended safety precautions? I just want things to be normal again
79	77	CDC15 Would you wear a mask to avoid any of the following from happening? Please select all situations that apply. "I would wear a mask to avoid..."
80	78	CDC16 How much do you agree or disagree with the following statements? Summary Of Strongly/Somewhat Agree
81	79	CDC16 How much do you agree or disagree with the following statements? Summary Of Strongly/Somewhat Disagree
82	80	CDC16_1 How much do you agree or disagree with the following statements? I wish more people my age followed COVID-19 safety recommendations
83	81	CDC16_2 How much do you agree or disagree with the following statements? People who don't follow safety recommendations are prolonging the amount of time I have to stay home and away from friends
84	82	CDC16_3 How much do you agree or disagree with the following statements? People who don't follow safety recommendations are jeopardizing our health
85	83	CDC16_4 How much do you agree or disagree with the following statements? Not traveling is the safest option right now
86	84	CDC16_5 How much do you agree or disagree with the following statements? Staying home is the best way to protect myself and others from getting sick
87	85	CDC16_6 How much do you agree or disagree with the following statements? I think people my age are being too cautious (given the health risk from COVID-19) and it is jeopardizing the economy
88	86	CDC16_7 How much do you agree or disagree with the following statements? I think people my age are overreacting to COVID-19
89	87	BHV38 During COVID-19, have you used curbside pickup for any of the following products?
90	88	BHV39 As stores re-open, how are you thinking about shopping in-person?
91	89	ONL01 How satisfied generally are you with online shopping now for things you used to do in store?
92	90	ONL02 What do you miss about shopping in person?
93	91	ONL03 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying? Summary Of More
94	92	ONL03 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying? Summary Of Less
95	93	ONL03 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying? Summary Of No Change
96	94	ONL03_1 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying? Customer service chatbot
97	95	ONL03_2 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying? Video reviews
98	96	ONL03_3 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying? Online reviews on company website
99	97	ONL03_4 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying? Online reviews on forums or social media
100	98	ONL03_5 Relative to before the pandemic, have you been relying more or less on each of the following ways to evaluate a product online before buying? Articles written about the product
101	99	CV07 Do you think there will be another lockdown in each of the following? Please select all that apply.
102	100	COV06 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Summary Of Short Term

24 August 2020

Fielding Period: March 14 - August 23, 2020

COVID-19
Weighted To The U.S. General Adult Population - Propensity

Page	Table	Title
103	101	COV06 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Summary Of Medium Term
104	102	COV06 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Summary Of Long Term
105	103	COV06_1 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Cook the majority of meals at home
106	104	COV06_2 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Order groceries online for home-delivery
107	105	COV06_3 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Order food for delivery
108	106	COV06_4 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Host meetings virtually
109	107	COV06_5 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Cut non-essential leisure travel
110	108	COV06_6 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Cut non-essential business travel
111	109	COV06_7 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Substitute short distance flights with car travel
112	110	COV06_8 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Save more spend less
113	111	COV06_9 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Virtual happy hours
114	112	COV06_10 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Leaving my residence as little as possible
115	113	COV06_11 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Not have people over to my home
116	114	COV06_12 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Wear PPE when I go out in public (e.g., face masks, gloves, etc)
117	115	COV06_13 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Make sure my house is stocked with non-perishable foods and cleaning products
118	116	COV06_14 As we become accustomed to living with COVID-19, in lieu of finding and distributing a vaccine, do you plan on continuing to do each of the following in the short term, medium term, long term? Buy products that boost my/my family's health and immunity (e.g., orange juice, vitamins, etc.)
119	117	BHV07 Based on what you know and have heard, when do you think Americans should start returning to work and life as normal?
120	118	BHV15 Since the coronavirus outbreak are you consuming more or less of the following? Summary Of More
121	119	BHV15 Since the coronavirus outbreak are you consuming more or less of the following? Summary Of Less
122	120	BHV15 Since the coronavirus outbreak are you consuming more or less of the following? Summary Of No Change
123	121	BHV15_1 Since the coronavirus outbreak are you consuming more or less of the following? Fresh food (vegetables, fruit)
124	122	BHV15_2 Since the coronavirus outbreak are you consuming more or less of the following? Fast food
125	123	BHV15_3 Since the coronavirus outbreak are you consuming more or less of the following? Alcohol (beer, wine, spirits)
126	124	BHV15_4 Since the coronavirus outbreak are you consuming more or less of the following? Snack foods (chips, nuts, granola bars)
127	125	BHV15_5 Since the coronavirus outbreak are you consuming more or less of the following? Ready to eat meals (e.g., frozen pizzas)
128	126	BHV15_6 Since the coronavirus outbreak are you consuming more or less of the following? Home cooked meals

24 August 2020

Fielding Period: March 14 - August 23, 2020

COVID-19
Weighted To The U.S. General Adult Population - Propensity

Page	Table	Title
129	127	BHV15_7 Since the coronavirus outbreak are you consuming more or less of the following? Coffee and tea
130	128	BHV15_8 Since the coronavirus outbreak are you consuming more or less of the following? Soft drinks
131	129	BHV15_9 Since the coronavirus outbreak are you consuming more or less of the following? Candy and chocolate
132	130	BHV15_10 Since the coronavirus outbreak are you consuming more or less of the following? Orange juice
133	131	BHV15_11 Since the coronavirus outbreak are you consuming more or less of the following? Meat alternatives (e.g., tofu, seitan, tempeh)
134	132	BHV15a As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Summary Of Stay The Same
135	133	BHV15a As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Summary Of Less
136	134	BHV15a As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Summary Of More
137	135	BHV15a As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Summary Of More + No Change
138	136	BHV15a_1 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Fresh food (vegetables, fruit)
139	137	BHV15a_2 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Fast food
140	138	BHV15a_3 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Alcohol (beer, wine, spirits)
141	139	BHV15a_4 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Snack foods (chips, nuts, granola bars)
142	140	BHV15a_5 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Ready to eat meals (e.g., frozen pizzas)
143	141	BHV15a_6 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Home cooked meals
144	142	BHV15a_7 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Coffee and tea
145	143	BHV15a_8 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Soft drinks
146	144	BHV15a_9 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Candy and chocolate
147	145	BHV15a_10 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Orange juice
148	146	BHV15a_11 As you look out on the remainder of this year, do you plan on maintaining your consumption habits of the following? Meat alternatives (e.g., tofu, seitan, tempeh)
149	147	BHV09 Which are you more likely to do post covid19 (e.g., when the economy opens or the curve flattened)?
150	148	BHV11 Which are you more likely to do post covid19 (e.g., when the economy opens or the curve flattened)?
151	149	APP03 As social distancing restrictions related to the COVID-19 pandemic end, clothing retail stores will begin to open back up in your area. If you were to shop for new clothes over the next few months, how do you think your shopping preferences will change compared to before the pandemic for both online and in-person shopping? Summary Of More Than Before The Pandemic
152	150	APP03 As social distancing restrictions related to the COVID-19 pandemic end, clothing retail stores will begin to open back up in your area. If you were to shop for new clothes over the next few months, how do you think your shopping preferences will change compared to before the pandemic for both online and in-person shopping? Summary Of Less Than Before The Pandemic
153	151	APP03 As social distancing restrictions related to the COVID-19 pandemic end, clothing retail stores will begin to open back up in your area. If you were to shop for new clothes over the next few months, how do you think your shopping preferences will change compared to before the pandemic for both online and in-person shopping? Summary Of No Change
154	152	APP03_1 As social distancing restrictions related to the COVID-19 pandemic end, clothing retail stores will begin to open back up in your area. If you were to shop for new clothes over the next few months, how do you think your shopping preferences will change compared to before the pandemic for both online and in-person shopping? Online shopping
155	153	APP03_2 As social distancing restrictions related to the COVID-19 pandemic end, clothing retail stores will begin to open back up in your area. If you were to shop for new clothes over the next few months, how do you think your shopping preferences will change compared to before the pandemic for both online and in-person shopping? In-store shopping
156	154	BHV25 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories? Summary Of Spend More
157	155	BHV25 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories? Summary Of Spend Less

24 August 2020

Fielding Period: March 14 - August 23, 2020

COVID-19
Weighted To The U.S. General Adult Population - Propensity

Page	Table	Title
158	156	BHV25 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories? Summary Of No Change
159	157	BHV25_1 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories? Groceries
160	158	BHV25_2 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories? Personal care
161	159	BHV25_3 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories? Medical products
162	160	BHV25_4 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories? Apparel
163	161	BHV25_5 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories? Consumer electronics
164	162	BHV25_6 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories? Leisure travel
165	163	BHV25_7 Compared to before COVID-19, how do you anticipate your spending after the pandemic will change, if at all, in each of the following categories? Movies/shows
166	164	SM01 In general, do you think people on your social media feeds are mostly posting facts or misleading information?
167	165	SM03 Do social media platforms have a responsibility to monitor whether things said on their platform are true or false?
168	166	SM04 Do you think social media platforms should or should not censor information they believe to be false/ misleading?
169	167	SM05 Do you think that social media platforms are generally more favorable to Republicans or Democrats?
170	168	Q3A Which of the following best describes your response to coronavirus?
171	169	EMP02 How concerned are you that you may lose your job due to the coronavirus outbreak?
172	170	Q9 Do you think your income in 2020 will be lower, higher or about the same as it was in 2019?
173	171	EMP05 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Summary Of Yes
174	172	EMP05_1 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Missed (or will soon miss) a rent/mortgage payment
175	173	EMP05_2 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Missed (or will soon miss) a bill payment
176	174	EMP05_3 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Provided financial support for a family member
177	175	EMP05_4 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Provided financial support for a friend
178	176	EMP05_5 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Sought out new or additional sources of income
179	177	EMP05_6 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Lost income partially
180	178	EMP05_7 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Lost income entirely
181	179	EMP05_8 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Accumulated more debt than normal
182	180	EMP05_9 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Stopped or cut back on retirement savings
183	181	EMP05_10 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Stopped or cut back on other savings (e.g., college tuition, a major purchase, such as a house or care)
184	182	EMP05_11 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Paid for services that I haven't used (e.g., a dog walker, childcare, a house cleaning service)
185	183	EMP05_12 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? Lost access to my health insurance
186	184	EMP05_13 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? I have been impacted financially in some other way
187	185	EMP05_14 As a result of the current pandemic, have you or your household been impacted financially in any of the following ways? I have not been impacted financially
188	186	REV01 Are you planning any major purchases once things return to normal? Please select all that apply.
189	187	REV01 Are you planning any major purchases once things return to normal? Please select all that apply.
190	188	REV02 Once things return to normal and businesses reopen, would you do any of the following to prepare for something like this in the future? Please select all that apply.
191	189	Q15 How concerned are you about the impact coronavirus (COVID-19) has on the following? Summary Of Concerned
192	190	Q15 How concerned are you about the impact coronavirus (COVID-19) has on the following? Summary Of Not At All/Not Very Concerned

24 August 2020

Fielding Period: March 14 - August 23, 2020

COVID-19

Weighted To The U.S. General Adult Population - Propensity

Page Table Title

193	191	Q15_1 How concerned are you about the impact coronavirus (COVID-19) has on the following? Your personal health
194	192	Q15_2 How concerned are you about the impact coronavirus (COVID-19) has on the following? The health of your older friends and relatives
195	193	Q15_3 How concerned are you about the impact coronavirus (COVID-19) has on the following? The health of the broader American populace
196	194	Q15_4 How concerned are you about the impact coronavirus (COVID-19) has on the following? The American economy
197	195	Q15_5 How concerned are you about the impact coronavirus (COVID-19) has on the following? Your personal finances
198	196	Q18 Which of the following is true for you?
199	197	Q21 Which of the following is closest to your view of people's reaction to the coronavirus (COVID-19) outbreak?
200	198	FR01 Have you felt any of the following recently due to the COVID-19 pandemic? Summary Of Yes
201	199	FR01_1 Have you felt any of the following recently due to the COVID-19 pandemic? Cabin fever- bored and sick of being in my home
202	200	FR01_2 Have you felt any of the following recently due to the COVID-19 pandemic? Claustrophobic- unable to escape my home
203	201	FR01_3 Have you felt any of the following recently due to the COVID-19 pandemic? Grateful- for the break from work to be at home with my family or by myself
204	202	FR01_4 Have you felt any of the following recently due to the COVID-19 pandemic? Appreciative-to be around people I truly care about
205	203	FR01_5 Have you felt any of the following recently due to the COVID-19 pandemic? Compassionate- taking the time to check in with the people I care about
206	204	FR01_6 Have you felt any of the following recently due to the COVID-19 pandemic? Lonely-feeling isolated from my friends/family
207	205	FR01_7 Have you felt any of the following recently due to the COVID-19 pandemic? Overwhelmed- trying to balance work at home and other needs of my family
208	206	FR01_8 Have you felt any of the following recently due to the COVID-19 pandemic? Angry- upset that I don't know when this will end
209	207	FR01_9 Have you felt any of the following recently due to the COVID-19 pandemic? Annoyed- by lack of personal space and the inability to get away from my family
210	208	FR01_10 Have you felt any of the following recently due to the COVID-19 pandemic? Fear- that my kids are missing out on learning
211	209	FR01_11 Have you felt any of the following recently due to the COVID-19 pandemic? Thankful - for the sacrifices that the American people have made for coronavirus
212	210	FR01A Have you felt any of the following recently due to the COVID-19 pandemic? Summary Of Yes
213	211	FR01A_12 Have you felt any of the following recently due to the COVID-19 pandemic? Tired - of following guidelines & coronavirus in general
214	212	FR01A_13 Have you felt any of the following recently due to the COVID-19 pandemic? Creative - I've found new hobbies/activities I enjoy during coronavirus
215	213	FR01A_14 Have you felt any of the following recently due to the COVID-19 pandemic? Scared - for the future
216	214	FR01A_15 Have you felt any of the following recently due to the COVID-19 pandemic? Dread - being unable to pay bill(s) during pandemic
217	215	FR01A_16 Have you felt any of the following recently due to the COVID-19 pandemic? Connected - communicating more with friends/family
218	216	FR01A_17 Have you felt any of the following recently due to the COVID-19 pandemic? Hopeful - that there is an end in sight
219	217	FR01A_18 Have you felt any of the following recently due to the COVID-19 pandemic? Bored - I've run out of activities to do at home & wish I could go out
220	218	FR01A_19 Have you felt any of the following recently due to the COVID-19 pandemic? Indifferent - I'm use to the new normal of life during coronavirus
221	219	FR05 How much would you say you miss each of the following during this time of virus-related restrictions? Summary Of A Lot/Somewhat
222	220	FR05 How much would you say you miss each of the following during this time of virus-related restrictions? Summary Of Not At All/Not Very
223	221	FR05_1 How much would you say you miss each of the following during this time of virus-related restrictions? Traveling on an airplane
224	222	FR05_2 How much would you say you miss each of the following during this time of virus-related restrictions? Going to a movie theatre
225	223	FR05_3 How much would you say you miss each of the following during this time of virus-related restrictions? Shopping in stores

24 August 2020

Fielding Period: March 14 - August 23, 2020

COVID-19
Weighted To The U.S. General Adult Population - Propensity

Page	Table	Title
226	224	FR05_4 How much would you say you miss each of the following during this time of virus-related restrictions? Working from the office
227	225	FR05_5 How much would you say you miss each of the following during this time of virus-related restrictions? Attending events like concerts, theatre and sporting events
228	226	FR05_6 How much would you say you miss each of the following during this time of virus-related restrictions? Dining out at a restaurant/bar
229	227	FR05_7 How much would you say you miss each of the following during this time of virus-related restrictions? Watching sports on TV
230	228	FR05_8 How much would you say you miss each of the following during this time of virus-related restrictions? Gatherings with friends and family
231	229	FR05_9 How much would you say you miss each of the following during this time of virus-related restrictions? Going to church
232	230	FR05_10 How much would you say you miss each of the following during this time of virus-related restrictions? Going to school or university
233	231	FR05_13 How much would you say you miss each of the following during this time of virus-related restrictions? Going to the gym/work out class
234	232	FR05_14 How much would you say you miss each of the following during this time of virus-related restrictions? Going to a social gathering,
235	233	FR05_15 How much would you say you miss each of the following during this time of virus-related restrictions? Going to my local coffee shop
236	234	FR05_16 How much would you say you miss each of the following during this time of virus-related restrictions? In person celebrations (e.g., birthdays, graduations)
237	235	COV04 How concerned are you of a new wave of COVID-19 outbreak in your area?
238	236	Q22 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system? Summary Of Concerned
239	237	Q22 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system? Summary Of Not At All / Not Very Concerned
240	238	Q22_1 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system? Surgical masks and gloves
241	239	Q22_2 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system? Testing kits for COVID-19
242	240	Q22_3 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system? Hospital beds (room for patients)
243	241	Q22_4 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system? Hospital ventilators (for assisted breathing)
244	242	Q22_5 How concerned are you about each of the following potential shortages from coronavirus (COVID-19) in the healthcare system? Healthcare workers (doctors, nurses, supporting staff)
245	243	FR11 How concerned are you about you or your loved one's risk of being exposed to coronavirus when you leave your home for essential errands during stay-home orders?
246	244	FR12 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus? Summary Of Very/Somewhat Concerned
247	245	FR12 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus? Summary Of Not At All/Not Very Concerned
248	246	FR12_1 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus? Leaving my home to go to non-essential businesses (e.g., bars, hair dressers, etc.)
249	247	FR12_2 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus? Returning to my normal activities in public (e.g., public transit, socializing)
250	248	FR12_3 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus? Taking my first flight
251	249	FR12_4 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus? My kids going back to school for the first time
252	250	FR12_5 How concerned are you about the following situations, as it relates to the risk of you/your loved ones being exposed to, or accidentally exposing others to coronavirus? Going back to the office

24 August 2020

Fielding Period: March 14 - August 23, 2020

COVID-19

Weighted To The U.S. General Adult Population - Propensity

Page	Table	Title
253	251	Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following?
254	252	Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Summary Of Immediately/1-30 Days
255	253	Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Summary Of Up To 3 Months
256	254	Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Summary Of 1 Day To 3 Months
257	255	Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Summary Of Up To 6 Months
258	256	Q33B Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Summary Of Year Or Longer
259	257	Q33B_1 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Fly on a plane
260	258	Q33B_2 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Go to a gym class
261	259	Q33B_3 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Take a cruise
262	260	Q33B_4 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Go out to dinner
263	261	Q33B_5 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Visit a casino
264	262	Q33B_6 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Stay in a hotel
265	263	Q33B_7 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Go to the office
266	264	Q33B_8 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Go to a sporting event
267	265	Q33B_9 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Go to the movies
268	266	Q33B_10 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Host/attend a large social gathering
269	267	Q33B_11 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Take public transportation (e.g., subway, busses, trains)
270	268	Q33B_12 Once the government provides information that the spread of the virus is flattening how long will it take you to do each of the following? Greet people with a handshake
271	269	Q36 How likely do you think it is that coronavirus (COVID-19) will cause a global recession?
272	270	Q36A Would you say we are in a global recession due to the coronavirus outbreak?
273	271	LI01 Which do you think will have a bigger effect on the life of you and your family?
274	272	LI02 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Summary Of Mostly The Same
275	273	LI02 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Summary Of Somewhat Different
276	274	LI02 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Summary Of Very Different
277	275	LI02_1 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Shopping habits

24 August 2020

Fielding Period: March 14 - August 23, 2020

COVID-19

Weighted To The U.S. General Adult Population - Propensity

<u>Page</u>	<u>Table</u>	<u>Title</u>
278	276	LI02_2 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Eating habits
279	277	LI02_3 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Social activity
280	278	LI02_4 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Travel/vacation
281	279	LI02_5 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Work life
282	280	LI02_6 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Family life
283	281	LI02_7 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Personal hygiene
284	282	LI02_8 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Healthcare
285	283	LI02_9 Once the pandemic is over and things return to normal, do you think each of the following areas of your life will be very different, somewhat different or mostly the same? Health insurance